# DSDR | DATA SHARING FOR DEMOGRAPHIC RESEARCH

**ICPSR 21600**

# National Longitudinal Study of Adolescent to Adult Health (Add Health), 1994-2018 [Public Use]

Kathleen Mullan Harris
*University of North Carolina at Chapel Hill*

J. Richard Udry
*University of North Carolina at Chapel Hill*

Wave V: Mixed-Mode Survey, Public Use Sample (Section 16B: Pregnancy, Live Births, Children and Parenting) Variable Description and Frequencies

# Terms of Use

# Information about Copyrighted Content

# ICPSR PROCESSING NOTES FOR #21600

*National Longitudinal Study of Adolescent to Adult Health (Add Health), 1994-2018 [Public Use]*
*DS33: Wave V: Mixed-Mode Survey, Public Use Sample (Section 16B: Pregnancy, Live Births, Children and Parenting)*

1. **Variable Metadata:** Wave V data files have been minimally processed by ICPSR**.** For value labels, missing values, and question text (where applicable), please see the P.I. Codebook/Questionnaire.

2. **Documentation Discrepancies:** Variable **H5PG28** contains an additional value in the data than what is shown in the P.I. Codebook/Questionnaire. No further information was provided.

# ICPSR 21600

# National Longitudinal Study of Adolescent to Adult Health (Add Health), 1994-2018 [Public Use]

# Variable Description and Frequencies

**Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.**

**Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.**

# Wave V: Mixed-Mode Survey, Public Use Sample (Section 16B: Pregnancy, Live Births, Children and Parenting)

## AID: RESPONDENT IDENTIFIER

| Value | Label | Unweighted Frequency | % |
|---|---|---|---|
| 57101310 | - | 4 | 0.1 % |
| 57111071 | - | 2 | 0.0 % |
| 57111786 | - | 2 | 0.0 % |
| 57117997 | - | 2 | 0.0 % |
| 57118381 | - | 3 | 0.0 % |
| 57118943 | - | 2 | 0.0 % |
| 57121404 | - | 2 | 0.0 % |
| 57129567 | - | 6 | 0.1 % |
| 57130633 | - | 3 | 0.0 % |
| 57131909 | - | 2 | 0.0 % |
| 57134970 | - | 4 | 0.1 % |
| 57136630 | - | 1 | 0.0 % |
| 57141800 | - | 2 | 0.0 % |
| 57146734 | - | 2 | 0.0 % |
| 57154249 | - | 3 | 0.0 % |
| 57157723 | - | 4 | 0.1 % |
| 57159952 | - | 2 | 0.0 % |
| 57160648 | - | 2 | 0.0 % |
| 57163116 | - | 2 | 0.0 % |
| 57163657 | - | 2 | 0.0 % |
| 57164981 | - | 3 | 0.0 % |
| 57165288 | - | 5 | 0.1 % |
| 57166019 | - | 2 | 0.0 % |
| 57166463 | - | 2 | 0.0 % |
| 57178110 | - | 1 | 0.0 % |
| 57179591 | - | 1 | 0.0 % |
| 57186150 | - | 3 | 0.0 % |
| 57188247 | - | 2 | 0.0 % |
| 57191909 | - | 5 | 0.1 % |
| 57192841 | - | 2 | 0.0 % |
| 57193349 | - | 2 | 0.0 % |
| 57196641 | - | 2 | 0.0 % |
| 57200870 | - | 1 | 0.0 % |
| 57210612 | - | 2 | 0.0 % |

| Value | Label | Unweighted Frequency | % |
|---|---|---|---|
| 57212679 | - | 1 | 0.0 % |
| 57220133 | - | 2 | 0.0 % |
| 57220955 | - | 4 | 0.1 % |
| 57228523 | - | 3 | 0.0 % |
| 57230940 | - | 2 | 0.0 % |
| 57231300 | - | 2 | 0.0 % |
| 57233403 | - | 2 | 0.0 % |
| 57234514 | - | 5 | 0.1 % |
| 57239363 | - | 2 | 0.0 % |
| 57239974 | - | 3 | 0.0 % |
| 57241075 | - | 1 | 0.0 % |
| 57242812 | - | 1 | 0.0 % |
| 57244606 | - | 1 | 0.0 % |
| 57245293 | - | 2 | 0.0 % |
| 57245315 | - | 4 | 0.1 % |
| 57245379 | - | 4 | 0.1 % |
| | **Total** | **6,188** | **100%** |

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 6,188 valid cases out of 6,188 total cases.

*Location:* 1-8 (width: 8; decimal: 0)
*Variable Type:* character

## PRGNO: PREGNANCY NUMBER-W5

| Value | Label | Unweighted Frequency | % |
|---|---|---|---|
| 1 | - | 2814 | 45.5 % |
| 2 | - | 2076 | 33.5 % |
| 3 | - | 892 | 14.4 % |
| 4 | - | 299 | 4.8 % |
| 5 | - | 79 | 1.3 % |
| 6 | - | 28 | 0.5 % |
| | **Total** | **6,188** | **100%** |

Based upon 6,188 valid cases out of 6,188 total cases.

• Mean: 1.84
• Median: 2.00
• Mode: 1.00
• Minimum: 1.00
• Maximum: 6.00

- Standard Deviation: 0.98

*Location:* 9-9 (width: 1; decimal: 0)
*Variable Type:* numeric

## H5PG8: S16Q8 SINGLE/TWIN/OTHR BTH-W5

| Value | Label | Unweighted Frequency | % |
|---|---|---|---|
| 1 | - | 5934 | 95.9 % |
| 2 | - | 206 | 3.3 % |
| 3 | - | 10 | 0.2 % |
| | **Missing Data** | | |
| . | - | 38 | 0.6 % |
| | **Total** | **6,188** | **100%** |

Based upon 6,150 valid cases out of 6,188 total cases.

- Mean: 1.04
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.20

*Location:* 10-10 (width: 1; decimal: 0)
*Variable Type:* numeric

## H5PG9: S16Q9 C-SECTION/VAGINAL-W5

| Value | Label | Unweighted Frequency | % |
|---|---|---|---|
| 1 | - | 1831 | 29.6 % |
| 2 | - | 4303 | 69.5 % |
| | **Missing Data** | | |
| . | - | 54 | 0.9 % |
| | **Total** | **6,188** | **100%** |

Based upon 6,134 valid cases out of 6,188 total cases.

- Mean: 1.70
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.46

*Location:* 11-11 (width: 1; decimal: 0)
*Variable Type:* numeric

## H5PG10Y: S16Q10Y BIRTHDAY-YEAR-W5

| Value | Label | Unweighted Frequency | % |
|---|---|---|---|
| 1994 | - | 29 | 0.5 % |
| 1995 | - | 26 | 0.4 % |
| 1996 | - | 80 | 1.3 % |
| 1997 | - | 104 | 1.7 % |
| 1998 | - | 146 | 2.4 % |
| 1999 | - | 187 | 3.0 % |
| 2000 | - | 210 | 3.4 % |
| 2001 | - | 239 | 3.9 % |
| 2002 | - | 247 | 4.0 % |
| 2003 | - | 290 | 4.7 % |
| 2004 | - | 274 | 4.4 % |
| 2005 | - | 310 | 5.0 % |
| 2006 | - | 327 | 5.3 % |
| 2007 | - | 323 | 5.2 % |
| 2008 | - | 336 | 5.4 % |
| 2009 | - | 346 | 5.6 % |
| 2010 | - | 359 | 5.8 % |
| 2011 | - | 341 | 5.5 % |
| 2012 | - | 347 | 5.6 % |
| 2013 | - | 293 | 4.7 % |
| 2014 | - | 289 | 4.7 % |
| 2015 | - | 227 | 3.7 % |
| 2016 | - | 238 | 3.8 % |
| 2017 | - | 122 | 2.0 % |
| 2018 | - | 55 | 0.9 % |
| | **Missing Data** | | |
| . | - | 443 | 7.2 % |
| | **Total** | **6,188** | **100%** |

Based upon 5,745 valid cases out of 6,188 total cases.

- Mean: 2007.40
- Median: 2008.00
- Mode: 2010.00
- Minimum: 1994.00
- Maximum: 2018.00
- Standard Deviation: 5.63

*Location:* 12-15 (width: 4; decimal: 0)
*Variable Type:* numeric

## H5PG11: S16Q11 BORN IN US-W5

| Value | Label | Unweighted Frequency | % |
|---|---|---|---|
| 0 | - | 34 | 0.5 % |
| 1 | - | 6108 | 98.7 % |
| | **Missing Data** | | |
| . | - | 46 | 0.7 % |
| | **Total** | **6,188** | **100%** |

Based upon 6,142 valid cases out of 6,188 total cases.

- Mean: 0.99
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.07

*Location:* 16-16 (width: 1; decimal: 0)
*Variable Type:* numeric

## H5PG12: S16Q12 BABY BOY OR GIRL-W5

| Value | Label | Unweighted Frequency | % |
|---|---|---|---|
| 1 | - | 3039 | 49.1 % |
| 2 | - | 3093 | 50.0 % |
| | **Missing Data** | | |
| . | - | 56 | 0.9 % |
| | **Total** | **6,188** | **100%** |

Based upon 6,132 valid cases out of 6,188 total cases.

- Mean: 1.50
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.50

*Location:* 17-17 (width: 1; decimal: 0)
*Variable Type:* numeric

## H5PG13L: S16Q13L BABY BIRTH WEIGHT-LBS-W5

| Value | Label | Unweighted Frequency | % |
|---|---|---|---|
| 1 | - | 18 | 0.3 % |
| 2 | - | 33 | 0.5 % |
| 3 | - | 61 | 1.0 % |
| 4 | - | 106 | 1.7 % |
| 5 | - | 285 | 4.6 % |

| Value | Label | Unweighted Frequency | % |
|---|---|---|---|
| 6 | - | 758 | 12.2 % |
| 7 | - | 1483 | 24.0 % |
| 8 | - | 1559 | 25.2 % |
| 9 | - | 626 | 10.1 % |
| 10 | - | 181 | 2.9 % |
| 11 | - | 35 | 0.6 % |
| | **Missing Data** | | |
| . | - | 1043 | 16.9 % |
| | **Total** | **6,188** | **100%** |

Based upon 5,145 valid cases out of 6,188 total cases.

- Mean: 7.26
- Median: 7.00
- Mode: 8.00
- Minimum: 1.00
- Maximum: 11.00
- Standard Deviation: 1.48

*Location:* 18-19 (width: 2; decimal: 0)
*Variable Type:* numeric

## H5PG14: S16Q14 BABY BIRTH WGT<5.5 LBS-W5

| Value | Label | Unweighted Frequency | % |
|---|---|---|---|
| 0 | - | 934 | 15.1 % |
| 1 | - | 94 | 1.5 % |
| 97 | - | 5132 | 82.9 % |
| | **Missing Data** | | |
| . | - | 28 | 0.5 % |
| | **Total** | **6,188** | **100%** |

Based upon 6,160 valid cases out of 6,188 total cases.

- Mean: 80.83
- Median: 97.00
- Mode: 97.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 36.14

*Location:* 20-21 (width: 2; decimal: 0)
*Variable Type:* numeric

## H5PG15: S16Q15 PRETERM BIRTH-W5

| Value | Label | Unweighted Frequency | % |
|---|---|---|---|
| 0 | - | 5196 | 84.0 % |
| 1 | - | 865 | 14.0 % |
| 98 | - | 68 | 1.1 % |
| | **Missing Data** | | |
| . | - | 59 | 1.0 % |
| | **Total** | **6,188** | **100%** |

Based upon 6,129 valid cases out of 6,188 total cases.

- Mean: 1.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 98.00
- Standard Deviation: 10.26

*Location:* 22-23 (width: 2; decimal: 0)
*Variable Type:* numeric

## H5PG16: S16Q16 BABY STAY HOSP/NICU-W5

| Value | Label | Unweighted Frequency | % |
|---|---|---|---|
| 1 | - | 638 | 10.3 % |
| 2 | - | 5397 | 87.2 % |
| 3 | - | 80 | 1.3 % |
| | **Missing Data** | | |
| . | - | 73 | 1.2 % |
| | **Total** | **6,188** | **100%** |

Based upon 6,115 valid cases out of 6,188 total cases.

- Mean: 1.91
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.33

*Location:* 24-24 (width: 1; decimal: 0)
*Variable Type:* numeric

## H5PG17: S16Q17 BABY WENT HOME W/ R-W5

| Value | Label | Unweighted Frequency | % |
|---|---|---|---|
| 0 | - | 109 | 1.8 % |
| 1 | - | 6023 | 97.3 % |
| | **Missing Data** | | |

| Value | Label | Unweighted Frequency | % |
|---|---|---|---|
| . | - | 56 | 0.9 % |
| | **Total** | **6,188** | **100%** |

Based upon 6,132 valid cases out of 6,188 total cases.

- Mean: 0.98
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.13

*Location:* 25-25 (width: 1; decimal: 0)
*Variable Type:* numeric

## H5PG18: S16Q18 WHY BABY NOT GO HOME-W5

| Value | Label | Unweighted Frequency | % |
|---|---|---|---|
| 1 | - | 10 | 0.2 % |
| 2 | - | 34 | 0.5 % |
| 3 | - | 38 | 0.6 % |
| 4 | - | 7 | 0.1 % |
| 5 | - | 11 | 0.2 % |
| 97 | - | 6033 | 97.5 % |
| | **Missing Data** | | |
| . | - | 55 | 0.9 % |
| | **Total** | **6,188** | **100%** |

Based upon 6,133 valid cases out of 6,188 total cases.

- Mean: 95.46
- Median: 97.00
- Mode: 97.00
- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 11.94

*Location:* 26-27 (width: 2; decimal: 0)
*Variable Type:* numeric

## H5PG19: S16Q19 R WANT A BABY B/F PREG-W5

| Value | Label | Unweighted Frequency | % |
|---|---|---|---|
| 0 | - | 1563 | 25.3 % |
| 1 | - | 4556 | 73.6 % |
| | **Missing Data** | | |
| . | - | 69 | 1.1 % |

| Value | Label | Unweighted Frequency | % |
|---|---|---|---|
| | Total | 6,188 | 100% |

Based upon 6,119 valid cases out of 6,188 total cases.

- Mean: 0.74
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

*Location:* 28-28 (width: 1; decimal: 0)
*Variable Type:* numeric

## H5PG20: S16Q20 BIRTH CONTROL B/F PREG-W5

| Value | Label | Unweighted Frequency | % |
|---|---|---|---|
| 0 | - | 4805 | 77.7 % |
| 1 | - | 1301 | 21.0 % |
| | **Missing Data** | | |
| . | - | 82 | 1.3 % |
| | **Total** | **6,188** | **100%** |

Based upon 6,106 valid cases out of 6,188 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

*Location:* 29-29 (width: 1; decimal: 0)
*Variable Type:* numeric

## H5PG21: S16Q21 PREG PTNR REL AT BIRTH-W5

| Value | Label | Unweighted Frequency | % |
|---|---|---|---|
| 1 | - | 3712 | 60.0 % |
| 2 | - | 1282 | 20.7 % |
| 3 | - | 667 | 10.8 % |
| 4 | - | 254 | 4.1 % |
| 5 | - | 133 | 2.1 % |
| 6 | - | 47 | 0.8 % |
| 7 | - | 47 | 0.8 % |
| | **Missing Data** | | |
| . | - | 46 | 0.7 % |

| Value | Label | Unweighted Frequency | % |
|---|---|---|---|
| | **Total** | **6,188** | **100%** |

Based upon 6,142 valid cases out of 6,188 total cases.

- Mean: 1.72
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.14

*Location:* 30-30 (width: 1; decimal: 0)
*Variable Type:* numeric

## H5PG22: S16Q22 PREG PTNR MOST RECENT-W5

| Value | Label | Unweighted Frequency | % |
|---|---|---|---|
| 0 | - | 2037 | 32.9 % |
| 1 | - | 4110 | 66.4 % |
| | **Missing Data** | | |
| . | - | 41 | 0.7 % |
| | **Total** | **6,188** | **100%** |

Based upon 6,147 valid cases out of 6,188 total cases.

- Mean: 0.67
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

*Location:* 31-31 (width: 1; decimal: 0)
*Variable Type:* numeric

## H5PG23: S16Q23 # CIGARETTE DUR PREG-W5

| Value | Label | Unweighted Frequency | % |
|---|---|---|---|
| 1 | - | 5337 | 86.2 % |
| 2 | - | 229 | 3.7 % |
| 3 | - | 164 | 2.7 % |
| 4 | - | 251 | 4.1 % |
| 5 | - | 130 | 2.1 % |
| 6 | - | 22 | 0.4 % |
| 7 | - | 13 | 0.2 % |
| | **Missing Data** | | |
| . | - | 42 | 0.7 % |

| Value | Label | Unweighted Frequency | % |
|---|---|---|---|
| | **Total** | **6,188** | **100%** |

Based upon 6,146 valid cases out of 6,188 total cases.

- Mean: 1.33
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 0.95

*Location:* 32-32 (width: 1; decimal: 0)
*Variable Type:* numeric

## H5PG24: S16Q24 PRENATAL VISIT DUR PREG-W5

| Value | Label | Unweighted Frequency | % |
|---|---|---|---|
| 0 | - | 164 | 2.7 % |
| 1 | - | 5963 | 96.4 % |
| | **Missing Data** | | |
| . | - | 61 | 1.0 % |
| | **Total** | **6,188** | **100%** |

Based upon 6,127 valid cases out of 6,188 total cases.

- Mean: 0.97
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.16

*Location:* 33-33 (width: 1; decimal: 0)
*Variable Type:* numeric

## H5PG25: S16Q25 WKS 1ST PRENATAL VISIT-W5

| Value | Label | Unweighted Frequency | % |
|---|---|---|---|
| 1 | - | 27 | 0.4 % |
| 2 | - | 71 | 1.1 % |
| 3 | - | 78 | 1.3 % |
| 4 | - | 1089 | 17.6 % |
| 5 | - | 407 | 6.6 % |
| 6 | - | 1319 | 21.3 % |
| 7 | - | 199 | 3.2 % |
| 8 | - | 1199 | 19.4 % |
| 9 | - | 155 | 2.5 % |

| Value | Label | Unweighted Frequency | % |
|---|---|---|---|
| 10 | - | 274 | 4.4 % |
| 11 | - | 30 | 0.5 % |
| 12 | - | 388 | 6.3 % |
| 13 | - | 25 | 0.4 % |
| 14 | - | 36 | 0.6 % |
| 15 | - | 21 | 0.3 % |
| 16 | - | 57 | 0.9 % |
| 20 | - | 77 | 1.2 % |
| 25 | - | 21 | 0.3 % |
| 30 | - | 15 | 0.2 % |
| 35 | - | 12 | 0.2 % |
| 40 | - | 14 | 0.2 % |
| 997 | - | 223 | 3.6 % |
| | **Missing Data** | | |
| . | - | 451 | 7.3 % |
| | **Total** | **6,188** | **100%** |

Based upon 5,737 valid cases out of 6,188 total cases.

- Mean: 45.79
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 997.00
- Standard Deviation: 191.35

*Location:* 34-36 (width: 3; decimal: 0)
*Variable Type:* numeric

## H5PG26: S16Q26 STILL LIVING-W5

| Value | Label | Unweighted Frequency | % |
|---|---|---|---|
| 0 | - | 33 | 0.5 % |
| 1 | - | 6074 | 98.2 % |
| 97 | - | 5 | 0.1 % |
| 98 | - | 9 | 0.1 % |
| | **Missing Data** | | |
| . | - | 67 | 1.1 % |
| | **Total** | **6,188** | **100%** |

Based upon 6,121 valid cases out of 6,188 total cases.

- Mean: 1.22
- Median: 1.00

- Mode: 1.00
- Minimum: 0.00
- Maximum: 98.00
- Standard Deviation: 4.62

*Location:* 37-38 (width: 2; decimal: 0)
*Variable Type:* numeric

## H5PG27Y: S16Q27Y YEAR DIED-W5

| Value | Label | Unweighted Frequency | % |
|---|---|---|---|
| 2009 | - | 34 | 0.5 % |
| 2010 | - | 19 | 0.3 % |
| 99997 | - | 6118 | 98.9 % |
| | **Missing Data** | | |
| . | - | 17 | 0.3 % |
| | **Total** | **6,188** | **100%** |

Based upon 6,171 valid cases out of 6,188 total cases.

- Mean: 99155.43
- Median: 99997.00
- Mode: 99997.00
- Minimum: 2009.00
- Maximum: 99997.00
- Standard Deviation: 9042.61

*Location:* 39-43 (width: 5; decimal: 0)
*Variable Type:* numeric

## H5PG28: S16Q28 HOW GOOD HEALTH-W5

| Value | Label | Unweighted Frequency | % |
|---|---|---|---|
| 1 | - | 4033 | 65.2 % |
| 2 | - | 1597 | 25.8 % |
| 3 | - | 376 | 6.1 % |
| 4 | - | 53 | 0.9 % |
| 5 | - | 5 | 0.1 % |
| 97 | - | 82 | 1.3 % |
| | **Missing Data** | | |
| . | - | 42 | 0.7 % |
| | **Total** | **6,188** | **100%** |

Based upon 6,146 valid cases out of 6,188 total cases.

- Mean: 2.69
- Median: 1.00
- Mode: 1.00

- Minimum: 1.00
- Maximum: 97.00
- Standard Deviation: 10.99

*Location:* 44-45 (width: 2; decimal: 0)
*Variable Type:* numeric

## H5PG29A: S16Q29A HEAR PROB/DEAF-W5

| Value | Label | Unweighted Frequency | % |
|---|---|---|---|
| 0 | - | 6050 | 97.8 % |
| 1 | - | 96 | 1.6 % |
| | **Missing Data** | | |
| . | - | 42 | 0.7 % |
| | **Total** | **6,188** | **100%** |

Based upon 6,146 valid cases out of 6,188 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.12

*Location:* 46-46 (width: 1; decimal: 0)
*Variable Type:* numeric

## H5PG29B: S16Q29B HAS SPEECH PROB-W5

| Value | Label | Unweighted Frequency | % |
|---|---|---|---|
| 0 | - | 5826 | 94.1 % |
| 1 | - | 320 | 5.2 % |
| | **Missing Data** | | |
| . | - | 42 | 0.7 % |
| | **Total** | **6,188** | **100%** |

Based upon 6,146 valid cases out of 6,188 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.22

*Location:* 47-47 (width: 1; decimal: 0)
*Variable Type:* numeric

## H5PG29C: S16Q29C HAS SIGHT PROB-W5

| Value | Label | Unweighted Frequency | % |
|---|---|---|---|
| 0 | - | 5921 | 95.7 % |
| 1 | - | 225 | 3.6 % |
| | **Missing Data** | | |
| . | - | 42 | 0.7 % |
| | **Total** | **6,188** | **100%** |

Based upon 6,146 valid cases out of 6,188 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.19

*Location:* 48-48 (width: 1; decimal: 0)
*Variable Type:* numeric

## H5PG29D: S16Q29D LEARN DELAY/SLOW-W5

| Value | Label | Unweighted Frequency | % |
|---|---|---|---|
| 0 | - | 5925 | 95.7 % |
| 1 | - | 221 | 3.6 % |
| | **Missing Data** | | |
| . | - | 42 | 0.7 % |
| | **Total** | **6,188** | **100%** |

Based upon 6,146 valid cases out of 6,188 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.19

*Location:* 49-49 (width: 1; decimal: 0)
*Variable Type:* numeric

## H5PG29E: S16Q29E ALLRGY/HAY FEVER-W5

| Value | Label | Unweighted Frequency | % |
|---|---|---|---|
| 0 | - | 5318 | 85.9 % |
| 1 | - | 828 | 13.4 % |
| | **Missing Data** | | |
| . | - | 42 | 0.7 % |
| | **Total** | **6,188** | **100%** |

Based upon 6,146 valid cases out of 6,188 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.34

*Location:* 50-50 (width: 1; decimal: 0)
*Variable Type:* numeric

## H5PG29F: S16Q29F HAS ASTHMA-W5

| Value | Label | Unweighted Frequency | % |
|---|---|---|---|
| 0 | - | 5525 | 89.3 % |
| 1 | - | 621 | 10.0 % |
| | **Missing Data** | | |
| . | - | 42 | 0.7 % |
| | **Total** | **6,188** | **100%** |

Based upon 6,146 valid cases out of 6,188 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.30

*Location:* 51-51 (width: 1; decimal: 0)
*Variable Type:* numeric

## H5PG29G: S16Q29G OTHR RESP CON-W5

| Value | Label | Unweighted Frequency | % |
|---|---|---|---|
| 0 | - | 6088 | 98.4 % |
| 1 | - | 58 | 0.9 % |
| | **Missing Data** | | |
| . | - | 42 | 0.7 % |
| | **Total** | **6,188** | **100%** |

Based upon 6,146 valid cases out of 6,188 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

## H5PG29H: S16Q29H CHRONC HEART CON-W5

| Value | Label | Unweighted Frequency | % |
|---|---|---:|---:|
| 0 | - | 6101 | 98.6 % |
| 1 | - | 45 | 0.7 % |
| | **Missing Data** | | |
| . | - | 42 | 0.7 % |
| | **Total** | **6,188** | **100%** |

Based upon 6,146 valid cases out of 6,188 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.09

*Location:* 53-53 (width: 1; decimal: 0)
*Variable Type:* numeric

## H5PG29J: S16Q29J CONVULS/SEIZURE-W5

| Value | Label | Unweighted Frequency | % |
|---|---|---:|---:|
| 0 | - | 6116 | 98.8 % |
| 1 | - | 30 | 0.5 % |
| | **Missing Data** | | |
| . | - | 42 | 0.7 % |
| | **Total** | **6,188** | **100%** |

Based upon 6,146 valid cases out of 6,188 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.07

*Location:* 54-54 (width: 1; decimal: 0)
*Variable Type:* numeric

## H5PG29K: S16Q29K BONE/JOINT PROB-W5

| Value | Label | Unweighted Frequency | % |
|---|---|---:|---:|
| 0 | - | 6127 | 99.0 % |

| Value | Label | Unweighted Frequency | % |
|---|---|---|---|
| 1 | - | 19 | 0.3 % |
| | **Missing Data** | | |
| . | - | 42 | 0.7 % |
| | **Total** | **6,188** | **100%** |

Based upon 6,146 valid cases out of 6,188 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.06

*Location:* 55-55 (width: 1; decimal: 0)
*Variable Type:* numeric

## H5PG29Q: S16Q29Q HAS OBESITY-W5

| Value | Label | Unweighted Frequency | % |
|---|---|---|---|
| 0 | - | 6069 | 98.1 % |
| 1 | - | 77 | 1.2 % |
| | **Missing Data** | | |
| . | - | 42 | 0.7 % |
| | **Total** | **6,188** | **100%** |

Based upon 6,146 valid cases out of 6,188 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.11

*Location:* 56-56 (width: 1; decimal: 0)
*Variable Type:* numeric

## H5PG29R: S16Q29R HAS DIABETES-W5

| Value | Label | Unweighted Frequency | % |
|---|---|---|---|
| 0 | - | 6129 | 99.0 % |
| 1 | - | 17 | 0.3 % |
| | **Missing Data** | | |
| . | - | 42 | 0.7 % |
| | **Total** | **6,188** | **100%** |

Based upon 6,146 valid cases out of 6,188 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.05

*Location:* 57-57 (width: 1; decimal: 0)
*Variable Type:* numeric

## H5PG29S: S16Q29S HAS ADHD-W5

| Value | Label | Unweighted Frequency | % |
|---|---|---|---|
| 0 | - | 5747 | 92.9 % |
| 1 | - | 399 | 6.4 % |
| | **Missing Data** | | |
| . | - | 42 | 0.7 % |
| | **Total** | **6,188** | **100%** |

Based upon 6,146 valid cases out of 6,188 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.25

*Location:* 58-58 (width: 1; decimal: 0)
*Variable Type:* numeric

## H5PG29T: S16Q29T OTHER CONDITIONS-W5

| Value | Label | Unweighted Frequency | % |
|---|---|---|---|
| 0 | - | 5729 | 92.6 % |
| 1 | - | 417 | 6.7 % |
| | **Missing Data** | | |
| . | - | 42 | 0.7 % |
| | **Total** | **6,188** | **100%** |

Based upon 6,146 valid cases out of 6,188 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.25

## H5PG29U: S16Q29U HAS NONE ABOVE-W5

| Value | Label | Unweighted Frequency | % |
|---|---|---|---|
| 0 | - | 2391 | 38.6 % |
| 1 | - | 3755 | 60.7 % |
| | **Missing Data** | | |
| . | - | 42 | 0.7 % |
| | **Total** | **6,188** | **100%** |

Based upon 6,146 valid cases out of 6,188 total cases.

- Mean: 0.61
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

*Location:* 60-60 (width: 1; decimal: 0)
*Variable Type:* numeric