

Ebola Forecasting - Important Figures

Andy Shen

9/9/2020

1 Dataset Selection

```
hr3 <- c("2018-08-26", "2019-07-26", "2020-02-06") #selection of datasets

indh <- indr <- c(2, 149, 161) #corresponding indices for above dates, done manually
print(hpreds3 <- hpreds[, indh])


##          2 164 176
## pred.7   7  54   5
## pred.14 13 108  10
## pred.21 18 157  15

print(rpreds3 <- rpreds[, indr])

##          2   164  176
## pred.7   4.0  44.2  5.0
## pred.14   7.6  89.0 11.7
## pred.21 10.7 127.7 19.6
```

2 Full Outbreak

```
ggplot(  
  data = true,  
  mapping = aes(x = date, y = total)  
) + geom_line() + theme_light()
```




3 New Cases by Day

```
true <- true %>% mutate(seven_day_avg = zoo::rollmean(cases, k = 7, fill = NA))  
# add rolling average
```

```
title <- paste0("Ebola Cases by Day in West Africa with 7-day Rolling Average")  
ggplot(  
  data = true,  
  mapping = aes(x = date, y = cases)  
) + geom_col(color = "lightblue") + theme_light() +  
  geom_path(  
    data = true,  
    mapping = aes(x = date, y = seven_day_avg),  
    color = "black",  
    size = 0.75  
  ) + labs(title = title)
```

Ebola Cases by Day in West Africa with 7-day Rolling Average




4 Hawkes Forecasts

4.1 Hawkes 7-Day

```
print(h7 <- single_forecast(hr3, hpreds3, days = 7, point = T))
```

```
## $plot
```




```
##
## $results
##   prior.date prior.total forecast.date actual.total forecast.total resids
## 1 2018-08-26      113    2018-09-02      128          120         8
## 2 2019-07-26     2591    2019-08-02     2660         2645        15
## 3 2020-02-06     3273    2020-02-13     3275         3278        -3
##
## $rmse
## [1] 9.966611
```

4.2 Hawkes 14-Day

```
print(h14 <- single_forecast(hr3, hpreds3, days = 14, point = T))
```

```
## $plot
```



```
##
```

```
## $results
```

	prior.date	prior.total	forecast.date	actual.total	forecast.total	resids
## 1	2018-08-26	113	2018-09-09	134	126	8
## 2	2019-07-26	2591	2019-08-09	2721	2699	22
## 3	2020-02-06	3273	2020-02-20	3275	3283	-8

```
##
```


```
## $rmse
```

```
## [1] 14.28286
```

4.3 Hawkes 21-Day

```
print(h21 <- single_forecast(hr3, hpreds3, days = 21, point = T))
```

```
## $plot
```



```
##
```

```
## $results
```

##	prior.date	prior.total	forecast.date	actual.total	forecast.total	resids
## 1	2018-08-26	113	2018-09-16	147	131	16
## 2	2019-07-26	2591	2019-08-16	2789	2748	41
## 3	2020-02-06	3273	2020-02-27	3275	3288	-13

```
##
```

```
## $rmse
```


```
## [1] 26.49528
```

5 Recursive Forecasts

5.1 Recursive 7-Day

```
print(r7 <- single_forecast(hr3, rpreds3, days = 7, point = T))
```

```
## $plot
```




```
##
## $results
##   prior.date prior.total forecast.date actual.total forecast.total resid
## 1 2018-08-26      113    2018-09-02      128      117.0      11.0
## 2 2019-07-26     2591    2019-08-02     2660     2635.2      24.8
## 3 2020-02-06     3273    2020-02-13     3275     3278.0      -3.0
##
## $rmse
## [1] 15.75902
```

5.2 Recursive 14-Day

```
print(r14 <- single_forecast(hr3, rpreds3, days = 14, point = T))
```

```
## $plot
```



```
##
```

```
## $results
```

	prior.date	prior.total	forecast.date	actual.total	forecast.total	resids
## 1	2018-08-26	113	2018-09-09	134	120.6	13.4
## 2	2019-07-26	2591	2019-08-09	2721	2680.0	41.0
## 3	2020-02-06	3273	2020-02-20	3275	3284.7	-9.7

```
##
```


```
## $rmse
```

```
## [1] 25.52548
```


5.3 Recursive 21-Day

```
print(r21 <- single_forecast(hr3, rpreds3, days = 21, point = T))
```

```
## $plot
```



```
##
```

```
## $results
```

##	prior.date	prior.total	forecast.date	actual.total	forecast.total	resids
## 1	2018-08-26	113	2018-09-16	147	123.7	23.3
## 2	2019-07-26	2591	2019-08-16	2789	2718.7	70.3
## 3	2020-02-06	3273	2020-02-27	3275	3292.6	-17.6

```
##
```

```
## $rmse
```

```
## [1] 43.94974
```

6 RMSE

Table 1: RMSE values for 3 selected datasets.

	Hawkes	Recursive
7-day	9.97	15.76
14-day	14.28	25.53
21-day	26.50	43.95