| Skip to main content  |
|---|
| Back to top   |
| `Ctrl`+`K`  |
| [ ![conda 25.1.2.dev29 documentation -  |
| Home](//_static/conda_logo_full.svg) ](//index.html)                                |
|   |
| * [Conda](https://docs.conda.io/projects/conda/)                                    |
| * [Conda-build](https://docs.conda.io/projects/conda-build)                         |
| * [Miniconda](https://docs.anaconda.com/free/miniconda/)                            |
| * [conda.org](https://conda.org)  |
|   |
| * [ GitHub](https://github.com/conda/conda "GitHub")                                |
| * [![Element](//_static/element_logo.svg)](http://bit.ly/conda-chat-room "Element") |
| * [ Discourse](https://conda.discourse.group/ "Discourse")                          |
|   |
| * [Conda](https://docs.conda.io/projects/conda/)                                    |
| * [Conda-build](https://docs.conda.io/projects/conda-build)                         |
| * [Miniconda](https://docs.anaconda.com/free/miniconda/)                            |
| * [conda.org](https://conda.org)  |
|   |
| * [ GitHub](https://github.com/conda/conda "GitHub")                                |
| * [![Element](//_static/element_logo.svg)](http://bit.ly/conda-chat-room "Element") |
| * [ Discourse](https://conda.discourse.group/ "Discourse")                          |

| * [User guide](//user-guide/index.html)  |
|--|
| * [Getting started with conda](//user-guide/getting-started.html)                            |
| * [Installing conda](//user-guide/install/index.html)  |
| * [Installing on Windows](//user-guide/install/windows.html)                                 |
| * [Installing on macOS](//user-guide/install/macos.html)                                     |
| * [Installing on Linux](//user-guide/install/linux.html)                                     |
| * [RPM and Debian Repositories for Miniconda](//user-guide/install/rpm-debian.html)          |
| * [Tasks](//user-guide/tasks/index.html)   |
| * [Managing conda](//user-guide/tasks/manage-conda.html)                                     |
| * [Managing environments](//user-guide/tasks/manage-environments.html)                       |
| * [Managing channels](//user-guide/tasks/manage-channels.html)                               |
| * [Managing packages](//user-guide/tasks/manage-pkgs.html)                                   |
| * [Managing Python](//user-guide/tasks/manage-python.html)                                   |
| * [Managing virtual packages](//user-guide/tasks/manage-virtual.html)                        |
| * [Creating custom channels](//user-guide/tasks/create-custom-channels.html)                 |
| * [Creating projects](//user-guide/tasks/creating-projects.html)                             |
| * [Viewing command-line help](//user-guide/tasks/view-command-line-help.html)                |
| * [Configuration](//user-guide/configuration/index.html)                                     |
| * [Using the .condarc conda configuration file](//user-guide/configuration/use-condarc.html) |
| * [Settings](//user-guide/configuration/settings.html)                                       |
| * [Administering a multi-user conda  |
| installation](//user-guide/configuration/admin-multi-user-install.html)                      |
| * [Mirroring channels](//user-guide/configuration/mirroring.html)                            |
| * [Disabling SSL verification](//user-guide/configuration/disable-ssl-verification.html)     |

\* [Using non-standard certificates](../../user-guide/configuration/non-standard-certs.html)

[Using Environment Package Custom Locations for and Cache](../../user-guide/configuration/custom-env-and-pkg-locations.html) \* [Improving interoperability with pip](../../user-guide/configuration/pip-interoperability.html) \* [Using the free channel](../../user-guide/configuration/free-channel.html) \* [Concepts](../../user-quide/concepts/index.html) \* [Commands](../../user-guide/concepts/conda-commands.html) \* [Packages](../../user-guide/concepts/packages.html) \* [Package specification](../../user-guide/concepts/pkg-specs.html) \* [Package search and install specifications](../../user-guide/concepts/pkg-search.html) \* [Channels](../../user-guide/concepts/channels.html) \* [Environments](../../user-guide/concepts/environments.html) \* [Installing with conda](../../user-guide/concepts/installing-with-conda.html) \* [Performance](../../user-guide/concepts/conda-performance.html) \* [Conda for data scientists](../../user-guide/concepts/data-science.html) \* [Plugins](../../user-guide/concepts/conda-plugins.html) \* [Troubleshooting](../../user-guide/troubleshooting.html) \* [Cheatsheet](../../user-guide/cheatsheet.html) \* [Configuration](../../configuration.html) \* [Commands](../../commands/index.html) \_\_\_ \* [`conda clean`](../../commands/clean.html) \* [`conda compare`](../../commands/compare.html) \* [`conda config`](../../commands/config.html) \* [`conda create`](../../commands/create.html) \* [`conda doctor`](../../commands/doctor.html) \* [`conda env`](../../commands/env/index.html) \_\_\_ \* [` conda env config`](../../commands/env/config/index.html) \* [` conda env config vars`](../../commands/env/config/vars/index.html) \_\_\_

- \* [` conda env config vars list`](../../commands/env/config/vars/list.html) \* [`conda env config vars set`](../../commands/env/config/vars/set.html) \* [`conda env config vars unset`](../../commands/env/config/vars/unset.html) \* [`conda env create`](../../commands/env/create.html) \* [`conda env export`](../../commands/env/export.html) \* [`conda env list`](../../commands/env/list.html) \* [`conda env remove`](../../commands/env/remove.html) \* [`conda env update`](../../commands/env/update.html) \* [`conda info`](../../commands/info.html) \* [`conda init`](../../commands/init.html) \* [`conda install`](../../commands/install.html) \* [`conda list`](../../commands/list.html) \* [`conda notices`](../../commands/notices.html) \* [`conda package`](../../commands/package.html) \* [`conda remove`](../../commands/remove.html) \* [`conda rename`](../../commands/rename.html) \* [`conda run`](../../commands/run.html) \* [`conda search`](../../commands/search.html) \* [`conda update`](../../commands/update.html) \* [Release notes](../../release-notes.html) \* [Glossary](../../glossary.html) \* [Developer guide](../index.html) \_\_\_ \* [Architecture](../architecture.html) \* [Contributing to conda](../contributing.html) \* [Development Environment](../development-environment.html)
  - \* [` conda install`](../deep-dives/install.html)

\* [Deep dives](../deep-dives/index.html)

```
* [`conda init` and `conda activate`](../deep-dives/activation.html)
 * [`conda config` and context](../deep-dives/context.html)
 * [Solvers](../deep-dives/solvers.html)
 * [Logging](../deep-dives/logging.html)
* [Writing Tests](../writing-tests/index.html) ___
 * [Integration Tests](../writing-tests/integration-tests.html)
* [Deprecations](../deprecations.html)
* [Releasing](../releasing.html)
* [Plugins](index.html)
 * [Auth Handlers](auth handlers.html)
 * [Health Checks](health_checks.html)
 * [Request Headers](request_headers.html)
 * [Post-commands](post_commands.html)
 * [Pre-commands](pre_commands.html)
 * [Reporter Backends](reporter_backends.html)
 * [Settings](settings.html)
 * Solvers
 * [Subcommands](subcommands.html)
 * [Virtual Packages](virtual packages.html)
* [Specifications](../specs/index.html) ___
 * [Technical specification: solver state](../specs/solver-state.html)
* [API](../api.html) ___
 * [` conda`](../api/conda/index.html) ___
  * [` __main___`](../api/conda/__main__/index.html)
  * [`_vendor`](../api/conda/_vendor/index.html) ___
   * [`frozendict`](../api/conda/ vendor/frozendict/index.html)
  * [`_version`](../api/conda/_version/index.html)
```

- \* [`activate`](../api/conda/activate/index.html) \* [`api`](../api/conda/api/index.html) \* [`auxlib`](../api/conda/auxlib/index.html) \_\_\_ \* [`collection`](../api/conda/auxlib/collection/index.html) \* [`compat`](../api/conda/auxlib/compat/index.html) \* [`decorators`](../api/conda/auxlib/decorators/index.html) \* [`entity`](../api/conda/auxlib/entity/index.html) \* [`exceptions`](../api/conda/auxlib/exceptions/index.html) \* [`ish`](../api/conda/auxlib/ish/index.html) \* [`logz`](../api/conda/auxlib/logz/index.html) \* [`type\_coercion`](../api/conda/auxlib/type\_coercion/index.html) \* [`base`](../api/conda/base/index.html) \_\_\_ \* [` constants`](../api/conda/base/constants/index.html) \* [`context`](../api/conda/base/context/index.html) \* [`cli`](../api/conda/cli/index.html) \_\_\_ \* [`actions`](../api/conda/cli/actions/index.html) \* [`common`](../api/conda/cli/common/index.html) \* [`conda\_argparse`](../api/conda/cli/conda\_argparse/index.html) \* [`find\_commands`](../api/conda/cli/find\_commands/index.html) \* [`helpers`](../api/conda/cli/helpers/index.html) \* [`install`](../api/conda/cli/install/index.html) \* [`main`](../api/conda/cli/main/index.html) \* [`main\_clean`](../api/conda/cli/main\_clean/index.html) \* [`main\_commands`](../api/conda/cli/main\_commands/index.html) \* [`main\_compare`](../api/conda/cli/main\_compare/index.html)
  - \* [`main\_create`](../api/conda/cli/main\_create/index.html)

\* [`main config`](../api/conda/cli/main config/index.html)

- \* [`main\_env`](../api/conda/cli/main\_env/index.html)
- \* [`main\_env\_config`](../api/conda/cli/main\_env\_config/index.html)
- \* [`main\_env\_create`](../api/conda/cli/main\_env\_create/index.html)
- \* [`main\_env\_export`](../api/conda/cli/main\_env\_export/index.html)
- \* [`main\_env\_list`](../api/conda/cli/main\_env\_list/index.html)
- \* [`main\_env\_remove`](../api/conda/cli/main\_env\_remove/index.html)
- \* [`main\_env\_update`](../api/conda/cli/main\_env\_update/index.html)
- \* [`main\_env\_vars`](../api/conda/cli/main\_env\_vars/index.html)
- \* [`main export`](../api/conda/cli/main export/index.html)
- \* [`main\_info`](../api/conda/cli/main\_info/index.html)
- \* [`main\_init`](../api/conda/cli/main\_init/index.html)
- \* [`main\_install`](../api/conda/cli/main\_install/index.html)
- \* [`main\_list`](../api/conda/cli/main\_list/index.html)
- \* [`main\_mock\_activate`](../api/conda/cli/main\_mock\_activate/index.html)
- \* [`main\_mock\_deactivate`](../api/conda/cli/main\_mock\_deactivate/index.html)
- \* [`main\_notices`](../api/conda/cli/main\_notices/index.html)
- \* [`main\_package`](../api/conda/cli/main\_package/index.html)
- \* [`main\_pip`](../api/conda/cli/main\_pip/index.html)
- \* [`main remove`](../api/conda/cli/main remove/index.html)
- \* [`main rename`](../api/conda/cli/main rename/index.html)
- \* [`main\_run`](../api/conda/cli/main\_run/index.html)
- \* [`main\_search`](../api/conda/cli/main\_search/index.html)
- \* [`main\_update`](../api/conda/cli/main\_update/index.html)
- \* [`python\_api`](../api/conda/cli/python\_api/index.html)
- \* [`common`](../api/conda/common/index.html) \_\_\_
  - \* [`\_logic`](../api/conda/common/\_logic/index.html)
  - \* [`\_os`](../api/conda/common/\_os/index.html) \_\_\_

- \* [` linux`](../api/conda/common/\_os/linux/index.html) \* [`osx`](../api/conda/common/\_os/osx/index.html) \* [`unix`](../api/conda/common/\_os/unix/index.html) \* [`windows`](../api/conda/common/\_os/windows/index.html) \* [`compat`](../api/conda/common/compat/index.html) \* [`configuration`](../api/conda/common/configuration/index.html) \* [`constants`](../api/conda/common/constants/index.html) \* [`disk`](../api/conda/common/disk/index.html) \* [`io`](../api/conda/common/io/index.html) \* [`iterators`](../api/conda/common/iterators/index.html) \* [`logic`](../api/conda/common/logic/index.html) \* [`path`](../api/conda/common/path/index.html) \_\_\_ \* [`\_cygpath`](../api/conda/common/path/\_cygpath/index.html) \* [`directories`](../api/conda/common/path/directories/index.html) \* [`python`](../api/conda/common/path/python/index.html) \* [`windows`](../api/conda/common/path/windows/index.html) \* [`pkg\_formats`](../api/conda/common/pkg\_formats/index.html) \_\_\_ \* [` python`](../api/conda/common/pkg\_formats/python/index.html) \* [`serialize`](../api/conda/common/serialize/index.html) \* [`signals`](../api/conda/common/signals/index.html)
- \* [`toposort`](../api/conda/common/toposort/index.html)
- \* [`url`](../api/conda/common/url/index.html)
- \* [`core`](../api/conda/core/index.html) \_\_\_
  - \* [` envs\_manager`](../api/conda/core/envs\_manager/index.html)
  - \* [`index`](../api/conda/core/index/index.html)
  - \* [`initialize`](../api/conda/core/initialize/index.html)
  - \* [`link`](../api/conda/core/link/index.html)

```
* [`package_cache_data`](../api/conda/core/package_cache_data/index.html)
 * [`path_actions`](../api/conda/core/path_actions/index.html)
 * [`portability`](../api/conda/core/portability/index.html)
 * [`prefix_data`](../api/conda/core/prefix_data/index.html)
 * [`solve`](../api/conda/core/solve/index.html)
 * [`subdir_data`](../api/conda/core/subdir_data/index.html)
* [`deprecations`](../api/conda/deprecations/index.html)
* [`env`](../api/conda/env/index.html) ___
 * [` env`](../api/conda/env/env/index.html)
 * [`installers`](../api/conda/env/installers/index.html) ___
  * [`base`](../api/conda/env/installers/base/index.html)
  * [`conda`](../api/conda/env/installers/conda/index.html)
  * [`pip`](../api/conda/env/installers/pip/index.html)
 * [`pip_util`](../api/conda/env/pip_util/index.html)
 * [`specs`](../api/conda/env/specs/index.html) ___
  * [` binstar`](../api/conda/env/specs/binstar/index.html)
  * [`requirements`](../api/conda/env/specs/requirements/index.html)
  * [`yaml_file`](../api/conda/env/specs/yaml_file/index.html)
* [`exception_handler`](../api/conda/exception_handler/index.html)
* [`exceptions`](../api/conda/exceptions/index.html)
* [`exports`](../api/conda/exports/index.html)
* [`gateways`](../api/conda/gateways/index.html) ___
 * [`anaconda_client`](../api/conda/gateways/anaconda_client/index.html)
 * [`connection`](../api/conda/gateways/connection/index.html) ___
  * [` adapters`](../api/conda/gateways/connection/adapters/index.html) ___
   * [`ftp`](../api/conda/gateways/connection/adapters/ftp/index.html)
   * [`http`](../api/conda/gateways/connection/adapters/http/index.html)
```

```
* [`localfs`](../api/conda/gateways/connection/adapters/localfs/index.html)
   * [`s3`](../api/conda/gateways/connection/adapters/s3/index.html)
  * [`download`](../api/conda/gateways/connection/download/index.html)
  * [`session`](../api/conda/gateways/connection/session/index.html)
 * [`disk`](../api/conda/gateways/disk/index.html) ___
  * [` create`](../api/conda/gateways/disk/create/index.html)
  * [`delete`](../api/conda/gateways/disk/delete/index.html)
  * [`link`](../api/conda/gateways/disk/link/index.html)
  * [`lock`](../api/conda/gateways/disk/lock/index.html)
  * [`permissions`](../api/conda/gateways/disk/permissions/index.html)
  * [`read`](../api/conda/gateways/disk/read/index.html)
  * [`test`](../api/conda/gateways/disk/test/index.html)
  * [`update`](../api/conda/gateways/disk/update/index.html)
 * [`logging`](../api/conda/gateways/logging/index.html)
 * [`repodata`](../api/conda/gateways/repodata/index.html) ___
  * [` jlap`](../api/conda/gateways/repodata/jlap/index.html) ___
   * [`core`](../api/conda/gateways/repodata/jlap/core/index.html)
   * [`fetch`](../api/conda/gateways/repodata/jlap/fetch/index.html)
   * [`interface`](../api/conda/gateways/repodata/jlap/interface/index.html)
  * [`lock`](../api/conda/gateways/repodata/lock/index.html)
 * [`subprocess`](../api/conda/gateways/subprocess/index.html)
* [`history`](../api/conda/history/index.html)
* [`instructions`](../api/conda/instructions/index.html)
* [`misc`](../api/conda/misc/index.html)
* [`models`](../api/conda/models/index.html) ___
 * [` channel`](../api/conda/models/channel/index.html)
 * [`dist`](../api/conda/models/dist/index.html)
```

```
* [`enums`](../api/conda/models/enums/index.html)
 * [`leased_path_entry`](../api/conda/models/leased_path_entry/index.html)
 * [`match_spec`](../api/conda/models/match_spec/index.html)
 * [`package_info`](../api/conda/models/package_info/index.html)
 * [`prefix_graph`](../api/conda/models/prefix_graph/index.html)
 * [`records`](../api/conda/models/records/index.html)
 * [`version`](../api/conda/models/version/index.html)
* [`notices`](../api/conda/notices/index.html) ___
 * [`cache`](../api/conda/notices/cache/index.html)
 * [`core`](../api/conda/notices/core/index.html)
 * [`fetch`](../api/conda/notices/fetch/index.html)
 * [`types`](../api/conda/notices/types/index.html)
 * [`views`](../api/conda/notices/views/index.html)
* [`plan`](../api/conda/plan/index.html)
* [`plugins`](../api/conda/plugins/index.html) ___
 * [` hookspec`](../api/conda/plugins/hookspec/index.html)
 * [`manager`](../api/conda/plugins/manager/index.html)
 * [`post_solves`](../api/conda/plugins/post_solves/index.html) ___
  * [`signature_verification`](../api/conda/plugins/post_solves/signature_verification/index.html)
 * [`reporter_backends`](../api/conda/plugins/reporter_backends/index.html) ___
  * [` console`](../api/conda/plugins/reporter_backends/console/index.html)
  * [`json`](../api/conda/plugins/reporter_backends/json/index.html)
 * [`solvers`](../api/conda/plugins/solvers/index.html)
 * [`subcommands`](../api/conda/plugins/subcommands/index.html) ___
  * [` doctor`](../api/conda/plugins/subcommands/doctor/index.html) ___
   * [` health_checks`](../api/conda/plugins/subcommands/doctor/health_checks/index.html)
 * [`types`](../api/conda/plugins/types/index.html)
```

```
* [`virtual_packages`](../api/conda/plugins/virtual_packages/index.html) ___
   * [`archspec`](../api/conda/plugins/virtual_packages/archspec/index.html)
   * [`conda`](../api/conda/plugins/virtual_packages/conda/index.html)
   * [`cuda`](../api/conda/plugins/virtual_packages/cuda/index.html)
   * [`freebsd`](../api/conda/plugins/virtual_packages/freebsd/index.html)
   * [`linux`](../api/conda/plugins/virtual_packages/linux/index.html)
   * [`osx`](../api/conda/plugins/virtual_packages/osx/index.html)
   * [`windows`](../api/conda/plugins/virtual_packages/windows/index.html)
 * [`reporters`](../api/conda/reporters/index.html)
 * [`resolve`](../api/conda/resolve/index.html)
 * [`testing`](../api/conda/testing/index.html) ___
  * [` cases`](../api/conda/testing/cases/index.html)
  * [`fixtures`](../api/conda/testing/fixtures/index.html)
  * [`gateways`](../api/conda/testing/gateways/index.html) ___
   * [` fixtures`](../api/conda/testing/gateways/fixtures/index.html)
  * [`helpers`](../api/conda/testing/helpers/index.html)
  * [`integration`](../api/conda/testing/integration/index.html)
  * [`notices`](../api/conda/testing/notices/index.html) ___
   * [` fixtures`](../api/conda/testing/notices/fixtures/index.html)
   * [`helpers`](../api/conda/testing/notices/helpers/index.html)
  * [`solver_helpers`](../api/conda/testing/solver_helpers/index.html)
 * [`trust`](../api/conda/trust/index.html) ___
  * [`constants`](../api/conda/trust/constants/index.html)
  * [`signature_verification`](../api/conda/trust/signature_verification/index.html)
 * [`utils`](../api/conda/utils/index.html)
* [`conda_env`](../api/conda_env/index.html) ___
 * [`cli`](../api/conda_env/cli/index.html)
```

| * [](//index.html)  |
|---|
| * [Developer guide](/index.html)  |
| * [Plugins](index.html)   |
| * Solvers   |
|   |
| # Solvers#  |
|   |
| The conda solvers can be extended with additional backends with the     |
| conda_solvers` plugin hook. Registered solvers will be available for    |
| configuration with the `solver` configuration and `solver` command line |
| option.   |
|   |
| _class _CondaSolver#  |
|   |
|   |
|   |
| Return type to use when defining a conda solver plugin hook.            |
|   |
| For details on how this is used, see `conda_solvers()`.                 |
|   |
| Parameters:   |
|   |
|   |
|   |
| * **name** \ Solver name (e.g., `custom-solver`).                       |

\* [`installers`](../api/conda\_env/installers/index.html)



```
class VerboseSolver(solve.Solver):
    def solve_final_state(self, *args, **kwargs):
       log.info("My verbose solver!")
       return super().solve_final_state(*args, **kwargs)
  @plugins.hookimpl
  def conda_solvers():
    yield plugins.CondaSolver(
       name="verbose-classic",
       backend=VerboseSolver,
     )
Returns:
An iterable of solver entries.
__On this page
 * `CondaSolver`
  * `CondaSolver.backend`
  * `CondaSolver.name`
```

| [Edit on GitHub](https://github.com/conda/conda/edit/main/docs/source/dev- |
|--|
| guide/plugins/solvers.rst)   |
| [Show Source](//_sources/dev-guide/plugins/solvers.rst.txt)                |
| © Copyright 2017, Anaconda, Inc.   |
| One stand union (On him 1/h the syllen was subject to the same \) 7.4.7    |
| Created using [Sphinx](https://www.sphinx-doc.org/) 7.4.7.                 |
| [ Analytics Dashboard](https://docs-conda-io.goatcounter.com "Analytics    |
| Dashboard")  |
| Built with the [PyData Sphinx Theme](https://pydata-sphinx-                |
| theme.readthedocs.io/en/stable/index.html) 0.15.4.                         |
|  |
|  |

\* `conda\_solvers()`