Skip to main content

[![Cornell University](/static/browse/0.3.4/images/icons/cu/cornell-reduced-white-SMALL.svg)](https://www.cornell.edu/)

We gratefully acknowledge support from the Simons Foundation, [member institutions](https://info.arxiv.org/about/ourmembers.html), and all contributors. [Donate](https://info.arxiv.org/about/donate.html)

[](/IgnoreMe)

[![arxiv logo](/static/browse/0.3.4/images/arxiv-logo-one-color-white.svg)](/) > [cs](/list/cs/recent) > arXiv:2311.13534

[Help](https://info.arxiv.org/help) | [Advanced Search](https://arxiv.org/search/advanced)

All fields Title Author Abstract Comments Journal reference ACM classification MSC classification Report number arXiv identifier DOI ORCID arXiv author ID Help pages Full text

Search

[![arXiv logo](/static/browse/0.3.4/images/arxiv-logomark-small-white.svg)](https://arxiv.org/)

[![Cornell University Logo](/static/browse/0.3.4/images/icons/cu/cornell-reduced-white-SMALL.svg)](https://www.cornell.edu/)

open search GO open navigation menu ## quick links \* [Login](https://arxiv.org/login) \* [Help Pages](https://info.arxiv.org/help) \* [About](https://info.arxiv.org/about) # Computer Science > Computation and Language \*\*arXiv:2311.13534\*\* (cs) [Submitted on 22 Nov 2023 ([v1](https://arxiv.org/abs/2311.13534v1)), last revised 8 Dec 2023 (this version, v4)] # Title:LM-Cocktail: Resilient Tuning of Language Models via Model Merging Authors:[Shitao Xiao](https://arxiv.org/search/cs?searchtype=author&query=Xiao,+S), [Zheng Liu](https://arxiv.org/search/cs?searchtype=author&query=Liu,+Z), [Peitian Zhang](https://arxiv.org/search/cs?searchtype=author&query=Zhang,+P), [Xingrun

Xing](https://arxiv.org/search/cs?searchtype=author&query=Xing,+X)

View a PDF of the paper titled LM-Cocktail: Resilient Tuning of Language Models via Model Merging, by Shitao Xiao and 3 other authors

[View PDF](/pdf/2311.13534) [HTML

(experimental)](https://arxiv.org/html/2311.13534v4)

- > Abstract: The pre-trained language models are continually fine-tuned to
- > better support downstream applications. However, this operation may result
- > in significant performance degeneration on general tasks beyond the targeted
- > domain. To overcome this problem, we propose LM-Cocktail which enables the
- > fine-tuned model to stay resilient in general perspectives. Our method is
- > conducted in the form of model merging, where the fine-tuned language model
- > is merged with the pre-trained base model or the peer models from other
- > domains through weighted average. Despite simplicity, LM-Cocktail is
- > surprisingly effective: the resulted model is able to achieve a strong
- > empirical performance in the whole scope of general tasks while preserving a
- > superior capacity in its targeted domain. We conduct comprehensive
- > experiments with LLama and BGE model on popular benchmarks, including FLAN,
- > MMLU, MTEB, whose results validate the efficacy of our proposed method. The
- > code and checkpoints are available at [this https
- > URL](https://github.com/FlagOpen/FlagEmbedding/tree/master/LM\_Cocktail).

Comments: | Work is in progress

---|---

Subjects: | Computation and Language (cs.CL); Artificial Intelligence (cs.AI); Information Retrieval (cs.IR)

Cite as: | [arXiv:2311.13534](https://arxiv.org/abs/2311.13534) [cs.CL] | (or [arXiv:2311.13534v4](https://arxiv.org/abs/2311.13534v4) [cs.CL] for this version) | <https://doi.org/10.48550/arXiv.2311.13534> Focus to learn more arXiv-issued DOI via DataCite ## Submission history From: Shitao Xiao [[view email](/show-email/c7a74ff5/2311.13534)] \*\*[[v1]](/abs/2311.13534v1)\*\* Wed, 22 Nov 2023 17:14:54 UTC (6,984 KB) \*\*[[v2]](/abs/2311.13534v2)\*\* Mon, 27 Nov 2023 02:52:46 UTC (6,983 KB) \*\*[[v3]](/abs/2311.13534v3)\*\* Wed, 29 Nov 2023 16:18:38 UTC (7,482 KB) \*\*[v4]\*\* Fri, 8 Dec 2023 16:45:22 UTC (7,928 KB) Full-text links: ## Access Paper: View a PDF of the paper titled LM-Cocktail: Resilient Tuning of Language Models via Model Merging, by Shitao Xiao and 3 other authors

- \* [View PDF](/pdf/2311.13534)
- \* [HTML (experimental)](https://arxiv.org/html/2311.13534v4)
- \* [TeX Source](/src/2311.13534)
- \* [Other Formats](/format/2311.13534)

[![license icon](https://arxiv.org/icons/licenses/by-4.0.png) view license ](http://creativecommons.org/licenses/by/4.0/ "Rights to this article") Current browse context: cs.CL [< prev](/prevnext?id=2311.13534&function=prev&context=cs.CL "previous in cs.CL \(accesskey p\)") | [next >](/prevnext?id=2311.13534&function=next&context=cs.CL "next in cs.CL \(accesskey n\)") [new](/list/cs.CL/new) | [recent](/list/cs.CL/recent) | [2023-11](/list/cs.CL/2023-11) Change to browse by: [cs](/abs/2311.13534?context=cs) [cs.Al](/abs/2311.13534?context=cs.Al) [cs.IR](/abs/2311.13534?context=cs.IR) ### References & Citations \* [NASA ADS](https://ui.adsabs.harvard.edu/abs/arXiv:2311.13534) \* [Google Scholar](https://scholar.google.com/scholar\_lookup?arxiv\_id=2311.13534) \* [Semantic Scholar](https://api.semanticscholar.org/arXiv:2311.13534) [a](/static/browse/0.3.4/css/cite.css) export BibTeX citation Loading... ## BibTeX formatted citation


Bibliographic Explorer Toggle


explorer))\_

Bibliographic Explorer \_([What is the

Explorer?](https://info.arxiv.org/labs/showcase.html#arxiv-bibliographic-

```
Connected Papers Toggle
Connected Papers _([What is Connected
Papers?](https://www.connectedpapers.com/about))_
Litmaps Toggle
Litmaps _([What is Litmaps?](https://www.litmaps.co/))_
scite.ai Toggle
scite Smart Citations _([What are Smart Citations?](https://www.scite.ai/))_
Code, Data, Media
# Code, Data and Media Associated with this Article
alphaXiv Toggle
alphaXiv _([What is alphaXiv?](https://alphaxiv.org/))_
Links to Code Toggle
CatalyzeX Code Finder for Papers _([What is
CatalyzeX?](https://www.catalyzex.com))_
```





## About arXivLabs

# arXivLabs: experimental projects with community collaborators

arXivLabs is a framework that allows collaborators to develop and share new arXiv features directly on our website.

Both individuals and organizations that work with arXivLabs have embraced and accepted our values of openness, community, excellence, and user data privacy. arXiv is committed to these values and only works with partners that adhere to them.

Have an idea for a project that will add value for arXiv's community? [\*\*Learn more about arXivLabs\*\*](https://info.arxiv.org/labs/index.html).

[Which authors of this paper are endorsers?](/auth/show-endorsers/2311.13534) | [Disable MathJax](javascript:setMathjaxCookie\(\\)) ([What is MathJax?](https://info.arxiv.org/help/mathjax.html))

- \* [About](https://info.arxiv.org/about)
- \* [Help](https://info.arxiv.org/help)
- \* contact arXivClick here to contact arXiv [ Contact](https://info.arxiv.org/help/contact.html)
- \* subscribe to arXiv mailingsClick here to subscribe [
  Subscribe](https://info.arxiv.org/help/subscribe)

- \* [Copyright](https://info.arxiv.org/help/license/index.html)
- \* [Privacy Policy](https://info.arxiv.org/help/policies/privacy\_policy.html)
- \* [Web Accessibility Assistance](https://info.arxiv.org/help/web\_accessibility.html)
- \* [arXiv Operational Status ](https://status.arxiv.org)

Get status notifications via

[email](https://subscribe.sorryapp.com/24846f03/email/new) or

[slack](https://subscribe.sorryapp.com/24846f03/slack/new)