[![Logo](../../../_static/logo.png)](../../../index.html)

Getting Started

* [Installation](../../installation.html)
  * [Install with pip](../../installation.html#install-with-pip)
  * [Install with Conda](../../installation.html#install-with-conda)
  * [Install from Source](../../installation.html#install-from-source)
  * [Editable Install](../../installation.html#editable-install)
  * [Install PyTorch with CUDA support](../../installation.html#install-pytorch-with-cuda-support)
* [Quickstart](../../quickstart.html)
  * [Sentence Transformer](../../quickstart.html#sentence-transformer)
  * [Cross Encoder](../../quickstart.html#cross-encoder)
  * [Next Steps](../../quickstart.html#next-steps)

Sentence Transformer

* [Usage](../../sentence_transformer/usage/usage.html)
  * [Computing Embeddings](../../../examples/applications/computing-embeddings/README.html)
    * [Initializing a Sentence Transformer Model](../../../examples/applications/computing-embeddings/README.html#initializing-a-sentence-transformer-model)
    * [Calculating Embeddings](../../../examples/applications/computing-embeddings/README.html#calculating-embeddings)
    * [Prompt Templates](../../../examples/applications/computing-embeddings/README.html#prompt-templates)

* [Input Sequence Length](../../../examples/applications/computing-embeddings/README.html#id1)
* [Multi-Process / Multi-GPU Encoding](../../../examples/applications/computing-embeddings/README.html#multi-process-multi-gpu-encoding)
* [Semantic Textual Similarity](../../sentence_transformer/usage/semantic_textual_similarity.html)
* [Similarity Calculation](../../sentence_transformer/usage/semantic_textual_similarity.html#similarity-calculation)
* [Semantic Search](../../../examples/applications/semantic-search/README.html)
* [Background](../../../examples/applications/semantic-search/README.html#background)
* [Symmetric vs. Asymmetric Semantic Search](../../../examples/applications/semantic-search/README.html#symmetric-vs-asymmetric-semantic-search)
* [Manual Implementation](../../../examples/applications/semantic-search/README.html#manual-implementation)
* [Optimized Implementation](../../../examples/applications/semantic-search/README.html#optimized-implementation)
* [Speed Optimization](../../../examples/applications/semantic-search/README.html#speed-optimization)
* [Elasticsearch](../../../examples/applications/semantic-search/README.html#elasticsearch)
* [Approximate Nearest Neighbor](../../../examples/applications/semantic-search/README.html#approximate-nearest-neighbor)
* [Retrieve & Re-Rank](../../../examples/applications/semantic-search/README.html#retrieve-re-rank)

* [Examples](../../../examples/applications/semantic-search/README.html#examples)
* [Retrieve & Re-Rank](../../../examples/applications/retrieve_rerank/README.html)
* [Retrieve & Re-Rank Pipeline](../../../examples/applications/retrieve_rerank/README.html#retrieve-re-rank-pipeline)
* [Retrieval: Bi-Encoder](../../../examples/applications/retrieve_rerank/README.html#retrieval-bi-encoder)
* [Re-Ranker: Cross-Encoder](../../../examples/applications/retrieve_rerank/README.html#re-ranker-cross-encoder)
* [Example Scripts](../../../examples/applications/retrieve_rerank/README.html#example-scripts)
* [Pre-trained Bi-Encoders (Retrieval)](../../../examples/applications/retrieve_rerank/README.html#pre-trained-bi-encoders-retrieval)
* [Pre-trained Cross-Encoders (Re-Ranker)](../../../examples/applications/retrieve_rerank/README.html#pre-trained-cross-encoders-re-ranker)
* [Clustering](../../../examples/applications/clustering/README.html)
* [k-Means](../../../examples/applications/clustering/README.html#k-means)
* [Agglomerative Clustering](../../../examples/applications/clustering/README.html#agglomerative-clustering)
* [Fast Clustering](../../../examples/applications/clustering/README.html#fast-clustering)
* [Topic Modeling](../../../examples/applications/clustering/README.html#topic-modeling)
* [Paraphrase Mining](../../../examples/applications/paraphrase-mining/README.html)
* [`paraphrase_mining()`](../../../examples/applications/paraphrase-mining/README.html#sentence_transformers.util.paraphrase_mining)
* [Translated Sentence

Mining](../../../examples/applications/parallel-sentence-mining/README.html)

* [Margin Based Mining](../../../examples/applications/parallel-sentence-mining/README.html#margin-based-mining)

* [Examples](../../../examples/applications/parallel-sentence-mining/README.html#examples)

* [Image Search](../../../examples/applications/image-search/README.html)

* [Installation](../../../examples/applications/image-search/README.html#installation)

* [Usage](../../../examples/applications/image-search/README.html#usage)

* [Examples](../../../examples/applications/image-search/README.html#examples)

* [Embedding Quantization](../../../examples/applications/embedding-quantization/README.html)

* [Binary Quantization](../../../examples/applications/embedding-quantization/README.html#binary-quantization)

* [Scalar (int8) Quantization](../../../examples/applications/embedding-quantization/README.html#scalar-int8-quantization)

* [Additional extensions](../../../examples/applications/embedding-quantization/README.html#additional-extensions)

* [Demo](../../../examples/applications/embedding-quantization/README.html#demo)

* [Try it yourself](../../../examples/applications/embedding-quantization/README.html#try-it-yourself)

* [Speeding up Inference](../../sentence_transformer/usage/efficiency.html)

* [PyTorch](../../sentence_transformer/usage/efficiency.html#pytorch)

* [ONNX](../../sentence_transformer/usage/efficiency.html#onnx)

* [OpenVINO](../../sentence_transformer/usage/efficiency.html#openvino)

* [Benchmarks](../../sentence_transformer/usage/efficiency.html#benchmarks)

* [Creating Custom Models](../../sentence_transformer/usage/custom_models.html)

gloss)

* [Paraphrase Data](../../../examples/training/paraphrases/README.html)

* [Pre-Trained Models](../../../examples/training/paraphrases/README.html#pre-trained-models)

* [Quora Duplicate Questions](../../../examples/training/quora_duplicate_questions/README.html)

* [Training](../../../examples/training/quora_duplicate_questions/README.html#training)

* [MultipleNegativesRankingLoss](../../../examples/training/quora_duplicate_questions/README.html#multiplenegativesrankingloss)

* [Pretrained Models](../../../examples/training/quora_duplicate_questions/README.html#pretrained-models)

* [MS MARCO](../../../examples/training/ms_marco/README.html)

* [Bi-Encoder](../../../examples/training/ms_marco/README.html#bi-encoder)

* [Matryoshka Embeddings](../../../examples/training/matryoshka/README.html)

* [Use Cases](../../../examples/training/matryoshka/README.html#use-cases)

* [Results](../../../examples/training/matryoshka/README.html#results)

* [Training](../../../examples/training/matryoshka/README.html#training)

* [Inference](../../../examples/training/matryoshka/README.html#inference)

* [Code Examples](../../../examples/training/matryoshka/README.html#code-examples)

* [Adaptive Layers](../../../examples/training/adaptive_layer/README.html)

* [Use Cases](../../../examples/training/adaptive_layer/README.html#use-cases)

* [Results](../../../examples/training/adaptive_layer/README.html#results)

* [Training](../../../examples/training/adaptive_layer/README.html#training)

* [Inference](../../../examples/training/adaptive_layer/README.html#inference)

* [Code Examples](../../../examples/training/adaptive_layer/README.html#code-examples)

* [Multilingual Models](../../../examples/training/multilingual/README.html)

* [Extend your own models](../../../examples/training/multilingual/README.html#extend-your-own-models)

sentence-pairs)](../../../examples/training/data_augmentation/README.html#scenario-2-no-annotated-datasets-only-unlabeled-sentence-pairs)

* [Training](../../../examples/training/data_augmentation/README.html#training)

* [Citation](../../../examples/training/data_augmentation/README.html#citation)

* [Training with Prompts](../../../examples/training/prompts/README.html)

* [What are Prompts?](../../../examples/training/prompts/README.html#what-are-prompts)

* [Why would we train with Prompts?](../../../examples/training/prompts/README.html#why-would-we-train-with-prompts)

* [How do we train with Prompts?](../../../examples/training/prompts/README.html#how-do-we-train-with-prompts)

* [Training with PEFT Adapters](../../../examples/training/peft/README.html)

* [Compatibility Methods](../../../examples/training/peft/README.html#compatibility-methods)

* [Adding a New Adapter](../../../examples/training/peft/README.html#adding-a-new-adapter)

* [Loading a Pretrained Adapter](../../../examples/training/peft/README.html#loading-a-pretrained-adapter)

* [Training Script](../../../examples/training/peft/README.html#training-script)

* [Unsupervised Learning](../../../examples/unsupervised_learning/README.html)

* [TSDAE](../../../examples/unsupervised_learning/README.html#tsdae)

* [SimCSE](../../../examples/unsupervised_learning/README.html#simcse)

* [CT](../../../examples/unsupervised_learning/README.html#ct)

* [CT (In-Batch Negative Sampling)](../../../examples/unsupervised_learning/README.html#ct-in-batch-negative-sampling)

* [Masked Language Model (MLM)](../../../examples/unsupervised_learning/README.html#masked-language-model-mlm)

* [GenQ](../../../examples/unsupervised_learning/README.html#genq)

* [GPL](../../../examples/unsupervised_learning/README.html#gpl)

* [Performance

Comparison](../../../examples/unsupervised_learning/README.html#performance-comparison)

* [Domain Adaptation](../../../examples/domain_adaptation/README.html)

* [Domain Adaptation vs. Unsupervised Learning](../../../examples/domain_adaptation/README.html#domain-adaptation-vs-unsupervised-learning)

* [Adaptive Pre-Training](../../../examples/domain_adaptation/README.html#adaptive-pre-training)

* [GPL: Generative Pseudo-Labeling](../../../examples/domain_adaptation/README.html#gpl-generative-pseudo-labeling)

* [Hyperparameter Optimization](../../../examples/training/hpo/README.html)

* [HPO Components](../../../examples/training/hpo/README.html#hpo-components)

* [Putting It All Together](../../../examples/training/hpo/README.html#putting-it-all-together)

* [Example Scripts](../../../examples/training/hpo/README.html#example-scripts)

* [Distributed Training](../../sentence_transformer/training/distributed.html)

* [Comparison](../../sentence_transformer/training/distributed.html#comparison)

* [FSDP](../../sentence_transformer/training/distributed.html#fsdp)

Cross Encoder

* [Usage](../../cross_encoder/usage/usage.html)

* [Retrieve & Re-Rank](../../../examples/applications/retrieve_rerank/README.html)

* [Retrieve & Re-Rank Pipeline](../../../examples/applications/retrieve_rerank/README.html#retrieve-re-rank-pipeline)

* [Retrieval: Bi-Encoder](../../../examples/applications/retrieve_rerank/README.html#retrieval-bi-encoder)

* [Re-Ranker:

Cross-Encoder](../../../examples/applications/retrieve_rerank/README.html#re-ranker-cross-encoder)

* [Example Scripts](../../../examples/applications/retrieve_rerank/README.html#example-scripts)

* [Pre-trained Bi-Encoders (Retrieval)](../../../examples/applications/retrieve_rerank/README.html#pre-trained-bi-encoders-retrieval)

* [Pre-trained Cross-Encoders (Re-Ranker)](../../../examples/applications/retrieve_rerank/README.html#pre-trained-cross-encoders-re-ranker)

* [Pretrained Models](../../cross_encoder/pretrained_models.html)

* [MS MARCO](../../cross_encoder/pretrained_models.html#ms-marco)

* [SQuAD (QNLI)](../../cross_encoder/pretrained_models.html#squad-qnli)

* [STSbenchmark](../../cross_encoder/pretrained_models.html#stsbenchmark)

* [Quora Duplicate Questions](../../cross_encoder/pretrained_models.html#quora-duplicate-questions)

* [NLI](../../cross_encoder/pretrained_models.html#nli)

* [Community Models](../../cross_encoder/pretrained_models.html#community-models)

* [Training Overview](../../cross_encoder/training_overview.html)

* [Training Examples](../../cross_encoder/training/examples.html)

* [MS MARCO](../../../examples/training/ms_marco/cross_encoder_README.html)

* [Cross-Encoder](../../../examples/training/ms_marco/cross_encoder_README.html#cross-encoder)

* [Cross-Encoder Knowledge Distillation](../../../examples/training/ms_marco/cross_encoder_README.html#cross-encoder-knowledge-distillation)

Package Reference

ossinbatchnegatives)

* [CoSENTLoss](../sentence_transformer/losses.html#cosentloss)

* [AnglELoss](../sentence_transformer/losses.html#angleloss)

* [CosineSimilarityLoss](../sentence_transformer/losses.html#cosinesimilarityloss)

* [DenoisingAutoEncoderLoss](../sentence_transformer/losses.html#denoisingautoencoderloss)

* [GISTEmbedLoss](../sentence_transformer/losses.html#gistembedloss)

* [CachedGISTEmbedLoss](../sentence_transformer/losses.html#cachedgistembedloss)

* [MSELoss](../sentence_transformer/losses.html#mseloss)

* [MarginMSELoss](../sentence_transformer/losses.html#marginmseloss)

* [MatryoshkaLoss](../sentence_transformer/losses.html#matryoshkaloss)

* [Matryoshka2dLoss](../sentence_transformer/losses.html#matryoshka2dloss)

* [AdaptiveLayerLoss](../sentence_transformer/losses.html#adaptivelayerloss)

* [MegaBatchMarginLoss](../sentence_transformer/losses.html#megabatchmarginloss)

* [MultipleNegativesRankingLoss](../sentence_transformer/losses.html#multiplenegativesrankingloss)

* [CachedMultipleNegativesRankingLoss](../sentence_transformer/losses.html#cachedmultiplenegativesrankingloss)

* [MultipleNegativesSymmetricRankingLoss](../sentence_transformer/losses.html#multiplenegativessymmetricrankingloss)

* [CachedMultipleNegativesSymmetricRankingLoss](../sentence_transformer/losses.html#cachedmultiplenegativessymmetricrankingloss)

* [SoftmaxLoss](../sentence_transformer/losses.html#softmaxloss)

* [TripletLoss](../sentence_transformer/losses.html#tripletloss)

* [Samplers](../sentence_transformer/sampler.html)

* [BatchSamplers](../sentence_transformer/sampler.html#batchsamplers)
* [MultiDatasetBatchSamplers](../sentence_transformer/sampler.html#multidatasetbatchsamplers)
* [Evaluation](../sentence_transformer/evaluation.html)
* [BinaryClassificationEvaluator](../sentence_transformer/evaluation.html#binaryclassificationevaluator)
* [EmbeddingSimilarityEvaluator](../sentence_transformer/evaluation.html#embeddingsimilarityevaluator)
* [InformationRetrievalEvaluator](../sentence_transformer/evaluation.html#informationretrievalevaluator)
* [NanoBEIREvaluator](../sentence_transformer/evaluation.html#nanobeirevaluator)
* [MSEEvaluator](../sentence_transformer/evaluation.html#mseevaluator)
* [ParaphraseMiningEvaluator](../sentence_transformer/evaluation.html#paraphraseminingevaluator)
* [RerankingEvaluator](../sentence_transformer/evaluation.html#rerankingevaluator)
* [SentenceEvaluator](../sentence_transformer/evaluation.html#sentenceevaluator)
* [SequentialEvaluator](../sentence_transformer/evaluation.html#sequentialevaluator)
* [TranslationEvaluator](../sentence_transformer/evaluation.html#translationevaluator)
* [TripletEvaluator](../sentence_transformer/evaluation.html#tripletevaluator)
* [Datasets](../sentence_transformer/datasets.html)
* [ParallelSentencesDataset](../sentence_transformer/datasets.html#parallelsentencesdataset)
* [SentenceLabelDataset](../sentence_transformer/datasets.html#sentencelabeldataset)
* [DenoisingAutoEncoderDataset](../sentence_transformer/datasets.html#denoisingautoencoderdatas

et)
    * [NoDuplicatesDataLoader](../sentence_transformer/datasets.html#noduplicatesdataloader)
  * [Models](../sentence_transformer/models.html)
    * [Main Classes](../sentence_transformer/models.html#main-classes)
    * [Further Classes](../sentence_transformer/models.html#further-classes)
  * [quantization](../sentence_transformer/quantization.html)
    * [`quantize_embeddings()`](../sentence_transformer/quantization.html#sentence_transformers.quantization.quantize_embeddings)
    * [`semantic_search_faiss()`](../sentence_transformer/quantization.html#sentence_transformers.quantization.semantic_search_faiss)
    * [`semantic_search_usearch()`](../sentence_transformer/quantization.html#sentence_transformers.quantization.semantic_search_usearch)
* [Cross Encoder](index.html)
  * [CrossEncoder](cross_encoder.html)
    * [CrossEncoder](cross_encoder.html#id1)
    * [Training Inputs](cross_encoder.html#training-inputs)
  * Evaluation
    * CEBinaryAccuracyEvaluator
    * CEBinaryClassificationEvaluator
    * CECorrelationEvaluator
    * CEF1Evaluator
    * CESoftmaxAccuracyEvaluator
    * CERerankingEvaluator
* [util](../util.html)

* [Helper Functions](../util.html#module-sentence_transformers.util)
  * [`community_detection()`](../util.html#sentence_transformers.util.community_detection)
  * [`http_get()`](../util.html#sentence_transformers.util.http_get)
  * [`is_training_available()`](../util.html#sentence_transformers.util.is_training_available)
  * [`mine_hard_negatives()`](../util.html#sentence_transformers.util.mine_hard_negatives)
  * [`normalize_embeddings()`](../util.html#sentence_transformers.util.normalize_embeddings)
  * [`paraphrase_mining()`](../util.html#sentence_transformers.util.paraphrase_mining)
  * [`semantic_search()`](../util.html#sentence_transformers.util.semantic_search)
  * [`truncate_embeddings()`](../util.html#sentence_transformers.util.truncate_embeddings)
* [Model Optimization](../util.html#module-sentence_transformers.backend)
  * [`export_dynamic_quantized_onnx_model()`](../util.html#sentence_transformers.backend.export_dynamic_quantized_onnx_model)
  * [`export_optimized_onnx_model()`](../util.html#sentence_transformers.backend.export_optimized_onnx_model)
  * [`export_static_quantized_openvino_model()`](../util.html#sentence_transformers.backend.export_static_quantized_openvino_model)
* [Similarity Metrics](../util.html#module-sentence_transformers.util)
  * [`cos_sim()`](../util.html#sentence_transformers.util.cos_sim)
  * [`dot_score()`](../util.html#sentence_transformers.util.dot_score)
  * [`euclidean_sim()`](../util.html#sentence_transformers.util.euclidean_sim)
  * [`manhattan_sim()`](../util.html#sentence_transformers.util.manhattan_sim)
  * [`pairwise_cos_sim()`](../util.html#sentence_transformers.util.pairwise_cos_sim)
  * [`pairwise_dot_score()`](../util.html#sentence_transformers.util.pairwise_dot_score)
  * [`pairwise_euclidean_sim()`](../util.html#sentence_transformers.util.pairwise_euclidean_sim)

* [`pairwise_manhattan_sim()`](../util.html#sentence_transformers.util.pairwise_manhattan_sim)

__[Sentence Transformers](../../../index.html)

* [](../../../index.html)
* [Cross Encoder](index.html)
* Evaluation
* [Edit on GitHub](https://github.com/UKPLab/sentence-transformers/blob/master/docs/package_reference/cross_encoder/evaluation.md)

* * *

Evaluationïƒ•

CrossEncoder have their own evaluation classes, that are in `sentence_transformers.cross_encoder.evaluation`.

CEBinaryAccuracyEvaluatorïƒ•

_class _sentence_transformers.cross_encoder.evaluation.CEBinaryAccuracyEvaluator(_sentence_pairs : list[list[str]]_, _labels : list[int]_, _name : str = ''_, _threshold : float = 0.5_, _write_csv : bool = True_)[[source]](https://github.com/UKPLab/sentence-transformers/blob/master/sentence_transformers\\cross_encoder\\evaluation\\CEBinaryAccuracyEvaluator.py#L14-L80)ïƒ•

This evaluator can be used with the CrossEncoder class.

It is designed for CrossEncoders with 1 outputs. It measure the accuracy of
the predict class vs. the gold labels. It uses a fixed threshold to determine
the label (0 vs 1).

See CEBinaryClassificationEvaluator for an evaluator that determines
automatically the optimal threshold.

CEBinaryClassificationEvaluatorïƒ•

_class
_sentence_transformers.cross_encoder.evaluation.CEBinaryClassificationEvaluator(_sentence_pair
s
: list[list[str]]_, _labels : list[int]_, _name : str = ''_,
_show_progress_bar : bool = False_, _write_csv : bool =
True_)[[source]](https://github.com/UKPLab/sentence-
transformers/blob/master/sentence_transformers\\cross_encoder\\evaluation\\CEBinaryClassificatio
nEvaluator.py#L16-L104)ïƒ•

This evaluator can be used with the CrossEncoder class. Given sentence pairs
and binary labels (0 and 1), it compute the average precision and the best

possible f1 score

CECorrelationEvaluatorïƒ•

_class
_sentence_transformers.cross_encoder.evaluation.CECorrelationEvaluator(_sentence_pairs
: list[list[str]]_, _scores : list[float]_, _name : str = ''_, _write_csv :
bool = True_)[[source]](https://github.com/UKPLab/sentence-
transformers/blob/master/sentence_transformers\\cross_encoder\\evaluation\\CECorrelationEvaluat
or.py#L14-L67)ïƒ•

This evaluator can be used with the CrossEncoder class. Given sentence pairs
and continuous scores, it compute the pearson & spearman correlation between
the predicted score for the sentence pair and the gold score.

CEF1Evaluatorïƒ•

_class
_sentence_transformers.cross_encoder.evaluation.CEF1Evaluator(_sentence_pairs
: list[list[str]]_, _labels : list[int]_, _*_ , _batch_size : int = 32_,
_show_progress_bar : bool = False_, _name : str = ''_, _write_csv : bool =
True_)[[source]](https://github.com/UKPLab/sentence-
transformers/blob/master/sentence_transformers\\cross_encoder\\evaluation\\CEF1Evaluator.py#L1
6-L140)ïƒ•

CrossEncoder F1 score based evaluator for binary and multiclass tasks.

The task type (binary or multiclass) is determined from the labels array. For
binary tasks the returned metric is binary F1 score. For the multiclass tasks
the returned metric is macro F1 score.

Parameters:

* **sentence_pairs** (_List_ _[__List_ _[__str_ _]__]_) â€“ A list of sentence pairs, where each pair is a list of two strings.

* **labels** (_List_ _[__int_ _]_) â€“ A list of integer labels corresponding to each sentence pair.

* **batch_size** (_int_ _,__optional_) â€“ Batch size for prediction. Defaults to 32.

* **show_progress_bar** (_bool_ _,__optional_) â€“ Show tqdm progress bar.

* **name** (_str_ _,__optional_) â€“ An optional name for the CSV file with stored results. Defaults to an empty string.

* **write_csv** (_bool_ _,__optional_) â€“ Flag to determine if the data should be saved to a CSV file. Defaults to True.

CESoftmaxAccuracyEvaluatorïƒ•

_class
_sentence_transformers.cross_encoder.evaluation.CESoftmaxAccuracyEvaluator(_sentence_pairs
: list[list[str]]_, _labels : list[int]_, _name : str = "_, _write_csv : bool
= True_)[[source]](https://github.com/UKPLab/sentence-
transformers/blob/master/sentence_transformers\\cross_encoder\\evaluation\\CESoftmaxAccuracyE
valuator.py#L14-L70)ïƒ•

This evaluator can be used with the CrossEncoder class.

It is designed for CrossEncoders with 2 or more outputs. It measure the
accuracy of the predict class vs. the gold labels.

CERerankingEvaluatorïƒ•

_class _sentence_transformers.cross_encoder.evaluation.CERerankingEvaluator(_samples_ ,
_at_k : int = 10_, _name : str = "_, _write_csv : bool = True_, _mrr_at_k : int | None =
None_)[[source]](https://github.com/UKPLab/sentence-transformers/blob/master/sentence_transfor
mers\\cross_encoder\\evaluation\\CERerankingEvaluator.py#L13-L109)ïƒ•

This class evaluates a CrossEncoder model for the task of re-ranking.

Given a query and a list of documents, it computes the score [query, doc_i]

for all possible documents and sorts them in decreasing order. Then,

[MRR@10](/cdn-cgi/l/email-

protection#bff2eded999c8c8884999c8a8d84999c8b87848e8f) and [NDCG@10](/cdn-

cgi/l/email-protection#df919b9c98f9fcece8e4f9fceaede4f9fcebe7e4eeef) are

computed to measure the quality of the ranking.

Parameters:

samples (_List_ _[__Dict_ _,__str_ _,__Union_ _[__str_ _,__List_ _[__str_

_]__]_) â€“ Must be a list and each element is of the form: {â€˜queryâ€™:

â€˜â€™, â€˜positiveâ€™: [], â€˜negativeâ€™: []}. Query is the search query,

positive is a list of positive (relevant) documents, negative is a list of

negative (irrelevant) documents.

[Previous](cross_encoder.html "CrossEncoder") [Next](../util.html "util")

* * *