

[Skip to main content](#)

[\\_\\_Back to top](#)

[\\_\\_`Ctrl`+`K`](#)

[ [!\[conda 25.1.2.dev29 documentation -](#)

[Home\]\(../../../../../\\_static/conda\\_logo\\_full.svg\) \]\(../../../../../index.html\)](#)

\* [\[Conda\]\(https://docs.conda.io/projects/conda/\)](#)

\* [\[Conda-build\]\(https://docs.conda.io/projects/conda-build\)](#)

\* [\[Miniconda\]\(https://docs.anaconda.com/free/miniconda/\)](#)

\* [\[conda.org\]\(https://conda.org\)](#)

\* [\[\\_\\_ GitHub\]\(https://github.com/conda/conda "GitHub"\)](#)

\* [!\[Element\]\(../../../../../\\_static/element\\_logo.svg\)\]\(http://bit.ly/conda-chat-room "Element"\)](#)

\* [\[\\_\\_ Discourse\]\(https://conda.discourse.group/ "Discourse"\)](#)

\* [\[Conda\]\(https://docs.conda.io/projects/conda/\)](#)

\* [\[Conda-build\]\(https://docs.conda.io/projects/conda-build\)](#)

\* [\[Miniconda\]\(https://docs.anaconda.com/free/miniconda/\)](#)

\* [\[conda.org\]\(https://conda.org\)](#)

\* [\[\\_\\_ GitHub\]\(https://github.com/conda/conda "GitHub"\)](#)

\* [!\[Element\]\(../../../../../\\_static/element\\_logo.svg\)\]\(http://bit.ly/conda-chat-room "Element"\)](#)

\* [\[\\_\\_ Discourse\]\(https://conda.discourse.group/ "Discourse"\)](#)

## Navigation

- \* [User guide](../../user-guide/index.html) \_\_
- \* [Getting started with conda](../../user-guide/getting-started.html)
- \* [Installing conda](../../user-guide/install/index.html) \_\_
- \* [Installing on Windows](../../user-guide/install/windows.html)
- \* [Installing on macOS](../../user-guide/install/macos.html)
- \* [Installing on Linux](../../user-guide/install/linux.html)
- \* [RPM and Debian Repositories for Miniconda](../../user-guide/install/rpm-debian.html)
- \* [Tasks](../../user-guide/tasks/index.html) \_\_
- \* [Managing conda](../../user-guide/tasks/manage-conda.html)
- \* [Managing environments](../../user-guide/tasks/manage-environments.html)
- \* [Managing channels](../../user-guide/tasks/manage-channels.html)
- \* [Managing packages](../../user-guide/tasks/manage-pkgs.html)
- \* [Managing Python](../../user-guide/tasks/manage-python.html)
- \* [Managing virtual packages](../../user-guide/tasks/manage-virtual.html)
- \* [Creating custom channels](../../user-guide/tasks/create-custom-channels.html)
- \* [Creating projects](../../user-guide/tasks/creating-projects.html)
- \* [Viewing command-line help](../../user-guide/tasks/view-command-line-help.html)
- \* [Configuration](../../user-guide/configuration/index.html) \_\_
  - \* [Using the .condarc conda configuration file](../../user-guide/configuration/use-condarc.html)
  - \* [Settings](../../user-guide/configuration/settings.html)
  - \* [Administering a multi-user conda installation](../../user-guide/configuration/admin-multi-user-install.html)
  - \* [Mirroring channels](../../user-guide/configuration/mirroring.html)
  - \* [Disabling SSL verification](../../user-guide/configuration/disable-ssl-verification.html)

- \* [Using non-standard certificates](../../user-guide/configuration/non-standard-certs.html)
- \* [Using Custom Locations for Environment and Package Cache](../../user-guide/configuration/custom-env-and-pkg-locations.html)
- \* [Improving interoperability with pip](../../user-guide/configuration/pip-interoperability.html)
- \* [Using the free channel](../../user-guide/configuration/free-channel.html)
- \* [Concepts](../../user-guide/concepts/index.html) \_\_
- \* [Commands](../../user-guide/concepts/conda-commands.html)
- \* [Packages](../../user-guide/concepts/packages.html)
- \* [Package specification](../../user-guide/concepts/pkg-specs.html)
- \* [Package search and install specifications](../../user-guide/concepts/pkg-search.html)
- \* [Channels](../../user-guide/concepts/channels.html)
- \* [Environments](../../user-guide/concepts/environments.html)
- \* [Installing with conda](../../user-guide/concepts/installing-with-conda.html)
- \* [Performance](../../user-guide/concepts/conda-performance.html)
- \* [Conda for data scientists](../../user-guide/concepts/data-science.html)
- \* [Plugins](../../user-guide/concepts/conda-plugins.html)
- \* [Troubleshooting](../../user-guide/troubleshooting.html)
- \* [Cheatsheet](../../user-guide/cheatsheet.html)
- \* [Configuration](../../configuration.html)
- \* [Commands](../../commands/index.html) \_\_
- \* [``conda clean``](../../commands/clean.html)
- \* [``conda compare``](../../commands/compare.html)
- \* [``conda config``](../../commands/config.html)
- \* [``conda create``](../../commands/create.html)
- \* [``conda doctor``](../../commands/doctor.html)
- \* [``conda env``](../../commands/env/index.html) \_\_
- \* [``conda env config``](../../commands/env/config/index.html) \_\_

- \* [`conda env config vars`](../../commands/env/config/vars/index.html) \_\_
- \* [`conda env config vars list`](../../commands/env/config/vars/list.html)
- \* [`conda env config vars set`](../../commands/env/config/vars/set.html)
- \* [`conda env config vars unset`](../../commands/env/config/vars/unset.html)
- \* [`conda env create`](../../commands/env/create.html)
- \* [`conda env export`](../../commands/env/export.html)
- \* [`conda env list`](../../commands/env/list.html)
- \* [`conda env remove`](../../commands/env/remove.html)
- \* [`conda env update`](../../commands/env/update.html)
- \* [`conda info`](../../commands/info.html)
- \* [`conda init`](../../commands/init.html)
- \* [`conda install`](../../commands/install.html)
- \* [`conda list`](../../commands/list.html)
- \* [`conda notices`](../../commands/notices.html)
- \* [`conda package`](../../commands/package.html)
- \* [`conda remove`](../../commands/remove.html)
- \* [`conda rename`](../../commands/rename.html)
- \* [`conda run`](../../commands/run.html)
- \* [`conda search`](../../commands/search.html)
- \* [`conda update`](../../commands/update.html)
- \* [Release notes](../../release-notes.html)
- \* [Glossary](../../glossary.html)
- \* [Developer guide](../../index.html) \_\_
- \* [Architecture](../../architecture.html)
- \* [Contributing to conda](../../contributing.html)
- \* [Development Environment](../../development-environment.html)
- \* [Deep dives](../../deep-dives/index.html) \_\_

- \* [`conda install``](../../deep-dives/install.html)
- \* [`conda init`` and `conda activate``](../../deep-dives/activation.html)
- \* [`conda config`` and context](../../deep-dives/context.html)
- \* [Solvers](../../deep-dives/solvers.html)
- \* [Logging](../../deep-dives/logging.html)
- \* [Writing Tests](../../writing-tests/index.html) \_\_
- \* [Integration Tests](../../writing-tests/integration-tests.html)
- \* [Deprecations](../../deprecations.html)
- \* [Releasing](../../releasing.html)
- \* [Plugins](../../plugins/index.html) \_\_
  - \* [Auth Handlers](../../plugins/auth\_handlers.html)
  - \* [Health Checks](../../plugins/health\_checks.html)
  - \* [Request Headers](../../plugins/request\_headers.html)
  - \* [Post-commands](../../plugins/post\_commands.html)
  - \* [Pre-commands](../../plugins/pre\_commands.html)
  - \* [Reporter Backends](../../plugins/reporter\_backends.html)
  - \* [Settings](../../plugins/settings.html)
  - \* [Solvers](../../plugins/solvers.html)
  - \* [Subcommands](../../plugins/subcommands.html)
  - \* [Virtual Packages](../../plugins/virtual\_packages.html)
- \* [Specifications](../../specs/index.html) \_\_
  - \* [Technical specification: solver state](../../specs/solver-state.html)
- \* [API](../../api.html) \_\_
  - \* [`conda``](./index.html) \_\_
    - \* [`__main__``](./\_\_main\_\_/index.html)
    - \* [`_vendor``](./\_vendor/index.html) \_\_
      - \* [`frozendict``](./\_vendor/frozendict/index.html)

- \* [`_version``](../\_version/index.html)
- \* [`activate``](../activate/index.html)
- \* [`api``](../api/index.html)
- \* [`auxlib``](../auxlib/index.html) \_\_
  - \* [`collection``](../auxlib/collection/index.html)
  - \* [`compat``](../auxlib/compat/index.html)
  - \* [`decorators``](../auxlib/decorators/index.html)
  - \* [`entity``](../auxlib/entity/index.html)
  - \* [`exceptions``](../auxlib/exceptions/index.html)
  - \* [`ish``](../auxlib/ish/index.html)
  - \* [`logz``](../auxlib/logz/index.html)
  - \* [`type_coercion``](../auxlib/type\_coercion/index.html)
- \* [`base``](../base/index.html) \_\_
  - \* [`constants``](../base/constants/index.html)
  - \* [`context``](../base/context/index.html)
- \* [`cli``](../cli/index.html) \_\_
  - \* [`actions``](../cli/actions/index.html)
  - \* [`common``](../cli/common/index.html)
  - \* [`conda_argparse``](../cli/conda\_argparse/index.html)
  - \* [`find_commands``](../cli/find\_commands/index.html)
  - \* [`helpers``](../cli/helpers/index.html)
  - \* [`install``](../cli/install/index.html)
  - \* [`main``](../cli/main/index.html)
  - \* [`main_clean``](../cli/main\_clean/index.html)
  - \* [`main_commands``](../cli/main\_commands/index.html)
  - \* [`main_compare``](../cli/main\_compare/index.html)
  - \* [`main_config``](../cli/main\_config/index.html)

- \* [main\_create](../cli/main\_create/index.html)
- \* [main\_env](../cli/main\_env/index.html)
- \* [main\_env\_config](../cli/main\_env\_config/index.html)
- \* [main\_env\_create](../cli/main\_env\_create/index.html)
- \* [main\_env\_export](../cli/main\_env\_export/index.html)
- \* [main\_env\_list](../cli/main\_env\_list/index.html)
- \* [main\_env\_remove](../cli/main\_env\_remove/index.html)
- \* [main\_env\_update](../cli/main\_env\_update/index.html)
- \* [main\_env\_vars](../cli/main\_env\_vars/index.html)
- \* [main\_export](../cli/main\_export/index.html)
- \* [main\_info](../cli/main\_info/index.html)
- \* [main\_init](../cli/main\_init/index.html)
- \* [main\_install](../cli/main\_install/index.html)
- \* [main\_list](../cli/main\_list/index.html)
- \* [main\_mock\_activate](../cli/main\_mock\_activate/index.html)
- \* [main\_mock\_deactivate](../cli/main\_mock\_deactivate/index.html)
- \* [main\_notices](../cli/main\_notices/index.html)
- \* [main\_package](../cli/main\_package/index.html)
- \* [main\_pip](../cli/main\_pip/index.html)
- \* [main\_remove](../cli/main\_remove/index.html)
- \* [main\_rename](../cli/main\_rename/index.html)
- \* [main\_run](../cli/main\_run/index.html)
- \* [main\_search](../cli/main\_search/index.html)
- \* [main\_update](../cli/main\_update/index.html)
- \* [python\_api](../cli/python\_api/index.html)
- \* [common](../common/index.html) \_\_
- \* [\_logic](../common/\_logic/index.html)

- \* [`_os``](../common/\_os/index.html) \_\_
- \* [`linux``](../common/\_os/linux/index.html)
- \* [`osx``](../common/\_os/osx/index.html)
- \* [`unix``](../common/\_os/unix/index.html)
- \* [`windows``](../common/\_os/windows/index.html)
- \* [`compat``](../common/compat/index.html)
- \* [`configuration``](../common/configuration/index.html)
- \* [`constants``](../common/constants/index.html)
- \* [`disk``](../common/disk/index.html)
- \* [`io``](../common/io/index.html)
- \* [`iterators``](../common/iterators/index.html)
- \* [`logic``](../common/logic/index.html)
- \* [`path``](../common/path/index.html) \_\_
- \* [`_cygpath``](../common/path/\_cygpath/index.html)
- \* [`directories``](../common/path/directories/index.html)
- \* [`python``](../common/path/python/index.html)
- \* [`windows``](../common/path/windows/index.html)
- \* [`pkg_formats``](../common/pkg\_formats/index.html) \_\_
- \* [`python``](../common/pkg\_formats/python/index.html)
- \* [`serialize``](../common/serialize/index.html)
- \* [`signals``](../common/signals/index.html)
- \* [`toposort``](../common/toposort/index.html)
- \* [`url``](../common/url/index.html)
- \* [`core``](../core/index.html) \_\_
- \* [`envs_manager``](../core/envs\_manager/index.html)
- \* [`index``](../core/index/index.html)
- \* [`initialize``](../core/initialize/index.html)



- \* [`link``](../core/link/index.html)
- \* [`package_cache_data``](../core/package\_cache\_data/index.html)
- \* [`path_actions``](../core/path\_actions/index.html)
- \* [`portability``](../core/portability/index.html)
- \* [`prefix_data``](../core/prefix\_data/index.html)
- \* [`solve``](../core/solve/index.html)
- \* [`subdir_data``](../core/subdir\_data/index.html)
- \* [`deprecations``](../deprecations/index.html)
- \* [`env``](../env/index.html) \_\_
- \* [ `env``](../env/env/index.html)
- \* [`installers``](../env/installers/index.html) \_\_
- \* [ `base``](../env/installers/base/index.html)
- \* [`conda``](../env/installers/conda/index.html)
- \* [`pip``](../env/installers/pip/index.html)
- \* [`pip_util``](../env/pip\_util/index.html)
- \* [`specs``](../env/specs/index.html) \_\_
- \* [ `binstar``](../env/specs/binstar/index.html)
- \* [`requirements``](../env/specs/requirements/index.html)
- \* [`yaml_file``](../env/specs/yaml\_file/index.html)
- \* [`exception_handler``](../exception\_handler/index.html)
- \* [`exceptions``](../exceptions/index.html)
- \* [`exports``](../exports/index.html)
- \* [`gateways``](../gateways/index.html) \_\_
- \* [ `anaconda_client``](../gateways/anaconda\_client/index.html)
- \* [`connection``](../gateways/connection/index.html) \_\_
- \* [ `adapters``](../gateways/connection/adapters/index.html) \_\_
- \* [ `ftp``](../gateways/connection/adapters/ftp/index.html)

- \* [ `http` ](../gateways/connection/adapters/http/index.html)
- \* [ `localfs` ](../gateways/connection/adapters/localfs/index.html)
- \* [ `s3` ](../gateways/connection/adapters/s3/index.html)
- \* [ `download` ](../gateways/connection/download/index.html)
- \* [ `session` ](../gateways/connection/session/index.html)
- \* [ `disk` ](../gateways/disk/index.html) \_\_\_\_
- \* [ `create` ](../gateways/disk/create/index.html)
- \* [ `delete` ](../gateways/disk/delete/index.html)
- \* [ `link` ](../gateways/disk/link/index.html)
- \* [ `lock` ](../gateways/disk/lock/index.html)
- \* [ `permissions` ](../gateways/disk/permissions/index.html)
- \* [ `read` ](../gateways/disk/read/index.html)
- \* [ `test` ](../gateways/disk/test/index.html)
- \* [ `update` ](../gateways/disk/update/index.html)
- \* [ `logging` ](../gateways/logging/index.html)
- \* [ `repodata` ](../gateways/repodata/index.html) \_\_\_\_
- \* [ `jlap` ](../gateways/repodata/jlap/index.html) \_\_\_\_
- \* [ `core` ](../gateways/repodata/jlap/core/index.html)
- \* [ `fetch` ](../gateways/repodata/jlap/fetch/index.html)
- \* [ `interface` ](../gateways/repodata/jlap/interface/index.html)
- \* [ `lock` ](../gateways/repodata/lock/index.html)
- \* [ `subprocess` ](../gateways/subprocess/index.html)
- \* [ `history` ](../history/index.html)
- \* [ `instructions` ](../instructions/index.html)
- \* `misc`
- \* [ `models` ](../models/index.html) \_\_\_\_
- \* [ `channel` ](../models/channel/index.html)

- \* [`dist``](../models/dist/index.html)
- \* [`enums``](../models/enums/index.html)
- \* [`leased_path_entry``](../models/leased\_path\_entry/index.html)
- \* [`match_spec``](../models/match\_spec/index.html)
- \* [`package_info``](../models/package\_info/index.html)
- \* [`prefix_graph``](../models/prefix\_graph/index.html)
- \* [`records``](../models/records/index.html)
- \* [`version``](../models/version/index.html)
- \* [`notices``](../notices/index.html) \_\_
- \* [`cache``](../notices/cache/index.html)
- \* [`core``](../notices/core/index.html)
- \* [`fetch``](../notices/fetch/index.html)
- \* [`types``](../notices/types/index.html)
- \* [`views``](../notices/views/index.html)
- \* [`plan``](../plan/index.html)
- \* [`plugins``](../plugins/index.html) \_\_
- \* [`hookspec``](../plugins/hookspec/index.html)
- \* [`manager``](../plugins/manager/index.html)
- \* [`post_solves``](../plugins/post\_solves/index.html) \_\_
- \* [`signature_verification``](../plugins/post\_solves/signature\_verification/index.html)
- \* [`reporter_backends``](../plugins/reporter\_backends/index.html) \_\_
- \* [`console``](../plugins/reporter\_backends/console/index.html)
- \* [`json``](../plugins/reporter\_backends/json/index.html)
- \* [`solvers``](../plugins/solvers/index.html)
- \* [`subcommands``](../plugins/subcommands/index.html) \_\_
- \* [`doctor``](../plugins/subcommands/doctor/index.html) \_\_
- \* [`health_checks``](../plugins/subcommands/doctor/health\_checks/index.html)

- \* [ `types` ](../plugins/types/index.html)
- \* [ `virtual\_packages` ](../plugins/virtual\_packages/index.html) \_\_\_\_
- \* [ `archspeg` ](../plugins/virtual\_packages/archspeg/index.html)
- \* [ `conda` ](../plugins/virtual\_packages/conda/index.html)
- \* [ `cuda` ](../plugins/virtual\_packages/cuda/index.html)
- \* [ `freebsd` ](../plugins/virtual\_packages/freebsd/index.html)
- \* [ `linux` ](../plugins/virtual\_packages/linux/index.html)
- \* [ `osx` ](../plugins/virtual\_packages/osx/index.html)
- \* [ `windows` ](../plugins/virtual\_packages/windows/index.html)
- \* [ `reporters` ](../reporters/index.html)
- \* [ `resolve` ](../resolve/index.html)
- \* [ `testing` ](../testing/index.html) \_\_\_\_
- \* [ `cases` ](../testing/cases/index.html)
- \* [ `fixtures` ](../testing/fixtures/index.html)
- \* [ `gateways` ](../testing/gateways/index.html) \_\_\_\_
- \* [ `fixtures` ](../testing/gateways/fixtures/index.html)
- \* [ `helpers` ](../testing/helpers/index.html)
- \* [ `integration` ](../testing/integration/index.html)
- \* [ `notices` ](../testing/notices/index.html) \_\_\_\_
- \* [ `fixtures` ](../testing/notices/fixtures/index.html)
- \* [ `helpers` ](../testing/notices/helpers/index.html)
- \* [ `solver\_helpers` ](../testing/solver\_helpers/index.html)
- \* [ `trust` ](../trust/index.html) \_\_\_\_
- \* [ `constants` ](../trust/constants/index.html)
- \* [ `signature\_verification` ](../trust/signature\_verification/index.html)
- \* [ `utils` ](../utils/index.html)
- \* [ `conda\_env` ](.././conda\_env/index.html) \_\_\_\_

```
* [ `cli` ](../../conda_env/cli/index.html)
* [ `installers` ](../../conda_env/installers/index.html)
```

```
* [ ____ ](../../../index.html)
* [Developer guide](../../../index.html)
* ____
* [ `conda` ](../index.html)
*
```

# `misc` #

Miscellaneous utility functions.

## Functions#

``conda_installed_files``(prefix[, exclude\_self\_build]) | Return the set of files which have been installed (using conda) into

---|---

``_match_specs_from_explicit``(...) |

``explicit``(specs, prefix[, verbose, force\_extract, index]) |

``rel_path``(prefix, path[, windows\_forward\_slashes]) |

``walk_prefix``(prefix[, ignore\_predefined\_files, ...]) | Return the set of all files in a given prefix directory.

``untracked``(prefix[, exclude\_self\_build]) | Return (the set) of all untracked files for a given prefix.

``touch_nonadmin``(prefix) | Creates \$PREFIX/.nonadmin if sys.prefix/.nonadmin exists (on Windows).

``clone_env``(prefix1, prefix2[, verbose, quiet, index\_args]) | Clone existing prefix1 into new prefix2.

```
`_get_best_prec_match`(prec) |
```

```
## Attributes#
```

```
`url_pat` |
```

```
---|---
```

```
conda_installed_files(_prefix_ , _exclude_self_build =False_)#
```

Return the set of files which have been installed (using conda) into a given prefix.

```
url_pat#
```

```
_match_specs_from_explicit(_specs :
```

```
[collections.abc.Iterable])(https://docs.python.org/3/library/collections.abc.html#collections.abc.Iterable  
e
```

```
"\n(in Python
```

```
v3.13\")(str)(https://docs.python.org/3/library/stdtypes.html#str "\n(in  
Python v3.13\")( ) ->
```

```
[collections.abc.Iterable])(https://docs.python.org/3/library/collections.abc.html#collections.abc.Iterable  
e
```

```
"\n(in Python
```

```
v3.13\"))[[conda.models.match_spec.MatchSpec](../models/match_spec/index.html#conda.models.  
match_spec.MatchSpec  
"conda.models.match_spec.MatchSpec")]]#
```

```
explicit(_specs_ , _prefix_ , _verbose =False_ , _force_extract =True_ , _index  
=None_)#
```

```
rel_path(_prefix_ , _path_ , _windows_forward_slashes =True_)#
```

```
walk_prefix(_prefix_ , _ignore_predefined_files =True_ ,  
_windows_forward_slashes =True_)#
```

Return the set of all files in a given prefix directory.

```
untracked(_prefix_ , _exclude_self_build =False_)#
```

Return (the set) of all untracked files for a given prefix.

`touch_nonadmin(_prefix_)`#

Creates \$PREFIX/.nonadmin if sys.prefix/.nonadmin exists (on Windows).

`clone_env(_prefix1_ , _prefix2_ , _verbose =True_, _quiet =False_, _index_args  
=None_)`#

Clone existing prefix1 into new prefix2.

`_get_best_prec_match(_prec_)`#

\_\_\_On this page

\* Functions

\* Attributes

\* ``conda_installed_files()``

\* ``url_pat``

\* ``_match_specs_from_explicit()``

\* ``explicit()``

\* ``rel_path()``



- \* ``walk_prefix()``
- \* ``untracked()``
- \* ``touch_nonadmin()``
- \* ``clone_env()``
- \* ``_get_best_prec_match()``

[ [\\_\\_Edit on GitHub](https://github.com/conda/conda/edit/main/docs/source/dev-guide/api/conda/misc/index.rst)](https://github.com/conda/conda/edit/main/docs/source/dev-guide/api/conda/misc/index.rst)

[ [\\_\\_Show Source](https://github.com/conda/conda/edit/main/docs/source/dev-guide/api/conda/misc/index.rst)](../../../../../\_sources/dev-guide/api/conda/misc/index.rst.txt)

© Copyright 2017, Anaconda, Inc.

Created using [Sphinx](https://www.sphinx-doc.org/) 7.4.7.

[ [Analytics Dashboard \\_\\_](https://docs-conda-io.goatcounter.com)](https://docs-conda-io.goatcounter.com "Analytics Dashboard")

Built with the [PyData Sphinx Theme](https://pydata-sphinx-theme.readthedocs.io/en/stable/index.html) 0.15.4.