```
[![Logo](../../_static/logo.png)](../../index.html)
```

Getting Started

- * [Installation](../../docs/installation.html)
 - * [Install with pip](../../docs/installation.html#install-with-pip)
 - * [Install with Conda](../../docs/installation.html#install-with-conda)
 - * [Install from Source](../../docs/installation.html#install-from-source)
 - * [Editable Install](../../docs/installation.html#editable-install)
- * [Install PyTorch with CUDA

support](../../docs/installation.html#install-pytorch-with-cuda-support)

- * [Quickstart](../../docs/quickstart.html)
 - * [Sentence Transformer](../../docs/quickstart.html#sentence-transformer)
 - * [Cross Encoder](../../docs/quickstart.html#cross-encoder)
 - * [Next Steps](../../docs/quickstart.html#next-steps)

Sentence Transformer

- * [Usage](../../docs/sentence transformer/usage/usage.html)
 - * [Computing Embeddings](../../applications/computing-embeddings/README.html)
 - * [Initializing a Sentence Transformer

Model](../../applications/computing-embeddings/README.html#initializing-a-sentence-transformer-model)

[Calculating

Embeddings](../../applications/computing-embeddings/README.html#calculating-embeddings)

- * [Prompt Templates](../../applications/computing-embeddings/README.html#prompt-templates)
- * [Input Sequence Length](../../applications/computing-embeddings/README.html#id1)

	*	[Multi-Proc	ess	/	Multi-GPU
Encoding](//applications/computing-embedd	lings/READM	1E.html#m	ulti-proces	ss-multi-g	pu-encodin
g)					
	*		[Semantic	;	Textual
Similarity](//docs/sentence_transformer/us	sage/semanti	c_textual_	similarity.l	html)	
			*		[Similarity
Calculation](//docs/sentence_transformer/	'usage/sema	ntic_textua	l_similarit	y.html#si	milarity-calc
ulation)					
* [Semantic Search](//applications/seman	tic-search/Rl	EADME.ht	ml)		
* [Background](//applications/semantic-s	search/REAC	ME.html#l	oackgroun	ıd)	
* [[Symmetric	VS.	Asymr	netric	Semantic
Search](//applications/semantic-search/REA	NDME.html#s	symmetric-	vs-asymm	etric-sem	nantic-searc
h)					
			*	·	[Manual
Implementation](//applications/semantic-sea	arch/READM	E.html#ma	nual-imple	ementatic	on)
			*		[Optimized
Implementation](//applications/semantic-sea	arch/READM	E.html#opt	imized-im	plementa	ition)
* [Speed Optimization](//applications/ser	mantic-searc	h/READMI	E.html#sp∈	eed-optin	nization)
* [Elasticsearch](//applications/semantic	-search/REA	DME.html	#elasticse	arch)	
		*	[Approxim	nate	Nearest
Neighbor](//applications/semantic-search/R	EADME.html	#approxim	ate-neare	st-neighb	or)
* [Retrieve & Re-Rank](//applications/se	mantic-searc	:h/READM	E.html#re	trieve-re-	rank)
* [Examples](//applications/semantic-sea	arch/READM	E.html#ex	amples)		
* [Retrieve & Re-Rank](//applications/retri	eve_rerank/l	README.	ntml)		
	*	[Retrie	eve	&	Re-Rank
Pipeline](//applications/retrieve_rerank/REA	DME.html#re	etrieve-re-r	ank-pipeli	ne)	
* [Retrieval: Bi-Encoder](//applications/re	etrieve_reran	k/READM	E.html#ret	trieval-bi-	encoder)

[Re-Ranker:	
·)	

Cross-Encoder](../../applications/retrieve_rerank/README.html#re-ranker-cross-encoder)

* [Example Scripts](../../applications/retrieve rerank/README.html#example-scripts)

[Pre-trained Bi-Encoders

(Retrieval)](../../applications/retrieve_rerank/README.html#pre-trained-bi-encoders-retrieval)

[Pre-trained Cross-Encoders

(Re-Ranker)](../../applications/retrieve_rerank/README.html#pre-trained-cross-encoders-re-ranker)

- * [Clustering](../../applications/clustering/README.html)
 - * [k-Means](../../applications/clustering/README.html#k-means)
 - * [Agglomerative Clustering](../../applications/clustering/README.html#agglomerative-clustering)
 - * [Fast Clustering](../../applications/clustering/README.html#fast-clustering)
 - * [Topic Modeling](../../applications/clustering/README.html#topic-modeling)
- * [Paraphrase Mining](../../applications/paraphrase-mining/README.html)

[`paraphrase_mining()`](../../applications/paraphrase-mining/README.html#sentence_transformers.util.paraphrase_mining)

* [Translated Sentence Mining](../../applications/parallel-sentence-mining/README.html)

* [Margin Based

Mining](../../applications/parallel-sentence-mining/README.html#margin-based-mining)

- * [Examples](../../applications/parallel-sentence-mining/README.html#examples)
- * [Image Search](../../applications/image-search/README.html)
 - * [Installation](../../applications/image-search/README.html#installation)
 - * [Usage](../../applications/image-search/README.html#usage)
 - * [Examples](../../applications/image-search/README.html#examples)
- * [Embedding Quantization](../../applications/embedding-quantization/README.html)

[Binary

Quantization](../../applications/embedding-quantization/README.html#binary-quantization)

(int8) [Scalar Quantization](../../applications/embedding-quantization/README.html#scalar-int8-quantization) [Additional extensions](../../applications/embedding-quantization/README.html#additional-extensions) * [Demo](../../applications/embedding-quantization/README.html#demo) * [Try it yourself](../../applications/embedding-quantization/README.html#try-it-yourself) * [Speeding up Inference](../../docs/sentence_transformer/usage/efficiency.html) * [PyTorch](../../docs/sentence_transformer/usage/efficiency.html#pytorch) * [ONNX](../../docs/sentence transformer/usage/efficiency.html#onnx) * [OpenVINO](../../docs/sentence_transformer/usage/efficiency.html#openvino) * [Benchmarks](../../docs/sentence_transformer/usage/efficiency.html#benchmarks) * [Creating Custom Models](../../docs/sentence_transformer/usage/custom_models.html) [Structure of Sentence Transformer Models](../../.docs/sentence transformer/usage/custom models.html#structure-of-sentence-transfo rmer-models) Transformer [Sentence Model from **Transformers** Model](../../docs/sentence_transformer/usage/custom_models.html#sentence-transformer-model-f rom-a-transformers-model) * [Pretrained Models](../../docs/sentence transformer/pretrained models.html) * [Original Models](../../docs/sentence_transformer/pretrained_models.html#original-models) [Semantic Search Models](../../docs/sentence_transformer/pretrained_models.html#semantic-search-models) * [Multi-QA Models](../../../docs/sentence_transformer/pretrained_models.html#multi-ga-models) [MSMARCO Passage Models](../../docs/sentence_transformer/pretrained_models.html#msmarco-passage-models) [Multilingual Models](../../docs/sentence_transformer/pretrained_models.html#multilingual-models)

```
[Semantic
                                                                                         Similarity
Models](../../docs/sentence_transformer/pretrained_models.html#semantic-similarity-models)
   * [Bitext Mining](../../docs/sentence_transformer/pretrained_models.html#bitext-mining)
                                                                           [Image
                                                                                                &
Text-Models](../../docs/sentence_transformer/pretrained_models.html#image-text-models)
                                                                                   [INSTRUCTOR
models](../../docs/sentence_transformer/pretrained_models.html#instructor-models)
                                                                  [Scientific
                                                                                         Similarity
Models](../../../docs/sentence transformer/pretrained models.html#scientific-similarity-models)
 * [Training Overview](../../docs/sentence transformer/training overview.html)
  * [Why Finetune?](../../docs/sentence_transformer/training_overview.html#why-finetune)
                                                                                         [Training
Components](../../docs/sentence_transformer/training_overview.html#training-components)
  * [Dataset](../../docs/sentence transformer/training overview.html#dataset)
   * [Dataset Format](../../docs/sentence_transformer/training_overview.html#dataset-format)
  * [Loss Function](../../docs/sentence_transformer/training_overview.html#loss-function)
                                                                                         [Training
Arguments](../../docs/sentence_transformer/training_overview.html#training-arguments)
  * [Evaluator](../../docs/sentence transformer/training overview.html#evaluator)
  * [Trainer](../../docs/sentence transformer/training overview.html#trainer)
   * [Callbacks](../../docs/sentence_transformer/training_overview.html#callbacks)
                                                                                    [Multi-Dataset
Training](../../docs/sentence_transformer/training_overview.html#multi-dataset-training)
                                                                                      [Deprecated
Training](../../docs/sentence_transformer/training_overview.html#deprecated-training)
                                                       [Best
                                                                       Base
                                                                                       Embedding
Models](../../docs/sentence_transformer/training_overview.html#best-base-embedding-models)
```

* [Dataset Overview](../../docs/sentence_transformer/dataset_overview.html) [Datasets on the Hugging Face Hub](../../docs/sentence transformer/dataset overview.html#datasets-on-the-hugging-face-hub) [Pre-existing Datasets](../../docs/sentence_transformer/dataset_overview.html#pre-existing-datasets) * [Loss Overview](../../docs/sentence_transformer/loss_overview.html) * [Loss modifiers](../../docs/sentence_transformer/loss_overview.html#loss-modifiers) * [Distillation](../../docs/sentence_transformer/loss_overview.html#distillation) [Commonly used Loss Functions](../../docs/sentence_transformer/loss_overview.html#commonly-used-loss-functions) [Custom Loss Functions](../../docs/sentence_transformer/loss_overview.html#custom-loss-functions) * [Training Examples](../../../docs/sentence_transformer/training/examples.html) * [Semantic Textual Similarity](../sts/README.html) * [Training data](../sts/README.html#training-data) * [Loss Function](../sts/README.html#loss-function) * [Natural Language Inference](../nli/README.html) * [Data](../nli/README.html#data) * [SoftmaxLoss](../nli/README.html#softmaxloss) * [MultipleNegativesRankingLoss](../nli/README.html#multiplenegativesrankingloss) * [Paraphrase Data](../paraphrases/README.html) * [Pre-Trained Models](../paraphrases/README.html#pre-trained-models) * [Quora Duplicate Questions](../quora_duplicate_questions/README.html) * [Training](../quora_duplicate_questions/README.html#training)

[MultipleNegativesRankingLoss](../quora_duplicate_questions/README.html#multiplenegativesrankingloss)

- * [Pretrained Models](../quora_duplicate_questions/README.html#pretrained-models)
- * [MS MARCO](../ms_marco/README.html)
 - * [Bi-Encoder](../ms_marco/README.html#bi-encoder)
- * [Matryoshka Embeddings](../matryoshka/README.html)
 - * [Use Cases](../matryoshka/README.html#use-cases)
 - * [Results](../matryoshka/README.html#results)
 - * [Training](../matryoshka/README.html#training)
 - * [Inference](../matryoshka/README.html#inference)
 - * [Code Examples](../matryoshka/README.html#code-examples)
- * [Adaptive Layers](../adaptive layer/README.html)
 - * [Use Cases](../adaptive_layer/README.html#use-cases)
 - * [Results](../adaptive_layer/README.html#results)
 - * [Training](../adaptive_layer/README.html#training)
 - * [Inference](../adaptive layer/README.html#inference)
 - * [Code Examples](../adaptive layer/README.html#code-examples)
- * [Multilingual Models](../multilingual/README.html)
- * [Extend your own models](../multilingual/README.html#extend-your-own-models)
- * [Training](../multilingual/README.html#training)
- * [Datasets](../multilingual/README.html#datasets)
- * [Sources for Training Data](../multilingual/README.html#sources-for-training-data)
- * [Evaluation](../multilingual/README.html#evaluation)
- * [Available Pre-trained Models](../multilingual/README.html#available-pre-trained-models)
- * [Usage](../multilingual/README.html#usage)
- * [Performance](../multilingual/README.html#performance)
- * [Citation](../multilingual/README.html#citation)
- * [Model Distillation](../distillation/README.html)
 - * [Knowledge Distillation](../distillation/README.html#knowledge-distillation)

- * [Speed Performance Trade-Off](../distillation/README.html#speed-performance-trade-off)
- * [Dimensionality Reduction](../distillation/README.html#dimensionality-reduction)
- * [Quantization](../distillation/README.html#quantization)
- * [Augmented SBERT](../data_augmentation/README.html)
 - * [Motivation](../data_augmentation/README.html#motivation)
- * [Extend to your own datasets](../data_augmentation/README.html#extend-to-your-own-datasets)
 - * [Methodology](../data_augmentation/README.html#methodology)
- * [Scenario 1: Limited or small annotated datasets (few labeled sentence-pairs)](../data_augmentation/README.html#scenario-1-limited-or-small-annotated-dataset s-few-labeled-sentence-pairs)
- * [Scenario 2: No annotated datasets (Only unlabeled sentence-pairs)](../data_augmentation/README.html#scenario-2-no-annotated-datasets-only-unlab eled-sentence-pairs)
 - * [Training](../data_augmentation/README.html#training)
 - * [Citation](../data_augmentation/README.html#citation)
 - * [Training with Prompts](../prompts/README.html)
 - * [What are Prompts?](../prompts/README.html#what-are-prompts)
- * [Why would we train with Prompts?](../prompts/README.html#why-would-we-train-with-prompts)
 - * [How do we train with Prompts?](../prompts/README.html#how-do-we-train-with-prompts)
 - * [Training with PEFT Adapters](../peft/README.html)
 - * [Compatibility Methods](../peft/README.html#compatibility-methods)
 - * [Adding a New Adapter](../peft/README.html#adding-a-new-adapter)
 - * [Loading a Pretrained Adapter](../peft/README.html#loading-a-pretrained-adapter)
 - * [Training Script](../peft/README.html#training-script)
 - * [Unsupervised Learning](../../unsupervised_learning/README.html)

* [TSDAE](../../unsupervised_learning/README.html#tsdae) * [SimCSE](../../unsupervised_learning/README.html#simcse) * [CT](../../unsupervised learning/README.html#ct) **ICT** (In-Batch Negative Sampling)](../../unsupervised_learning/README.html#ct-in-batch-negative-sampling) [Masked Language Model (MLM)](../../unsupervised_learning/README.html#masked-language-model-mlm) * [GenQ](../../unsupervised_learning/README.html#genq) * [GPL](../../unsupervised learning/README.html#gpl) [Performance Comparison](../../unsupervised_learning/README.html#performance-comparison) * [Domain Adaptation](../../domain_adaptation/README.html) [Domain Adaptation VS. Unsupervised Learning](../../domain adaptation/README.html#domain-adaptation-vs-unsupervised-learning) * [Adaptive Pre-Training](../../domain_adaptation/README.html#adaptive-pre-training) [GPL: Generative Pseudo-Labeling](../../domain_adaptation/README.html#gpl-generative-pseudo-labeling) * [Hyperparameter Optimization](../hpo/README.html) * [HPO Components](../hpo/README.html#hpo-components) * [Putting It All Together](../hpo/README.html#putting-it-all-together) * [Example Scripts](../hpo/README.html#example-scripts) * [Distributed Training](../../../docs/sentence_transformer/training/distributed.html) * [Comparison](../../docs/sentence_transformer/training/distributed.html#comparison)

* [FSDP](../../docs/sentence_transformer/training/distributed.html#fsdp)

Cross Encoder

```
* [Retrieve & Re-Rank](../../applications/retrieve_rerank/README.html)
                                                                                        Re-Rank
                                                            [Retrieve
                                                                              &
Pipeline](../../applications/retrieve rerank/README.html#retrieve-re-rank-pipeline)
   * [Retrieval: Bi-Encoder](../../applications/retrieve_rerank/README.html#retrieval-bi-encoder)
                                                                                     [Re-Ranker:
Cross-Encoder](../../applications/retrieve_rerank/README.html#re-ranker-cross-encoder)
   * [Example Scripts](../../applications/retrieve_rerank/README.html#example-scripts)
                                                                                    Bi-Encoders
                                                                [Pre-trained
(Retrieval)](../../applications/retrieve_rerank/README.html#pre-trained-bi-encoders-retrieval)
                                                             [Pre-trained
                                                                                 Cross-Encoders
(Re-Ranker)](../../applications/retrieve_rerank/README.html#pre-trained-cross-encoders-re-ranker)
 * [Pretrained Models](../../../docs/cross_encoder/pretrained_models.html)
  * [MS MARCO](../../docs/cross encoder/pretrained models.html#ms-marco)
  * [SQuAD (QNLI)](../../docs/cross_encoder/pretrained_models.html#squad-qnli)
  * [STSbenchmark](../../docs/cross_encoder/pretrained_models.html#stsbenchmark)
                                                                                       Duplicate
                                                                   [Quora
Questions](../../docs/cross_encoder/pretrained_models.html#quora-duplicate-questions)
  * [NLI](../../docs/cross encoder/pretrained models.html#nli)
  * [Community Models](../../docs/cross_encoder/pretrained_models.html#community-models)
 * [Training Overview](../../docs/cross_encoder/training_overview.html)
 * [Training Examples](../../docs/cross_encoder/training/examples.html)
  * [MS MARCO](../ms_marco/cross_encoder_README.html)
   * [Cross-Encoder](../ms_marco/cross_encoder_README.html#cross-encoder)
                                                              [Cross-Encoder
                                                                                      Knowledge
Distillation](../ms marco/cross encoder README.html#cross-encoder-knowledge-distillation)
```

* [Usage](../../../docs/cross_encoder/usage/usage.html)

* [Sentence Transformer](../../docs/package_reference/sentence_transformer/index.html)

[SentenceTransformer](../../docs/package_reference/sentence_transformer/SentenceTransformer. html)

[SentenceTransformer](../../docs/package_reference/sentence_transformer/SentenceTransformer. html#id1)

[SentenceTransformerModelCardData](../../docs/package_reference/sentence_transformer/SentenceTransformer.html#sentencetransformermodelcarddata)

[SimilarityFunction](../../docs/package_reference/sentence_transformer/SentenceTransformer.html #similarityfunction)

* [Trainer](../../docs/package_reference/sentence_transformer/trainer.html)

[SentenceTransformerTrainer](../../docs/package_reference/sentence_transformer/trainer.html#se ntencetransformertrainer)

* [Training Arguments](../../docs/package_reference/sentence_transformer/training_args.html)

[SentenceTransformerTrainingArguments](../../docs/package_reference/sentence_transformer/training_args.html#sentencetransformertrainingarguments)

* [Losses](../../.docs/package_reference/sentence_transformer/losses.html)

[BatchAllTripletLoss](../../../docs/package_reference/sentence_transformer/losses.html#batchalltriple tloss)

*

[BatchHardSoftMarginTripletLoss](../../docs/package_reference/sentence_transformer/losses.html #batchhardsoftmargintripletloss)

*

[BatchHardTripletLoss](../../docs/package_reference/sentence_transformer/losses.html#batchhard tripletloss)

t

[BatchSemiHardTripletLoss](../../docs/package_reference/sentence_transformer/losses.html#batc hsemihardtripletloss)

•

[ContrastiveLoss](../../docs/package_reference/sentence_transformer/losses.html#contrastiveloss)

ŀ

[OnlineContrastiveLoss](../../docs/package_reference/sentence_transformer/losses.html#onlinecontrastiveloss)

k-

[ContrastiveTensionLoss](../../docs/package_reference/sentence_transformer/losses.html#contrastivetensionloss)

•

[ContrastiveTensionLossInBatchNegatives](../../docs/package_reference/sentence_transformer/losses.html#contrastivetensionlossinbatchnegatives)

- * [CoSENTLoss](../../docs/package_reference/sentence_transformer/losses.html#cosentloss)
- * [AnglELoss](../../docs/package_reference/sentence_transformer/losses.html#angleloss)

•

[CosineSimilarityLoss](../../docs/package_reference/sentence_transformer/losses.html#cosinesimil arityloss)

t

[DenoisingAutoEncoderLoss](../../docs/package_reference/sentence_transformer/losses.html#den

oisingautoencoderloss)
[GISTEmbedLoss](//.docs/package_reference/sentence_transformer/losses.html#gistembedloss)
[CachedGISTEmbedLoss](///docs/package_reference/sentence_transformer/losses.html#cache dgistembedloss) * [MSELoss](///docs/package_reference/sentence_transformer/losses.html#mseloss) *
[MarginMSELoss](//docs/package_reference/sentence_transformer/losses.html#marginmseloss)
[MatryoshkaLoss](//docs/package_reference/sentence_transformer/losses.html#matryoshkaloss)
[Matryoshka2dLoss](//docs/package_reference/sentence_transformer/losses.html#matryoshka2 dloss)
[AdaptiveLayerLoss](//docs/package_reference/sentence_transformer/losses.html#adaptivelayerloss)
[MegaBatchMarginLoss](//.docs/package_reference/sentence_transformer/losses.html#megabatchmarginloss)
* [MultipleNegativesRankingLoss](//docs/package_reference/sentence_transformer/losses.html# multiplenegativesrankingloss)

[CachedMultipleNegativesRankingLoss](../../docs/package_reference/sentence_transformer/losse s.html#cachedmultiplenegativesrankingloss)

4

[MultipleNegativesSymmetricRankingLoss](../../../docs/package_reference/sentence_transformer/los ses.html#multiplenegativessymmetricrankingloss)

*

[CachedMultipleNegativesSymmetricRankingLoss](../../docs/package_reference/sentence_transformer/losses.html#cachedmultiplenegativessymmetricrankingloss)

- * [SoftmaxLoss](../../docs/package_reference/sentence_transformer/losses.html#softmaxloss)
- * [TripletLoss](../../docs/package_reference/sentence_transformer/losses.html#tripletloss)
- * [Samplers](../../docs/package_reference/sentence_transformer/sampler.html)

*

[BatchSamplers](../../docs/package_reference/sentence_transformer/sampler.html#batchsamplers)

ŧ

[MultiDatasetBatchSamplers](../../docs/package_reference/sentence_transformer/sampler.html#m ultidatasetbatchsamplers)

* [Evaluation](../../docs/package_reference/sentence_transformer/evaluation.html)

ť

[BinaryClassificationEvaluator](../../docs/package_reference/sentence_transformer/evaluation.html #binaryclassificationevaluator)

ŀ

[EmbeddingSimilarityEvaluator](../../docs/package_reference/sentence_transformer/evaluation.ht ml#embeddingsimilarityevaluator)

k

[InformationRetrievalEvaluator](../../docs/package_reference/sentence_transformer/evaluation.htm l#informationretrievalevaluator)

*

[NanoBEIREvaluator](../../docs/package_reference/sentence_transformer/evaluation.html#nanobe irevaluator)

*

[MSEEvaluator](../../docs/package_reference/sentence_transformer/evaluation.html#mseevaluator)

*

[ParaphraseMiningEvaluator](../../docs/package_reference/sentence_transformer/evaluation.html# paraphraseminingevaluator)

•

[RerankingEvaluator](../../docs/package_reference/sentence_transformer/evaluation.html#rerankingevaluator)

ŧ

[SentenceEvaluator](../../docs/package_reference/sentence_transformer/evaluation.html#sentenceevaluator)

ŀ

[SequentialEvaluator](../../docs/package_reference/sentence_transformer/evaluation.html#sequen tialevaluator)

ŀ

[TranslationEvaluator](../../docs/package_reference/sentence_transformer/evaluation.html#translationevaluator)

ŧ

[TripletEvaluator](../../../docs/package_reference/sentence_transformer/evaluation.html#tripletevaluator)

* [Datasets](../../docs/package_reference/sentence_transformer/datasets.html)

[ParallelSentencesDataset](../../docs/package_reference/sentence_transformer/datasets.html#par

allelsentencesdataset)

[SentenceLabelDataset](../../docs/package_reference/sentence_transformer/datasets.html#senten

celabeldataset)

[DenoisingAutoEncoderDataset](../../docs/package_reference/sentence_transformer/datasets.html

#denoisingautoencoderdataset)

[NoDuplicatesDataLoader](../../docs/package_reference/sentence_transformer/datasets.html#nod uplicatesdataloader)

* [Models](../../docs/package_reference/sentence_transformer/models.html)

[Main

Classes](../../docs/package_reference/sentence_transformer/models.html#main-classes)

[Further

Classes](../../docs/package_reference/sentence_transformer/models.html#further-classes)

* [quantization](../../docs/package_reference/sentence_transformer/quantization.html)

[`quantize_embeddings()`](../../docs/package_reference/sentence_transformer/quantization.html#s entence_transformers.quantization.quantize_embeddings)

[`semantic_search_faiss()`](../../.docs/package_reference/sentence_transformer/quantization.html# sentence_transformers.quantization.semantic_search_faiss)

[`semantic_search_usearch()`](../../docs/package_reference/sentence_transformer/quantization.ht ml#sentence_transformers.quantization.semantic_search_usearch)

* [Cross Encoder](../../docs/package_reference/cross_encoder/index.html)

* [CrossEncoder](../../docs/package_reference/cross_encoder/cross_encoder.html)

•

*

* [CrossEncoder](../../../docs/package_reference/cross_encoder/cross_encoder.html#id1) [Training Inputs](../../docs/package_reference/cross_encoder/cross_encoder.html#training-inputs) * [Evaluation](../../docs/package_reference/cross_encoder/evaluation.html) [CEBinaryAccuracyEvaluator](../../docs/package_reference/cross_encoder/evaluation.html#cebina ryaccuracyevaluator) [CEBinaryClassificationEvaluator](../../docs/package reference/cross encoder/evaluation.html#ce binaryclassificationevaluator) [CECorrelationEvaluator](../../docs/package_reference/cross_encoder/evaluation.html#cecorrelatio nevaluator) * [CEF1Evaluator](../../docs/package_reference/cross_encoder/evaluation.html#cef1evaluator) [CESoftmaxAccuracyEvaluator](../../docs/package_reference/cross_encoder/evaluation.html#ceso ftmaxaccuracyevaluator) [CERerankingEvaluator](../../docs/package reference/cross encoder/evaluation.html#cereranking evaluator) * [util](../../docs/package_reference/util.html) * [Helper Functions](../../../docs/package_reference/util.html#module-sentence_transformers.util) [`community_detection()`](../../.docs/package_reference/util.html#sentence_transformers.util.comm unity_detection) * [`http_get()`](../../docs/package_reference/util.html#sentence_transformers.util.http_get)

['is_training_available()'](../../.docs/package_reference/util.html#sentence_transformers.util.is_train ing_available) [`mine_hard_negatives()`](../../docs/package_reference/util.html#sentence_transformers.util.mine_ hard_negatives) [`normalize_embeddings()`](../../docs/package_reference/util.html#sentence_transformers.util.nor malize_embeddings) [`paraphrase_mining()`](../../../docs/package_reference/util.html#sentence_transformers.util.paraphr ase_mining) [`semantic_search()`](../../docs/package_reference/util.html#sentence_transformers.util.semantic_ search) [`truncate_embeddings()`](../../.docs/package_reference/util.html#sentence_transformers.util.trunca te_embeddings) [Model Optimization](../../docs/package reference/util.html#module-sentence transformers.backend) [`export_dynamic_quantized_onnx_model()`](../../docs/package_reference/util.html#sentence_tran sformers.backend.export_dynamic_quantized_onnx_model) [`export_optimized_onnx_model()`](../../docs/package_reference/util.html#sentence_transformers. backend.export_optimized_onnx_model) [`export_static_quantized_openvino_model()`](../../docs/package_reference/util.html#sentence_tra

nsformers.backend.export_static_quantized_openvino_model) * [Similarity Metrics](../../../docs/package_reference/util.html#module-sentence_transformers.util) * [`cos_sim()`](../../docs/package_reference/util.html#sentence_transformers.util.cos_sim) * [`dot score()`](../../docs/package reference/util.html#sentence transformers.util.dot score) [`euclidean_sim()`](../../docs/package_reference/util.html#sentence_transformers.util.euclidean_si m) [`manhattan sim()`](../../docs/package reference/util.html#sentence transformers.util.manhattan sim) [`pairwise_cos_sim()`](../../docs/package_reference/util.html#sentence_transformers.util.pairwise_ cos_sim) [`pairwise_dot_score()`](../../docs/package_reference/util.html#sentence_transformers.util.pairwise _dot_score) [`pairwise_euclidean_sim()`](../../docs/package_reference/util.html#sentence_transformers.util.pair wise euclidean sim) [`pairwise_manhattan_sim()`](../../docs/package_reference/util.html#sentence_transformers.util.pai rwise_manhattan_sim) [Sentence Transformers](../../index.html) * [](../../index.html) * Cross-Encoders

[Edit on

GitHub](https://github.com/UKPLab/sentence-transformers/blob/master/examples/training/cross-enc oder/README.md)

* * *

Cross-Encodersif•

SentenceTransformers also supports the option to train Cross-Encoders for sentence pair score and sentence pair classification tasks. For more details on what Cross-Encoders are and the difference between Cross- and Bi-Encoders, see [Cross-Encoders](../../applications/cross-encoder/README.html).

Examplesif•

See the following examples how to train Cross-Encoders:

[training_stsbenchmark.py](https://github.com/UKPLab/sentence-transformers/tree/master/examples /training/cross-encoder/training_stsbenchmark.py) \- Example how to train for Semantic Textual Similarity (STS) on the STS benchmark dataset.

[training_quora_duplicate_questions.py](https://github.com/UKPLab/sentence-transformers/tree/mas ter/examples/training/cross-encoder/training_quora_duplicate_questions.py) \- Example how to train a Cross-Encoder to predict if two questions are duplicates. Uses Quora Duplicate Questions as training dataset.

*

[training_nli.py](https://github.com/UKPLab/sentence-transformers/tree/master/examples/training/cross-encoder/training_nli.py) \- Example for a multilabel classification task for Natural Language Inference (NLI) task.

Training CrossEncodersif •

The `CrossEncoder` class is a wrapper around Hugging Face
`AutoModelForSequenceClassification`, but with some methods to make training
and predicting scores a little bit easier. The saved models are 100%
compatible with Hugging Face and can also be loaded with their classes.

First, you need some sentence pair data. You can either have a continuous score, like:

from sentence_transformers import InputExample

```
train_samples = [
    InputExample(texts=["sentence1", "sentence2"], label=0.3),
    InputExample(texts=["Another", "pair"], label=0.8),
]
```

Or you have distinct classes as in the

```
[training_nli.py](https://github.com/UKPLab/sentence-transformers/tree/master/examples/training/cross-encoder/training_nli.py) example:
```

from sentence_transformers import InputExample

```
label2int = {"contradiction": 0, "entailment": 1, "neutral": 2}
train_samples = [
    InputExample(texts=["sentence1", "sentence2"], label=label2int["neutral"]),
    InputExample(texts=["Another", "pair"], label=label2int["entailment"]),
]
```

Then, you define the base model and the number of labels. You can take any [Hugging Face pre-trained model](https://huggingface.co/transformers/pretrained_models.html) that is compatible with AutoModel:

```
model = CrossEncoder('distilroberta-base', num_labels=1)
```

For binary tasks and tasks with continuous scores (like STS), we set num_labels=1. For classification tasks, we set it to the number of labels we

have. We start the training by calling `model.fit()`: model.fit(train_dataloader=train_dataloader, evaluator=evaluator, epochs=num_epochs, warmup_steps=warmup_steps, output_path=model_save_path,) (C) Copyright 2025. Built with [Sphinx](https://www.sphinx-doc.org/) using a

[theme](https://github.com/readthedocs/sphinx_rtd_theme) provided by [Read the

Docs](https://readthedocs.org).