

[![Logo](../_static/logo.png)](../index.html)

Getting Started

- * Installation
 - * Install with pip
 - * Install with Conda
 - * Install from Source
 - * Editable Install
 - * Install PyTorch with CUDA support
- * [Quickstart](quickstart.html)
 - * [Sentence Transformer](quickstart.html#sentence-transformer)
 - * [Cross Encoder](quickstart.html#cross-encoder)
 - * [Next Steps](quickstart.html#next-steps)

Sentence Transformer

- * [Usage](sentence_transformer/usage/usage.html)
 - * [Computing Embeddings](../examples/applications/computing-embeddings/README.html)
 - * [Initializing a Sentence Transformer Model](../examples/applications/computing-embeddings/README.html#initializing-a-sentence-transformer-model)
 - * [Calculating Embeddings](../examples/applications/computing-embeddings/README.html#calculating-embeddings)
 - * [Prompt Templates](../examples/applications/computing-embeddings/README.html#prompt-templates)

- * [Input Sequence Length](../examples/applications/computing-embeddings/README.html#id1)
- * [Multi-Process / Multi-GPU Encoding](../examples/applications/computing-embeddings/README.html#multi-process-multi-gpu-encoding)
- * [Semantic Textual Similarity](sentence_transformer/usage/semantic_textual_similarity.html)
 - * [Similarity Calculation](sentence_transformer/usage/semantic_textual_similarity.html#similarity-calculation)
- * [Semantic Search](../examples/applications/semantic-search/README.html)
 - * [Background](../examples/applications/semantic-search/README.html#background)
 - * [Symmetric vs. Asymmetric Semantic Search](../examples/applications/semantic-search/README.html#symmetric-vs-asymmetric-semantic-search)
 - * [Manual Implementation](../examples/applications/semantic-search/README.html#manual-implementation)
 - * [Optimized Implementation](../examples/applications/semantic-search/README.html#optimized-implementation)
 - * [Speed Optimization](../examples/applications/semantic-search/README.html#speed-optimization)
- * [Elasticsearch](../examples/applications/semantic-search/README.html#elasticsearch)
 - * [Approximate Nearest Neighbor](../examples/applications/semantic-search/README.html#approximate-nearest-neighbor)
 - * [Retrieve & Re-Rank](../examples/applications/semantic-search/README.html#retrieve-re-rank)
- * [Examples](../examples/applications/semantic-search/README.html#examples)
- * [Retrieve & Re-Rank](../examples/applications/retrieve_rerank/README.html)
 - * [Retrieve & Re-Rank

[Pipeline\]\(../examples/applications/retrieve_rerank/README.html#retrieve-re-rank-pipeline\)](#)

* [\[Retrieval:](#)

[Bi-Encoder\]\(../examples/applications/retrieve_rerank/README.html#retrieval-bi-encoder\)](#)

* [\[Re-Ranker:](#)

[Cross-Encoder\]\(../examples/applications/retrieve_rerank/README.html#re-ranker-cross-encoder\)](#)

* [\[Example Scripts\]\(../examples/applications/retrieve_rerank/README.html#example-scripts\)](#)

* [\[Pre-trained Bi-Encoders](#)

[\(Retrieval\)\]\(../examples/applications/retrieve_rerank/README.html#pre-trained-bi-encoders-retrieva](#)

[l\)](#)

* [\[Pre-trained Cross-Encoders](#)

[\(Re-Ranker\)\]\(../examples/applications/retrieve_rerank/README.html#pre-trained-cross-encoders-re](#)

[-ranker\)](#)

* [\[Clustering\]\(../examples/applications/clustering/README.html\)](#)

* [\[k-Means\]\(../examples/applications/clustering/README.html#k-means\)](#)

* [\[Agglomerative](#)

[Clustering\]\(../examples/applications/clustering/README.html#agglomerative-clustering\)](#)

* [\[Fast Clustering\]\(../examples/applications/clustering/README.html#fast-clustering\)](#)

* [\[Topic Modeling\]\(../examples/applications/clustering/README.html#topic-modeling\)](#)

* [\[Paraphrase Mining\]\(../examples/applications/paraphrase-mining/README.html\)](#)

*

[\[`paraphrase_mining\(\)\]\(../examples/applications/paraphrase-mining/README.html#sentence_trans](#)
[formers.util.paraphrase_mining\)](#)

* [\[Translated Sentence Mining\]\(../examples/applications/parallel-sentence-mining/README.html\)](#)

* [\[Margin Based](#)

[Mining\]\(../examples/applications/parallel-sentence-mining/README.html#margin-based-mining\)](#)

* [\[Examples\]\(../examples/applications/parallel-sentence-mining/README.html#examples\)](#)

* [\[Image Search\]\(../examples/applications/image-search/README.html\)](#)

- * [Installation](../examples/applications/image-search/README.html#installation)
- * [Usage](../examples/applications/image-search/README.html#usage)
- * [Examples](../examples/applications/image-search/README.html#examples)
- * [Embedding Quantization](../examples/applications/embedding-quantization/README.html)
 - * [Binary Quantization](../examples/applications/embedding-quantization/README.html#binary-quantization)
 - * [Scalar (int8) Quantization](../examples/applications/embedding-quantization/README.html#scalar-int8-quantization)
 - * [Additional extensions](../examples/applications/embedding-quantization/README.html#additional-extensions)
- * [Demo](../examples/applications/embedding-quantization/README.html#demo)
- * [Try it yourself](../examples/applications/embedding-quantization/README.html#try-it-yourself)
- * [Speeding up Inference](sentence_transformer/usage/efficiency.html)
- * [PyTorch](sentence_transformer/usage/efficiency.html#pytorch)
- * [ONNX](sentence_transformer/usage/efficiency.html#onnx)
- * [OpenVINO](sentence_transformer/usage/efficiency.html#openvino)
- * [Benchmarks](sentence_transformer/usage/efficiency.html#benchmarks)
- * [Creating Custom Models](sentence_transformer/usage/custom_models.html)
 - * [Structure of Sentence Transformer Models](sentence_transformer/usage/custom_models.html#structure-of-sentence-transformer-models)
 - * [Sentence Transformer Model from a Transformers Model](sentence_transformer/usage/custom_models.html#sentence-transformer-model-from-a-transformers-model)
- * [Pretrained Models](sentence_transformer/pretrained_models.html)
- * [Original Models](sentence_transformer/pretrained_models.html#original-models)

	*	[Semantic	Search
Models](sentence_transformer/pretrained_models.html#semantic-search-models)			
* [Multi-QA Models](sentence_transformer/pretrained_models.html#multi-qa-models)			
	*	[MSMARCO	Passage
Models](sentence_transformer/pretrained_models.html#msmarco-passage-models)			
* [Multilingual Models](sentence_transformer/pretrained_models.html#multilingual-models)			
	*	[Semantic	Similarity
Models](sentence_transformer/pretrained_models.html#semantic-similarity-models)			
* [Bitext Mining](sentence_transformer/pretrained_models.html#bitext-mining)			
* [Image & Text-Models](sentence_transformer/pretrained_models.html#image-text-models)			
* [INSTRUCTOR models](sentence_transformer/pretrained_models.html#instructor-models)			
	*	[Scientific	Similarity
Models](sentence_transformer/pretrained_models.html#scientific-similarity-models)			
* [Training Overview](sentence_transformer/training_overview.html)			
* [Why Finetune?](sentence_transformer/training_overview.html#why-finetune)			
* [Training Components](sentence_transformer/training_overview.html#training-components)			
* [Dataset](sentence_transformer/training_overview.html#dataset)			
* [Dataset Format](sentence_transformer/training_overview.html#dataset-format)			
* [Loss Function](sentence_transformer/training_overview.html#loss-function)			
* [Training Arguments](sentence_transformer/training_overview.html#training-arguments)			
* [Evaluator](sentence_transformer/training_overview.html#evaluator)			
* [Trainer](sentence_transformer/training_overview.html#trainer)			
* [Callbacks](sentence_transformer/training_overview.html#callbacks)			
* [Multi-Dataset Training](sentence_transformer/training_overview.html#multi-dataset-training)			
* [Deprecated Training](sentence_transformer/training_overview.html#deprecated-training)			
	*	[Best	Base
			Embedding
Models](sentence_transformer/training_overview.html#best-base-embedding-models)			

* [Dataset Overview](sentence_transformer/dataset_overview.html)

* [Datasets on the Hugging Face Hub](sentence_transformer/dataset_overview.html#datasets-on-the-hugging-face-hub)

* [Pre-existing Datasets](sentence_transformer/dataset_overview.html#pre-existing-datasets)

* [Loss Overview](sentence_transformer/loss_overview.html)

* [Loss modifiers](sentence_transformer/loss_overview.html#loss-modifiers)

* [Distillation](sentence_transformer/loss_overview.html#distillation)

* [Commonly used Loss Functions](sentence_transformer/loss_overview.html#commonly-used-loss-functions)

* [Custom Loss Functions](sentence_transformer/loss_overview.html#custom-loss-functions)

* [Training Examples](sentence_transformer/training/examples.html)

* [Semantic Textual Similarity](../examples/training/sts/README.html)

* [Training data](../examples/training/sts/README.html#training-data)

* [Loss Function](../examples/training/sts/README.html#loss-function)

* [Natural Language Inference](../examples/training/nli/README.html)

* [Data](../examples/training/nli/README.html#data)

* [SoftmaxLoss](../examples/training/nli/README.html#softmaxloss)

*

[MultipleNegativesRankingLoss](../examples/training/nli/README.html#multiplenegativesrankingloss)

* [Paraphrase Data](../examples/training/paraphrases/README.html)

* [Pre-Trained Models](../examples/training/paraphrases/README.html#pre-trained-models)

* [Quora Duplicate Questions](../examples/training/quora_duplicate_questions/README.html)

* [Training](../examples/training/quora_duplicate_questions/README.html#training)

*

[MultipleNegativesRankingLoss](../examples/training/quora_duplicate_questions/README.html#multiplenegativesrankingloss)

*

[Pretrained

Models](../examples/training/quora_duplicate_questions/README.html#pretrained-models)

* [MS MARCO](../examples/training/ms_marco/README.html)

* [Bi-Encoder](../examples/training/ms_marco/README.html#bi-encoder)

* [Matryoshka Embeddings](../examples/training/matryoshka/README.html)

* [Use Cases](../examples/training/matryoshka/README.html#use-cases)

* [Results](../examples/training/matryoshka/README.html#results)

* [Training](../examples/training/matryoshka/README.html#training)

* [Inference](../examples/training/matryoshka/README.html#inference)

* [Code Examples](../examples/training/matryoshka/README.html#code-examples)

* [Adaptive Layers](../examples/training/adaptive_layer/README.html)

* [Use Cases](../examples/training/adaptive_layer/README.html#use-cases)

* [Results](../examples/training/adaptive_layer/README.html#results)

* [Training](../examples/training/adaptive_layer/README.html#training)

* [Inference](../examples/training/adaptive_layer/README.html#inference)

* [Code Examples](../examples/training/adaptive_layer/README.html#code-examples)

* [Multilingual Models](../examples/training/multilingual/README.html)

*

[Extend

your

own

models](../examples/training/multilingual/README.html#extend-your-own-models)

* [Training](../examples/training/multilingual/README.html#training)

* [Datasets](../examples/training/multilingual/README.html#datasets)

*

[Sources

for

Training

Data](../examples/training/multilingual/README.html#sources-for-training-data)

* [Evaluation](../examples/training/multilingual/README.html#evaluation)

*

[Available

Pre-trained

Models](../examples/training/multilingual/README.html#available-pre-trained-models)

* [Usage](../examples/training/multilingual/README.html#usage)

- * [Performance](../examples/training/multilingual/README.html#performance)
- * [Citation](../examples/training/multilingual/README.html#citation)
- * [Model Distillation](../examples/training/distillation/README.html)
- * [Knowledge Distillation](../examples/training/distillation/README.html#knowledge-distillation)
- * [Speed - Performance Trade-Off](../examples/training/distillation/README.html#speed-performance-trade-off)
- * [Dimensionality Reduction](../examples/training/distillation/README.html#dimensionality-reduction)
- * [Quantization](../examples/training/distillation/README.html#quantization)
- * [Augmented SBERT](../examples/training/data_augmentation/README.html)
- * [Motivation](../examples/training/data_augmentation/README.html#motivation)
- * [Extend to your own datasets](../examples/training/data_augmentation/README.html#extend-to-your-own-datasets)
- * [Methodology](../examples/training/data_augmentation/README.html#methodology)
 - * [Scenario 1: Limited or small annotated datasets (few labeled sentence-pairs)](../examples/training/data_augmentation/README.html#scenario-1-limited-or-small-annotated-datasets-few-labeled-sentence-pairs)
 - * [Scenario 2: No annotated datasets (Only unlabeled sentence-pairs)](../examples/training/data_augmentation/README.html#scenario-2-no-annotated-datasets-only-unlabeled-sentence-pairs)
- * [Training](../examples/training/data_augmentation/README.html#training)
- * [Citation](../examples/training/data_augmentation/README.html#citation)
- * [Training with Prompts](../examples/training/prompts/README.html)
- * [What are Prompts?](../examples/training/prompts/README.html#what-are-prompts)
 - * [Why would we train with Prompts?](../examples/training/prompts/README.html#why-would-we-train-with-prompts)
 - * [How do we train with

Prompts?](../examples/training/prompts/README.html#how-do-we-train-with-prompts)

- * [Training with PEFT Adapters](../examples/training/peft/README.html)

- * [Compatibility Methods](../examples/training/peft/README.html#compatibility-methods)

- * [Adding a New Adapter](../examples/training/peft/README.html#adding-a-new-adapter)

- * [Loading a Pretrained Adapter](../examples/training/peft/README.html#loading-a-pretrained-adapter)

- * [Training Script](../examples/training/peft/README.html#training-script)

- * [Unsupervised Learning](../examples/unsupervised_learning/README.html)

- * [TSDAE](../examples/unsupervised_learning/README.html#tsdae)

- * [SimCSE](../examples/unsupervised_learning/README.html#simcse)

- * [CT](../examples/unsupervised_learning/README.html#ct)

- * [CT (In-Batch Negative Sampling)](../examples/unsupervised_learning/README.html#ct-in-batch-negative-sampling)

- * [Masked Language Model (MLM)](../examples/unsupervised_learning/README.html#masked-language-model-mlm)

- * [GenQ](../examples/unsupervised_learning/README.html#genq)

- * [GPL](../examples/unsupervised_learning/README.html#gpl)

- * [Performance Comparison](../examples/unsupervised_learning/README.html#performance-comparison)

- * [Domain Adaptation](../examples/domain_adaptation/README.html)

- * [Domain Adaptation vs. Unsupervised Learning](../examples/domain_adaptation/README.html#domain-adaptation-vs-unsupervised-learning)

- * [Adaptive Pre-Training](../examples/domain_adaptation/README.html#adaptive-pre-training)

- * [GPL: Generative Pseudo-Labeling](../examples/domain_adaptation/README.html#gpl-generative-pseudo-labeling)

- * [Hyperparameter Optimization](../examples/training/hpo/README.html)

- * [HPO Components](../examples/training/hpo/README.html#hpo-components)
- * [Putting It All Together](../examples/training/hpo/README.html#putting-it-all-together)
- * [Example Scripts](../examples/training/hpo/README.html#example-scripts)
- * [Distributed Training](sentence_transformer/training/distributed.html)
- * [Comparison](sentence_transformer/training/distributed.html#comparison)
- * [FSDP](sentence_transformer/training/distributed.html#fsdp)

Cross Encoder

- * [Usage](cross_encoder/usage/usage.html)
- * [Retrieve & Re-Rank](../examples/applications/retrieve_rerank/README.html)
 - * [Retrieve & Re-Rank Pipeline](../examples/applications/retrieve_rerank/README.html#retrieve-re-rank-pipeline)
 - * [Retrieval: Bi-Encoder](../examples/applications/retrieve_rerank/README.html#retrieval-bi-encoder)
 - * [Re-Ranker: Cross-Encoder](../examples/applications/retrieve_rerank/README.html#re-ranker-cross-encoder)
 - * [Example Scripts](../examples/applications/retrieve_rerank/README.html#example-scripts)
 - * [Pre-trained Bi-Encoders (Retrieval)](../examples/applications/retrieve_rerank/README.html#pre-trained-bi-encoders-retrieval)
 - * [Pre-trained Cross-Encoders (Re-Ranker)](../examples/applications/retrieve_rerank/README.html#pre-trained-cross-encoders-re-ranker)
- * [Pretrained Models](cross_encoder/pretrained_models.html)
- * [MS MARCO](cross_encoder/pretrained_models.html#ms-marco)
- * [SQuAD (QNLI)](cross_encoder/pretrained_models.html#squad-qnli)

- * [STSbenchmark](cross_encoder/pretrained_models.html#stsbenchmark)
- * [Quora Duplicate Questions](cross_encoder/pretrained_models.html#quora-duplicate-questions)
- * [NLI](cross_encoder/pretrained_models.html#nli)
- * [Community Models](cross_encoder/pretrained_models.html#community-models)
- * [Training Overview](cross_encoder/training_overview.html)
- * [Training Examples](cross_encoder/training/examples.html)
- * [MS MARCO](../examples/training/ms_marco/cross_encoder_README.html)

*

[Cross-Encoder](../examples/training/ms_marco/cross_encoder_README.html#cross-encoder)

* [Cross-Encoder Knowledge

Distillation](../examples/training/ms_marco/cross_encoder_README.html#cross-encoder-knowledge-distillation)

Package Reference

- * [Sentence Transformer](package_reference/sentence_transformer/index.html)
- * [SentenceTransformer](package_reference/sentence_transformer/SentenceTransformer.html)

*

[SentenceTransformer](package_reference/sentence_transformer/SentenceTransformer.html#id1)

*

[SentenceTransformerModelCardData](package_reference/sentence_transformer/SentenceTransformer.html#sentencetransformermodelcarddata)

*

[SimilarityFunction](package_reference/sentence_transformer/SentenceTransformer.html#similarityfunction)

- * [Trainer](package_reference/sentence_transformer/trainer.html)

*

[SentenceTransformerTrainer](package_reference/sentence_transformer/trainer.html#sentencetransformertrainer)

* [Training Arguments](package_reference/sentence_transformer/training_args.html)

*

[SentenceTransformerTrainingArguments](package_reference/sentence_transformer/training_args.html#sentencetransformertrainingarguments)

* [Losses](package_reference/sentence_transformer/losses.html)

* [BatchAllTripletLoss](package_reference/sentence_transformer/losses.html#batchalltripletloss)

*

[BatchHardSoftMarginTripletLoss](package_reference/sentence_transformer/losses.html#batchhardsoftmargintripletloss)

*

[BatchHardTripletLoss](package_reference/sentence_transformer/losses.html#batchhardtripletloss)

*

[BatchSemiHardTripletLoss](package_reference/sentence_transformer/losses.html#batchsemihardtripletloss)

* [ContrastiveLoss](package_reference/sentence_transformer/losses.html#contrastiveloss)

*

[OnlineContrastiveLoss](package_reference/sentence_transformer/losses.html#onlinecontrastiveloss)

*

[ContrastiveTensionLoss](package_reference/sentence_transformer/losses.html#contrastivetensionloss)

*

[ContrastiveTensionLossInBatchNegatives](package_reference/sentence_transformer/losses.html#contrastivetensionlossinbatchnegatives)

* [CoSENTLoss](package_reference/sentence_transformer/losses.html#cosentloss)

* [AngleLoss](package_reference/sentence_transformer/losses.html#angleloss)

*

[CosineSimilarityLoss](package_reference/sentence_transformer/losses.html#cosinesimilarityloss)

*

[DenoisingAutoEncoderLoss](package_reference/sentence_transformer/losses.html#denoisingautoencoderloss)

* [GISTEmbedLoss](package_reference/sentence_transformer/losses.html#gistembedloss)

*

[CachedGISTEmbedLoss](package_reference/sentence_transformer/losses.html#cachedgistembedloss)

* [MSELoss](package_reference/sentence_transformer/losses.html#mseloss)

* [MarginMSELoss](package_reference/sentence_transformer/losses.html#marginmseloss)

* [MatryoshkaLoss](package_reference/sentence_transformer/losses.html#matryoshkaloss)

* [Matryoshka2dLoss](package_reference/sentence_transformer/losses.html#matryoshka2dloss)

* [AdaptiveLayerLoss](package_reference/sentence_transformer/losses.html#adaptivelayerloss)

*

[MegaBatchMarginLoss](package_reference/sentence_transformer/losses.html#megabatchmarginloss)

*

[MultipleNegativesRankingLoss](package_reference/sentence_transformer/losses.html#multiplenegativesrankingloss)

*

[CachedMultipleNegativesRankingLoss](package_reference/sentence_transformer/losses.html#cachedmultiplenegativesrankingloss)

*

[MultipleNegativesSymmetricRankingLoss](package_reference/sentence_transformer/losses.html#multiplenegativessymmetricrankingloss)

*

[CachedMultipleNegativesSymmetricRankingLoss](package_reference/sentence_transformer/losses.html#cachedmultiplenegativessymmetricrankingloss)

* [SoftmaxLoss](package_reference/sentence_transformer/losses.html#softmaxloss)

* [TripletLoss](package_reference/sentence_transformer/losses.html#tripletloss)

* [Samplers](package_reference/sentence_transformer/sampler.html)

* [BatchSamplers](package_reference/sentence_transformer/sampler.html#batchsamplers)

*

[MultiDatasetBatchSamplers](package_reference/sentence_transformer/sampler.html#multidatasetbatchsamplers)

* [Evaluation](package_reference/sentence_transformer/evaluation.html)

*

[BinaryClassificationEvaluator](package_reference/sentence_transformer/evaluation.html#binaryclassificationevaluator)

*

[EmbeddingSimilarityEvaluator](package_reference/sentence_transformer/evaluation.html#embeddingsimilarityevaluator)

*

[InformationRetrievalEvaluator](package_reference/sentence_transformer/evaluation.html#informationretrievalevaluator)

*

[NanoBEIREvaluator](package_reference/sentence_transformer/evaluation.html#nanobeirevaluator)

* [MSEEvaluator](package_reference/sentence_transformer/evaluation.html#mseevaluator)

*

[ParaphraseMiningEvaluator](package_reference/sentence_transformer/evaluation.html#paraphraseminingevaluator)

*

[RerankingEvaluator](package_reference/sentence_transformer/evaluation.html#rerankingevaluator)

*

[SentenceEvaluator](package_reference/sentence_transformer/evaluation.html#sentenceevaluator)

*

[SequentialEvaluator](package_reference/sentence_transformer/evaluation.html#sequentialevaluator)

*

[TranslationEvaluator](package_reference/sentence_transformer/evaluation.html#translationevaluator)

* [TripletEvaluator](package_reference/sentence_transformer/evaluation.html#tripletevaluator)

* [Datasets](package_reference/sentence_transformer/datasets.html)

*

[ParallelSentencesDataset](package_reference/sentence_transformer/datasets.html#parallelsentencesdataset)

*

[SentenceLabelDataset](package_reference/sentence_transformer/datasets.html#sentencelabeldataset)

*

[DenoisingAutoEncoderDataset](package_reference/sentence_transformer/datasets.html#denoisingautoencoderdataset)

*

[NoDuplicatesDataLoader](package_reference/sentence_transformer/datasets.html#noduplicatesdataloader)

* [Models](package_reference/sentence_transformer/models.html)

* [Main Classes](package_reference/sentence_transformer/models.html#main-classes)

* [Further Classes](package_reference/sentence_transformer/models.html#further-classes)

* [quantization](package_reference/sentence_transformer/quantization.html)

*

[`quantize_embeddings()`](package_reference/sentence_transformer/quantization.html#sentence_transformers.quantization.quantize_embeddings)

*

[`semantic_search_faiss()`](package_reference/sentence_transformer/quantization.html#sentence_transformers.quantization.semantic_search_faiss)

*

[`semantic_search_usearch()`](package_reference/sentence_transformer/quantization.html#sentence_transformers.quantization.semantic_search_usearch)

* [Cross Encoder](package_reference/cross_encoder/index.html)

* [CrossEncoder](package_reference/cross_encoder/cross_encoder.html)

* [CrossEncoder](package_reference/cross_encoder/cross_encoder.html#id1)

* [Training Inputs](package_reference/cross_encoder/cross_encoder.html#training-inputs)

* [Evaluation](package_reference/cross_encoder/evaluation.html)

*

[CEBinaryAccuracyEvaluator](package_reference/cross_encoder/evaluation.html#cebinaryaccuracyevaluator)

*

[CEBinaryClassificationEvaluator](package_reference/cross_encoder/evaluation.html#cebinaryclassificationevaluator)

*

[CECorrelationEvaluator](package_reference/cross_encoder/evaluation.html#cecorrelationevaluator)

* [CEF1Evaluator](package_reference/cross_encoder/evaluation.html#cef1evaluator)

*

[CESoftmaxAccuracyEvaluator](package_reference/cross_encoder/evaluation.html#cesoftmaxaccuracyevaluator)

*

[CERerankingEvaluator](package_reference/cross_encoder/evaluation.html#cererankingevaluator)

* [util](package_reference/util.html)

* [Helper Functions](package_reference/util.html#module-sentence_transformers.util)

*

[`community_detection()`](package_reference/util.html#sentence_transformers.util.community_detection)

* [`http_get()`](package_reference/util.html#sentence_transformers.util.http_get)

*

[`is_training_available()`](package_reference/util.html#sentence_transformers.util.is_training_available)

*

[`mine_hard_negatives()`](package_reference/util.html#sentence_transformers.util.mine_hard_negatives)

*

[`normalize_embeddings()`](package_reference/util.html#sentence_transformers.util.normalize_embeddings)

*

[`paraphrase_mining()`](package_reference/util.html#sentence_transformers.util.paraphrase_mining)

*

[`semantic_search()`](package_reference/util.html#sentence_transformers.util.semantic_search)

*

[`truncate_embeddings()`](package_reference/util.html#sentence_transformers.util.truncate_embeddings)

* [Model Optimization](package_reference/util.html#module-sentence_transformers.backend)

*

[`export_dynamic_quantized_onnx_model()`](package_reference/util.html#sentence_transformers.backend.export_dynamic_quantized_onnx_model)

*

[`export_optimized_onnx_model()`](package_reference/util.html#sentence_transformers.backend.export_optimized_onnx_model)

*

[`export_static_quantized_openvino_model()`](package_reference/util.html#sentence_transformers.backend.export_static_quantized_openvino_model)

* [Similarity Metrics](package_reference/util.html#module-sentence_transformers.util)

* [`cos_sim()`](package_reference/util.html#sentence_transformers.util.cos_sim)

* [`dot_score()`](package_reference/util.html#sentence_transformers.util.dot_score)

* [`euclidean_sim()`](package_reference/util.html#sentence_transformers.util.euclidean_sim)

* [`manhattan_sim()`](package_reference/util.html#sentence_transformers.util.manhattan_sim)

*

[`pairwise_cos_sim()`](package_reference/util.html#sentence_transformers.util.pairwise_cos_sim)

*

[`pairwise_dot_score()`](package_reference/util.html#sentence_transformers.util.pairwise_dot_score)

*

[`pairwise_euclidean_sim()`](package_reference/util.html#sentence_transformers.util.pairwise_euclidean_sim)

*

[`pairwise_manhattan_sim()`](package_reference/util.html#sentence_transformers.util.pairwise_manhattan_sim)

__[Sentence Transformers](../index.html)

* [](../index.html)

* Installation

* [Edit on

GitHub](https://github.com/UKPLab/sentence-transformers/blob/master/docs/installation.md)

* * *

Installation

We recommend **Python 3.9+** , **[PyTorch 1.11.0+](https://pytorch.org/get-started/locally/)** , and **[transformers v4.11.0+](https://github.com/huggingface/transformers)** . There are 5 extra options to install Sentence Transformers:

* **Default:** This allows for loading, saving, and inference (i.e., getting embeddings) of models.

* **ONNX:** This allows for loading, saving, inference, optimizing, and quantizing of models using the ONNX backend.

* **OpenVINO:** This allows for loading, saving, and inference of models using the OpenVINO backend.

* **Default and Training** : Like **Default** , plus training.

* **Development** : All of the above plus some dependencies for developing Sentence Transformers, see Editable Install.

Note that you can mix and match the various extras, e.g. ``pip install -U`

`"sentence-transformers[train,onnx-gpu]"``.

Install with pip

Default

```
pip install -U sentence-transformers
```

ONNX

For GPU and CPU:

```
pip install -U "sentence-transformers[onnx-gpu]"
```

For CPU only:

```
pip install -U "sentence-transformers[onnx]"
```

OpenVINO

```
pip install -U "sentence-transformers[openvino]"
```

Default and Training

```
pip install -U "sentence-transformers[train]"
```

To use [Weights and Biases](<https://wandb.ai/>) to track your training logs, you should also install `wandb` **(recommended)** :

```
pip install wandb
```

And to track your Carbon Emissions while training and have this information automatically included in your model cards, also install `codecarbon`

(recommended) :

```
pip install codecarbon
```

Development

```
pip install -U "sentence-transformers[dev]"
```

Install with Conda

Default

```
conda install -c conda-forge sentence-transformers
```

ONNX

For GPU and CPU:

```
pip install -U "sentence-transformers[onnx-gpu]"
```

For CPU only:

```
pip install -U "sentence-transformers[onnx]"
```

OpenVINO

```
pip install -U "sentence-transformers[openvino]"
```

Default and Training

```
conda install -c conda-forge sentence-transformers accelerate datasets
```

To use [Weights and Biases](<https://wandb.ai/>) to track your training logs,

you should also install `wandb` **(recommended)** :

```
pip install wandb
```

And to track your Carbon Emissions while training and have this information automatically included in your model cards, also install `codecarbon`

(recommended) :

```
pip install codecarbon
```

Development

```
conda install -c conda-forge sentence-transformers accelerate datasets pre-commit pytest ruff
```

Install from Source

You can install `sentence-transformers` directly from source to take advantage of the bleeding edge `master` branch rather than the latest stable release:

Default


```
pip install git+https://github.com/UKPLab/sentence-transformers.git
```

ONNX

For GPU and CPU:

```
pip install -U "sentence-transformers[onnx-gpu]" @  
git+https://github.com/UKPLab/sentence-transformers.git"
```

For CPU only:

```
pip install -U "sentence-transformers[onnx]" @  
git+https://github.com/UKPLab/sentence-transformers.git"
```

OpenVINO

```
pip install -U "sentence-transformers[openvino] @  
git+https://github.com/UKPLab/sentence-transformers.git"
```

Default and Training

```
pip install -U "sentence-transformers[train] @  
git+https://github.com/UKPLab/sentence-transformers.git"
```

To use [Weights and Biases](<https://wandb.ai/>) to track your training logs,
you should also install `wandb` **(recommended)** :

```
pip install wandb
```

And to track your carbon emissions while training and have this information
automatically included in your model cards, also install `codecarbon`
(recommended) :

```
pip install codecarbon
```

Development

```
pip install -U "sentence-transformers[dev] @  
git+https://github.com/UKPLab/sentence-transformers.git"
```

Editable Install•

If you want to make changes to `sentence-transformers`, you will need an editable install. Clone the repository and install it with these commands:

```
git clone https://github.com/UKPLab/sentence-transformers  
cd sentence-transformers  
pip install -e ".[train,dev]"
```

These commands will link the new `sentence-transformers` folder and your Python library paths, such that this folder will be used when importing `sentence-transformers`.

Install PyTorch with CUDA support

To use a GPU/CUDA, you must install PyTorch with CUDA support. Follow [PyTorch - Get Started](https://pytorch.org/get-started/locally/) for installation steps.

[Previous](../index.html "SentenceTransformers Documentation") [Next](quickstart.html "Quickstart")

* * *

(C) Copyright 2025.

Built with [Sphinx](https://www.sphinx-doc.org/) using a [theme](https://github.com/readthedocs/sphinx_rtd_theme) provided by [Read the Docs](https://readthedocs.org).