

[Skip to main content](#)

[\\_\\_Back to top](#)

[\\_\\_`Ctrl`+`K`](#)

[ [!\[conda 25.1.2.dev29 documentation -](#)

[Home\]\(../../../../../\\_static/conda\\_logo\\_full.svg\) \]\(../../../../../index.html\)](#)

\* [\[Conda\]\(https://docs.conda.io/projects/conda/\)](#)

\* [\[Conda-build\]\(https://docs.conda.io/projects/conda-build\)](#)

\* [\[Miniconda\]\(https://docs.anaconda.com/free/miniconda/\)](#)

\* [\[conda.org\]\(https://conda.org\)](#)

\* [\[\\_\\_ GitHub\]\(https://github.com/conda/conda "GitHub"\)](#)

\* [\[!\[Element\]\(../../../../../\\_static/element\\_logo.svg\)\]\(http://bit.ly/conda-chat-room "Element"\)](#)

\* [\[\\_\\_ Discourse\]\(https://conda.discourse.group/ "Discourse"\)](#)

\* [\[Conda\]\(https://docs.conda.io/projects/conda/\)](#)

\* [\[Conda-build\]\(https://docs.conda.io/projects/conda-build\)](#)

\* [\[Miniconda\]\(https://docs.anaconda.com/free/miniconda/\)](#)

\* [\[conda.org\]\(https://conda.org\)](#)

\* [\[\\_\\_ GitHub\]\(https://github.com/conda/conda "GitHub"\)](#)

\* [\[!\[Element\]\(../../../../../\\_static/element\\_logo.svg\)\]\(http://bit.ly/conda-chat-room "Element"\)](#)

\* [\[\\_\\_ Discourse\]\(https://conda.discourse.group/ "Discourse"\)](#)

## Navigation

- \* [User guide](../././././user-guide/index.html) \_\_\_\_
- \* [Getting started with conda](../././././user-guide/getting-started.html)
- \* [Installing conda](../././././user-guide/install/index.html) \_\_\_\_
  - \* [Installing on Windows](../././././user-guide/install/windows.html)
  - \* [Installing on macOS](../././././user-guide/install/macos.html)
  - \* [Installing on Linux](../././././user-guide/install/linux.html)
  - \* [RPM and Debian Repositories for Miniconda](../././././user-guide/install/rpm-debian.html)
- \* [Tasks](../././././user-guide/tasks/index.html) \_\_\_\_
  - \* [Managing conda](../././././user-guide/tasks/manage-conda.html)
  - \* [Managing environments](../././././user-guide/tasks/manage-environments.html)
  - \* [Managing channels](../././././user-guide/tasks/manage-channels.html)
  - \* [Managing packages](../././././user-guide/tasks/manage-pkgs.html)
  - \* [Managing Python](../././././user-guide/tasks/manage-python.html)
  - \* [Managing virtual packages](../././././user-guide/tasks/manage-virtual.html)
  - \* [Creating custom channels](../././././user-guide/tasks/create-custom-channels.html)
  - \* [Creating projects](../././././user-guide/tasks/creating-projects.html)
  - \* [Viewing command-line help](../././././user-guide/tasks/view-command-line-help.html)
- \* [Configuration](../././././user-guide/configuration/index.html) \_\_\_\_
  - \* [Using the .condarc conda configuration file](../././././user-guide/configuration/use-condarc.html)
  - \* [Settings](../././././user-guide/configuration/settings.html)
    - \* [Administering a multi-user conda installation](../././././user-guide/configuration/admin-multi-user-install.html)
  - \* [Mirroring channels](../././././user-guide/configuration/mirroring.html)
  - \* [Disabling SSL verification](../././././user-guide/configuration/disable-ssl-verification.html)

- \* [Using non-standard certificates](../../../../../user-guide/configuration/non-standard-certs.html)
- \* [Using Custom Locations for Environment and Package Cache](../../../../../user-guide/configuration/custom-env-and-pkg-locations.html)
- \* [Improving interoperability with pip](../../../../../user-guide/configuration/pip-interoperability.html)
- \* [Using the free channel](../../../../../user-guide/configuration/free-channel.html)
- \* [Concepts](../../../../../user-guide/concepts/index.html) \_\_
- \* [Commands](../../../../../user-guide/concepts/conda-commands.html)
- \* [Packages](../../../../../user-guide/concepts/packages.html)
- \* [Package specification](../../../../../user-guide/concepts/pkg-specs.html)
- \* [Package search and install specifications](../../../../../user-guide/concepts/pkg-search.html)
- \* [Channels](../../../../../user-guide/concepts/channels.html)
- \* [Environments](../../../../../user-guide/concepts/environments.html)
- \* [Installing with conda](../../../../../user-guide/concepts/installing-with-conda.html)
- \* [Performance](../../../../../user-guide/concepts/conda-performance.html)
- \* [Conda for data scientists](../../../../../user-guide/concepts/data-science.html)
- \* [Plugins](../../../../../user-guide/concepts/conda-plugins.html)
- \* [Troubleshooting](../../../../../user-guide/troubleshooting.html)
- \* [Cheatsheet](../../../../../user-guide/cheatsheet.html)
- \* [Configuration](../../../../../configuration.html)
- \* [Commands](../../../../../commands/index.html) \_\_
- \* [``conda clean``](../../../../../commands/clean.html)
- \* [``conda compare``](../../../../../commands/compare.html)
- \* [``conda config``](../../../../../commands/config.html)
- \* [``conda create``](../../../../../commands/create.html)
- \* [``conda doctor``](../../../../../commands/doctor.html)
- \* [``conda env``](../../../../../commands/env/index.html) \_\_
- \* [``conda env config``](../../../../../commands/env/config/index.html) \_\_

- \* [`conda env config vars`](../.../commands/env/config/vars/index.html) \_\_
- \* [`conda env config vars list`](../.../commands/env/config/vars/list.html)
- \* [`conda env config vars set`](../.../commands/env/config/vars/set.html)
- \* [`conda env config vars unset`](../.../commands/env/config/vars/unset.html)
- \* [`conda env create`](../.../commands/env/create.html)
- \* [`conda env export`](../.../commands/env/export.html)
- \* [`conda env list`](../.../commands/env/list.html)
- \* [`conda env remove`](../.../commands/env/remove.html)
- \* [`conda env update`](../.../commands/env/update.html)
- \* [`conda info`](../.../commands/info.html)
- \* [`conda init`](../.../commands/init.html)
- \* [`conda install`](../.../commands/install.html)
- \* [`conda list`](../.../commands/list.html)
- \* [`conda notices`](../.../commands/notices.html)
- \* [`conda package`](../.../commands/package.html)
- \* [`conda remove`](../.../commands/remove.html)
- \* [`conda rename`](../.../commands/rename.html)
- \* [`conda run`](../.../commands/run.html)
- \* [`conda search`](../.../commands/search.html)
- \* [`conda update`](../.../commands/update.html)
- \* [Release notes](../.../release-notes.html)
- \* [Glossary](../.../glossary.html)
- \* [Developer guide](../.../index.html) \_\_
- \* [Architecture](../.../architecture.html)
- \* [Contributing to conda](../.../contributing.html)
- \* [Development Environment](../.../development-environment.html)
- \* [Deep dives](../.../deep-dives/index.html) \_\_

- \* [`conda install``](../../deep-dives/install.html)
- \* [`conda init`` and `conda activate``](../../deep-dives/activation.html)
- \* [`conda config`` and context](../../deep-dives/context.html)
- \* [Solvers](../../deep-dives/solvers.html)
- \* [Logging](../../deep-dives/logging.html)
- \* [Writing Tests](../../writing-tests/index.html) \_\_
- \* [Integration Tests](../../writing-tests/integration-tests.html)
- \* [Deprecations](../../deprecations.html)
- \* [Releasing](../../releasing.html)
- \* [Plugins](../../plugins/index.html) \_\_
  - \* [Auth Handlers](../../plugins/auth\_handlers.html)
  - \* [Health Checks](../../plugins/health\_checks.html)
  - \* [Request Headers](../../plugins/request\_headers.html)
  - \* [Post-commands](../../plugins/post\_commands.html)
  - \* [Pre-commands](../../plugins/pre\_commands.html)
  - \* [Reporter Backends](../../plugins/reporter\_backends.html)
  - \* [Settings](../../plugins/settings.html)
  - \* [Solvers](../../plugins/solvers.html)
  - \* [Subcommands](../../plugins/subcommands.html)
  - \* [Virtual Packages](../../plugins/virtual\_packages.html)
- \* [Specifications](../../specs/index.html) \_\_
  - \* [Technical specification: solver state](../../specs/solver-state.html)
- \* [API](../../api.html) \_\_
  - \* [`conda``](../index.html) \_\_
    - \* [`__main__``](../\_\_main\_\_/index.html)
    - \* [`_vendor``](../\_vendor/index.html) \_\_
      - \* [`frozendict``](../\_vendor/frozendict/index.html)

- \* [`_version``](../\_version/index.html)
- \* [`activate``](../activate/index.html)
- \* [`api``](../api/index.html)
- \* [`auxlib``](../auxlib/index.html) \_\_
  - \* [`collection``](../auxlib/collection/index.html)
  - \* [`compat``](../auxlib/compat/index.html)
  - \* [`decorators``](../auxlib/decorators/index.html)
  - \* [`entity``](../auxlib/entity/index.html)
  - \* [`exceptions``](../auxlib/exceptions/index.html)
  - \* [`ish``](../auxlib/ish/index.html)
  - \* [`logz``](../auxlib/logz/index.html)
  - \* [`type_coercion``](../auxlib/type\_coercion/index.html)
- \* [`base``](../base/index.html) \_\_
  - \* [`constants``](../base/constants/index.html)
  - \* [`context``](../base/context/index.html)
- \* [`cli``](../cli/index.html) \_\_
  - \* [`actions``](../cli/actions/index.html)
  - \* [`common``](../cli/common/index.html)
  - \* [`conda_argparse``](../cli/conda\_argparse/index.html)
  - \* [`find_commands``](../cli/find\_commands/index.html)
  - \* [`helpers``](../cli/helpers/index.html)
  - \* [`install``](../cli/install/index.html)
  - \* [`main``](../cli/main/index.html)
  - \* [`main_clean``](../cli/main\_clean/index.html)
  - \* [`main_commands``](../cli/main\_commands/index.html)
  - \* [`main_compare``](../cli/main\_compare/index.html)
  - \* [`main_config``](../cli/main\_config/index.html)

- \* [main\_create](../../cli/main\_create/index.html)
- \* [main\_env](../../cli/main\_env/index.html)
- \* [main\_env\_config](../../cli/main\_env\_config/index.html)
- \* [main\_env\_create](../../cli/main\_env\_create/index.html)
- \* [main\_env\_export](../../cli/main\_env\_export/index.html)
- \* [main\_env\_list](../../cli/main\_env\_list/index.html)
- \* [main\_env\_remove](../../cli/main\_env\_remove/index.html)
- \* [main\_env\_update](../../cli/main\_env\_update/index.html)
- \* [main\_env\_vars](../../cli/main\_env\_vars/index.html)
- \* [main\_export](../../cli/main\_export/index.html)
- \* [main\_info](../../cli/main\_info/index.html)
- \* [main\_init](../../cli/main\_init/index.html)
- \* [main\_install](../../cli/main\_install/index.html)
- \* [main\_list](../../cli/main\_list/index.html)
- \* [main\_mock\_activate](../../cli/main\_mock\_activate/index.html)
- \* [main\_mock\_deactivate](../../cli/main\_mock\_deactivate/index.html)
- \* [main\_notices](../../cli/main\_notices/index.html)
- \* [main\_package](../../cli/main\_package/index.html)
- \* [main\_pip](../../cli/main\_pip/index.html)
- \* [main\_remove](../../cli/main\_remove/index.html)
- \* [main\_rename](../../cli/main\_rename/index.html)
- \* [main\_run](../../cli/main\_run/index.html)
- \* [main\_search](../../cli/main\_search/index.html)
- \* [main\_update](../../cli/main\_update/index.html)
- \* [python\_api](../../cli/python\_api/index.html)
- \* [common](../../common/index.html) \_\_
- \* [\_logic](../../common/\_logic/index.html)

- \* [`_os``](../../common/\_os/index.html) \_\_
- \* [`linux``](../../common/\_os/linux/index.html)
- \* [`osx``](../../common/\_os/osx/index.html)
- \* [`unix``](../../common/\_os/unix/index.html)
- \* [`windows``](../../common/\_os/windows/index.html)
- \* [`compat``](../../common/compat/index.html)
- \* [`configuration``](../../common/configuration/index.html)
- \* [`constants``](../../common/constants/index.html)
- \* [`disk``](../../common/disk/index.html)
- \* [`io``](../../common/io/index.html)
- \* [`iterators``](../../common/iterators/index.html)
- \* [`logic``](../../common/logic/index.html)
- \* [`path``](../../common/path/index.html) \_\_
- \* [`_cygpath``](../../common/path/\_cygpath/index.html)
- \* [`directories``](../../common/path/directories/index.html)
- \* [`python``](../../common/path/python/index.html)
- \* [`windows``](../../common/path/windows/index.html)
- \* [`pkg_formats``](../../common/pkg\_formats/index.html) \_\_
- \* [`python``](../../common/pkg\_formats/python/index.html)
- \* [`serialize``](../../common/serialize/index.html)
- \* [`signals``](../../common/signals/index.html)
- \* [`toposort``](../../common/toposort/index.html)
- \* [`url``](../../common/url/index.html)
- \* [`core``](../../core/index.html) \_\_
- \* [`envs_manager``](../../core/envs\_manager/index.html)
- \* [`index``](../../core/index/index.html)
- \* [`initialize``](../../core/initialize/index.html)



- \* [link`](../../core/link/index.html)
- \* [package\_cache\_data`](../../core/package\_cache\_data/index.html)
- \* [path\_actions`](../../core/path\_actions/index.html)
- \* [portability`](../../core/portability/index.html)
- \* [prefix\_data`](../../core/prefix\_data/index.html)
- \* [solve`](../../core/solve/index.html)
- \* [subdir\_data`](../../core/subdir\_data/index.html)
- \* [deprecations`](../../deprecations/index.html)
- \* [env`](../index.html) \_\_
- \* [ env`](../env/index.html)
- \* [installers`](../installers/index.html) \_\_
  - \* [ base`](../installers/base/index.html)
  - \* [conda`](../installers/conda/index.html)
  - \* [pip`](../installers/pip/index.html)
- \* `pip\_util`
- \* [specs`](../specs/index.html) \_\_
  - \* [ binstar`](../specs/binstar/index.html)
  - \* [requirements`](../specs/requirements/index.html)
  - \* [yaml\_file`](../specs/yaml\_file/index.html)
- \* [exception\_handler`](../../exception\_handler/index.html)
- \* [exceptions`](../../exceptions/index.html)
- \* [exports`](../../exports/index.html)
- \* [gateways`](../../gateways/index.html) \_\_
  - \* [ anaconda\_client`](../../gateways/anaconda\_client/index.html)
  - \* [connection`](../../gateways/connection/index.html) \_\_
    - \* [ adapters`](../../gateways/connection/adapters/index.html) \_\_
      - \* [ ftp`](../../gateways/connection/adapters/ftp/index.html)

- \* [ `http` ](../../gateways/connection/adapters/http/index.html)
- \* [ `localfs` ](../../gateways/connection/adapters/localfs/index.html)
- \* [ `s3` ](../../gateways/connection/adapters/s3/index.html)
- \* [ `download` ](../../gateways/connection/download/index.html)
- \* [ `session` ](../../gateways/connection/session/index.html)
- \* [ `disk` ](../../gateways/disk/index.html) \_\_
- \* [ `create` ](../../gateways/disk/create/index.html)
- \* [ `delete` ](../../gateways/disk/delete/index.html)
- \* [ `link` ](../../gateways/disk/link/index.html)
- \* [ `lock` ](../../gateways/disk/lock/index.html)
- \* [ `permissions` ](../../gateways/disk/permissions/index.html)
- \* [ `read` ](../../gateways/disk/read/index.html)
- \* [ `test` ](../../gateways/disk/test/index.html)
- \* [ `update` ](../../gateways/disk/update/index.html)
- \* [ `logging` ](../../gateways/logging/index.html)
- \* [ `repodata` ](../../gateways/repodata/index.html) \_\_
- \* [ `jlap` ](../../gateways/repodata/jlap/index.html) \_\_
- \* [ `core` ](../../gateways/repodata/jlap/core/index.html)
- \* [ `fetch` ](../../gateways/repodata/jlap/fetch/index.html)
- \* [ `interface` ](../../gateways/repodata/jlap/interface/index.html)
- \* [ `lock` ](../../gateways/repodata/lock/index.html)
- \* [ `subprocess` ](../../gateways/subprocess/index.html)
- \* [ `history` ](../../history/index.html)
- \* [ `instructions` ](../../instructions/index.html)
- \* [ `misc` ](../../misc/index.html)
- \* [ `models` ](../../models/index.html) \_\_
- \* [ `channel` ](../../models/channel/index.html)

- \* [dist`](../../models/dist/index.html)
- \* [enums`](../../models/enums/index.html)
- \* [leased\_path\_entry`](../../models/leased\_path\_entry/index.html)
- \* [match\_spec`](../../models/match\_spec/index.html)
- \* [package\_info`](../../models/package\_info/index.html)
- \* [prefix\_graph`](../../models/prefix\_graph/index.html)
- \* [records`](../../models/records/index.html)
- \* [version`](../../models/version/index.html)
- \* [notices`](../../notices/index.html) \_\_
- \* [cache`](../../notices/cache/index.html)
- \* [core`](../../notices/core/index.html)
- \* [fetch`](../../notices/fetch/index.html)
- \* [types`](../../notices/types/index.html)
- \* [views`](../../notices/views/index.html)
- \* [plan`](../../plan/index.html)
- \* [plugins`](../../plugins/index.html) \_\_
- \* [hookspec`](../../plugins/hookspec/index.html)
- \* [manager`](../../plugins/manager/index.html)
- \* [post\_solves`](../../plugins/post\_solves/index.html) \_\_
  - \* [signature\_verification`](../../plugins/post\_solves/signature\_verification/index.html)
- \* [reporter\_backends`](../../plugins/reporter\_backends/index.html) \_\_
  - \* [console`](../../plugins/reporter\_backends/console/index.html)
  - \* [json`](../../plugins/reporter\_backends/json/index.html)
- \* [solvers`](../../plugins/solvers/index.html)
- \* [subcommands`](../../plugins/subcommands/index.html) \_\_
  - \* [doctor`](../../plugins/subcommands/doctor/index.html) \_\_
    - \* [health\_checks`](../../plugins/subcommands/doctor/health\_checks/index.html)

- \* [`types``](../../plugins/types/index.html)
- \* [`virtual_packages``](../../plugins/virtual\_packages/index.html) \_\_
  - \* [`archspeg``](../../plugins/virtual\_packages/archspeg/index.html)
  - \* [`conda``](../../plugins/virtual\_packages/conda/index.html)
  - \* [`cuda``](../../plugins/virtual\_packages/cuda/index.html)
  - \* [`freebsd``](../../plugins/virtual\_packages/freebsd/index.html)
  - \* [`linux``](../../plugins/virtual\_packages/linux/index.html)
  - \* [`osx``](../../plugins/virtual\_packages/osx/index.html)
  - \* [`windows``](../../plugins/virtual\_packages/windows/index.html)
- \* [`reporters``](../../reporters/index.html)
- \* [`resolve``](../../resolve/index.html)
- \* [`testing``](../../testing/index.html) \_\_
  - \* [`cases``](../../testing/cases/index.html)
  - \* [`fixtures``](../../testing/fixtures/index.html)
  - \* [`gateways``](../../testing/gateways/index.html) \_\_
    - \* [`fixtures``](../../testing/gateways/fixtures/index.html)
  - \* [`helpers``](../../testing/helpers/index.html)
  - \* [`integration``](../../testing/integration/index.html)
  - \* [`notices``](../../testing/notices/index.html) \_\_
    - \* [`fixtures``](../../testing/notices/fixtures/index.html)
    - \* [`helpers``](../../testing/notices/helpers/index.html)
  - \* [`solver_helpers``](../../testing/solver\_helpers/index.html)
- \* [`trust``](../../trust/index.html) \_\_
  - \* [`constants``](../../trust/constants/index.html)
  - \* [`signature_verification``](../../trust/signature\_verification/index.html)
- \* [`utils``](../../utils/index.html)
- \* [`conda_env``](../../conda\_env/index.html) \_\_

\* [`cli``](../../conda\_env/cli/index.html)

\* [`installers``](../../conda\_env/installers/index.html)

\* [`__`](../../index.html)

\* [Developer guide](../../index.html)

\* `__`

\* [`env``](../index.html)

\*

# `pip_util`` #

Functions related to core conda functionality that relates to pip

NOTE: This modules used to in conda, as conda/pip.py

## Functions#

`pip_subprocess``(args, prefix, cwd) | Run pip in a subprocess

---|---

`get_pip_installed_packages``(stdout) | Return the list of pip packages installed based on the command output

`pip_subprocess(_args_ , _prefix_ , _cwd_)`#

Run pip in a subprocess

```
get_pip_installed_packages(_stdout_)#
```

Return the list of pip packages installed based on the command output

\_\_On this page

- \* Functions

- \* ``pip_subprocess()``

- \* ``get_pip_installed_packages()``

[ \_\_Edit on GitHub]([https://github.com/conda/conda/edit/main/docs/source/dev-guide/api/conda/env/pip\\_util/index.rst](https://github.com/conda/conda/edit/main/docs/source/dev-guide/api/conda/env/pip_util/index.rst))

[ \_\_Show Source]([../../../../../\\_sources/dev-guide/api/conda/env/pip\\_util/index.rst.txt](https://github.com/conda/conda/blob/main/docs/source/dev-guide/api/conda/env/pip_util/index.rst.txt))

© Copyright 2017, Anaconda, Inc.

Created using [Sphinx](<https://www.sphinx-doc.org/>) 7.4.7.

[ Analytics Dashboard \_\_]([https://docs-conda-io.goatcounter.com "Analytics Dashboard"](https://docs-conda-io.goatcounter.com ))

Built with the [PyData Sphinx Theme](<https://pydata-sphinx->

