

[Skip to main content](#)

[\\_\\_Back to top](#)

[\\_\\_`Ctrl`+`K`](#)

[ [!conda 25.1.2.dev29 documentation -](#)

[Home\]\(../../../../../\\_static/conda\\_logo\\_full.svg\) \]\(../../../../../index.html\)](#)

\* [\[Conda\]\(https://docs.conda.io/projects/conda/\)](#)

\* [\[Conda-build\]\(https://docs.conda.io/projects/conda-build\)](#)

\* [\[Miniconda\]\(https://docs.anaconda.com/free/miniconda/\)](#)

\* [\[conda.org\]\(https://conda.org\)](#)

\* [\[\\_\\_ GitHub\]\(https://github.com/conda/conda "GitHub"\)](#)

\* [\[!\[Element\]\(../../../../../\\_static/element\\_logo.svg\)\]\(http://bit.ly/conda-chat-room "Element"\)](#)

\* [\[\\_\\_ Discourse\]\(https://conda.discourse.group/ "Discourse"\)](#)

\* [\[Conda\]\(https://docs.conda.io/projects/conda/\)](#)

\* [\[Conda-build\]\(https://docs.conda.io/projects/conda-build\)](#)

\* [\[Miniconda\]\(https://docs.anaconda.com/free/miniconda/\)](#)

\* [\[conda.org\]\(https://conda.org\)](#)

\* [\[\\_\\_ GitHub\]\(https://github.com/conda/conda "GitHub"\)](#)

\* [\[!\[Element\]\(../../../../../\\_static/element\\_logo.svg\)\]\(http://bit.ly/conda-chat-room "Element"\)](#)

\* [\[\\_\\_ Discourse\]\(https://conda.discourse.group/ "Discourse"\)](#)

## Navigation

- \* [User guide](../././././user-guide/index.html) \_\_
- \* [Getting started with conda](../././././user-guide/getting-started.html)
- \* [Installing conda](../././././user-guide/install/index.html) \_\_
  - \* [Installing on Windows](../././././user-guide/install/windows.html)
  - \* [Installing on macOS](../././././user-guide/install/macos.html)
  - \* [Installing on Linux](../././././user-guide/install/linux.html)
  - \* [RPM and Debian Repositories for Miniconda](../././././user-guide/install/rpm-debian.html)
- \* [Tasks](../././././user-guide/tasks/index.html) \_\_
  - \* [Managing conda](../././././user-guide/tasks/manage-conda.html)
  - \* [Managing environments](../././././user-guide/tasks/manage-environments.html)
  - \* [Managing channels](../././././user-guide/tasks/manage-channels.html)
  - \* [Managing packages](../././././user-guide/tasks/manage-pkgs.html)
  - \* [Managing Python](../././././user-guide/tasks/manage-python.html)
  - \* [Managing virtual packages](../././././user-guide/tasks/manage-virtual.html)
  - \* [Creating custom channels](../././././user-guide/tasks/create-custom-channels.html)
  - \* [Creating projects](../././././user-guide/tasks/creating-projects.html)
  - \* [Viewing command-line help](../././././user-guide/tasks/view-command-line-help.html)
- \* [Configuration](../././././user-guide/configuration/index.html) \_\_
  - \* [Using the .condarc conda configuration file](../././././user-guide/configuration/use-condarc.html)
  - \* [Settings](../././././user-guide/configuration/settings.html)
    - \* [Administering a multi-user conda installation](../././././user-guide/configuration/admin-multi-user-install.html)
  - \* [Mirroring channels](../././././user-guide/configuration/mirroring.html)
  - \* [Disabling SSL verification](../././././user-guide/configuration/disable-ssl-verification.html)

- \* [Using non-standard certificates](../../../../../user-guide/configuration/non-standard-certs.html)
- \* [Using Custom Locations for Environment and Package Cache](../../../../../user-guide/configuration/custom-env-and-pkg-locations.html)
- \* [Improving interoperability with pip](../../../../../user-guide/configuration/pip-interoperability.html)
- \* [Using the free channel](../../../../../user-guide/configuration/free-channel.html)
- \* [Concepts](../../../../../user-guide/concepts/index.html) \_\_
- \* [Commands](../../../../../user-guide/concepts/conda-commands.html)
- \* [Packages](../../../../../user-guide/concepts/packages.html)
- \* [Package specification](../../../../../user-guide/concepts/pkg-specs.html)
- \* [Package search and install specifications](../../../../../user-guide/concepts/pkg-search.html)
- \* [Channels](../../../../../user-guide/concepts/channels.html)
- \* [Environments](../../../../../user-guide/concepts/environments.html)
- \* [Installing with conda](../../../../../user-guide/concepts/installing-with-conda.html)
- \* [Performance](../../../../../user-guide/concepts/conda-performance.html)
- \* [Conda for data scientists](../../../../../user-guide/concepts/data-science.html)
- \* [Plugins](../../../../../user-guide/concepts/conda-plugins.html)
- \* [Troubleshooting](../../../../../user-guide/troubleshooting.html)
- \* [Cheatsheet](../../../../../user-guide/cheatsheet.html)
- \* [Configuration](../../../../../configuration.html)
- \* [Commands](../../../../../commands/index.html) \_\_
- \* [``conda clean``](../../../../../commands/clean.html)
- \* [``conda compare``](../../../../../commands/compare.html)
- \* [``conda config``](../../../../../commands/config.html)
- \* [``conda create``](../../../../../commands/create.html)
- \* [``conda doctor``](../../../../../commands/doctor.html)
- \* [``conda env``](../../../../../commands/env/index.html) \_\_
- \* [``conda env config``](../../../../../commands/env/config/index.html) \_\_

- \* [`conda env config vars`](../.../commands/env/config/vars/index.html) \_\_
- \* [`conda env config vars list`](../.../commands/env/config/vars/list.html)
- \* [`conda env config vars set`](../.../commands/env/config/vars/set.html)
- \* [`conda env config vars unset`](../.../commands/env/config/vars/unset.html)
- \* [`conda env create`](../.../commands/env/create.html)
- \* [`conda env export`](../.../commands/env/export.html)
- \* [`conda env list`](../.../commands/env/list.html)
- \* [`conda env remove`](../.../commands/env/remove.html)
- \* [`conda env update`](../.../commands/env/update.html)
- \* [`conda info`](../.../commands/info.html)
- \* [`conda init`](../.../commands/init.html)
- \* [`conda install`](../.../commands/install.html)
- \* [`conda list`](../.../commands/list.html)
- \* [`conda notices`](../.../commands/notices.html)
- \* [`conda package`](../.../commands/package.html)
- \* [`conda remove`](../.../commands/remove.html)
- \* [`conda rename`](../.../commands/rename.html)
- \* [`conda run`](../.../commands/run.html)
- \* [`conda search`](../.../commands/search.html)
- \* [`conda update`](../.../commands/update.html)
- \* [Release notes](../.../release-notes.html)
- \* [Glossary](../.../glossary.html)
- \* [Developer guide](../.../index.html) \_\_
- \* [Architecture](../.../architecture.html)
- \* [Contributing to conda](../.../contributing.html)
- \* [Development Environment](../.../development-environment.html)
- \* [Deep dives](../.../deep-dives/index.html) \_\_

- \* [`conda install``](../../deep-dives/install.html)
- \* [`conda init`` and `conda activate``](../../deep-dives/activation.html)
- \* [`conda config`` and context](../../deep-dives/context.html)
- \* [Solvers](../../deep-dives/solvers.html)
- \* [Logging](../../deep-dives/logging.html)
- \* [Writing Tests](../../writing-tests/index.html) \_\_
- \* [Integration Tests](../../writing-tests/integration-tests.html)
- \* [Deprecations](../../deprecations.html)
- \* [Releasing](../../releasing.html)
- \* [Plugins](../../plugins/index.html) \_\_
  - \* [Auth Handlers](../../plugins/auth\_handlers.html)
  - \* [Health Checks](../../plugins/health\_checks.html)
  - \* [Request Headers](../../plugins/request\_headers.html)
  - \* [Post-commands](../../plugins/post\_commands.html)
  - \* [Pre-commands](../../plugins/pre\_commands.html)
  - \* [Reporter Backends](../../plugins/reporter\_backends.html)
  - \* [Settings](../../plugins/settings.html)
  - \* [Solvers](../../plugins/solvers.html)
  - \* [Subcommands](../../plugins/subcommands.html)
  - \* [Virtual Packages](../../plugins/virtual\_packages.html)
- \* [Specifications](../../specs/index.html) \_\_
  - \* [Technical specification: solver state](../../specs/solver-state.html)
- \* [API](../../api.html) \_\_
  - \* [`conda``](../index.html) \_\_
    - \* [`__main__``](../\_\_main\_\_/index.html)
    - \* [`_vendor``](../\_vendor/index.html) \_\_
      - \* [`frozendict``](../\_vendor/frozendict/index.html)

- \* [`_version``](../\_version/index.html)
- \* [`activate``](../activate/index.html)
- \* [`api``](../api/index.html)
- \* [`auxlib``](../auxlib/index.html) \_\_
  - \* [`collection``](../auxlib/collection/index.html)
  - \* [`compat``](../auxlib/compat/index.html)
  - \* [`decorators``](../auxlib/decorators/index.html)
  - \* [`entity``](../auxlib/entity/index.html)
  - \* [`exceptions``](../auxlib/exceptions/index.html)
  - \* [`ish``](../auxlib/ish/index.html)
  - \* [`logz``](../auxlib/logz/index.html)
  - \* [`type_coercion``](../auxlib/type\_coercion/index.html)
- \* [`base``](../base/index.html) \_\_
  - \* [`constants``](../base/constants/index.html)
  - \* [`context``](../base/context/index.html)
- \* [`cli``](../cli/index.html) \_\_
  - \* [`actions``](../cli/actions/index.html)
  - \* [`common``](../cli/common/index.html)
  - \* [`conda_argparse``](../cli/conda\_argparse/index.html)
  - \* [`find_commands``](../cli/find\_commands/index.html)
  - \* [`helpers``](../cli/helpers/index.html)
  - \* [`install``](../cli/install/index.html)
  - \* [`main``](../cli/main/index.html)
  - \* [`main_clean``](../cli/main\_clean/index.html)
  - \* [`main_commands``](../cli/main\_commands/index.html)
  - \* [`main_compare``](../cli/main\_compare/index.html)
  - \* [`main_config``](../cli/main\_config/index.html)

- \* [main\_create](../../cli/main\_create/index.html)
- \* [main\_env](../../cli/main\_env/index.html)
- \* [main\_env\_config](../../cli/main\_env\_config/index.html)
- \* [main\_env\_create](../../cli/main\_env\_create/index.html)
- \* [main\_env\_export](../../cli/main\_env\_export/index.html)
- \* [main\_env\_list](../../cli/main\_env\_list/index.html)
- \* [main\_env\_remove](../../cli/main\_env\_remove/index.html)
- \* [main\_env\_update](../../cli/main\_env\_update/index.html)
- \* [main\_env\_vars](../../cli/main\_env\_vars/index.html)
- \* [main\_export](../../cli/main\_export/index.html)
- \* [main\_info](../../cli/main\_info/index.html)
- \* [main\_init](../../cli/main\_init/index.html)
- \* [main\_install](../../cli/main\_install/index.html)
- \* [main\_list](../../cli/main\_list/index.html)
- \* [main\_mock\_activate](../../cli/main\_mock\_activate/index.html)
- \* [main\_mock\_deactivate](../../cli/main\_mock\_deactivate/index.html)
- \* [main\_notices](../../cli/main\_notices/index.html)
- \* [main\_package](../../cli/main\_package/index.html)
- \* [main\_pip](../../cli/main\_pip/index.html)
- \* [main\_remove](../../cli/main\_remove/index.html)
- \* [main\_rename](../../cli/main\_rename/index.html)
- \* [main\_run](../../cli/main\_run/index.html)
- \* [main\_search](../../cli/main\_search/index.html)
- \* [main\_update](../../cli/main\_update/index.html)
- \* [python\_api](../../cli/python\_api/index.html)
- \* [common](../../common/index.html) \_\_
- \* [\_logic](../../common/\_logic/index.html)

- \* [`_os``](../common/\_os/index.html) \_\_
- \* [`linux``](../common/\_os/linux/index.html)
- \* [`osx``](../common/\_os/osx/index.html)
- \* [`unix``](../common/\_os/unix/index.html)
- \* [`windows``](../common/\_os/windows/index.html)
- \* [`compat``](../common/compat/index.html)
- \* [`configuration``](../common/configuration/index.html)
- \* [`constants``](../common/constants/index.html)
- \* [`disk``](../common/disk/index.html)
- \* [`io``](../common/io/index.html)
- \* [`iterators``](../common/iterators/index.html)
- \* [`logic``](../common/logic/index.html)
- \* [`path``](../common/path/index.html) \_\_
- \* [`_cygpath``](../common/path/\_cygpath/index.html)
- \* [`directories``](../common/path/directories/index.html)
- \* [`python``](../common/path/python/index.html)
- \* [`windows``](../common/path/windows/index.html)
- \* [`pkg_formats``](../common/pkg\_formats/index.html) \_\_
- \* [`python``](../common/pkg\_formats/python/index.html)
- \* [`serialize``](../common/serialize/index.html)
- \* [`signals``](../common/signals/index.html)
- \* [`toposort``](../common/toposort/index.html)
- \* [`url``](../common/url/index.html)
- \* [`core``](../core/index.html) \_\_
- \* [`envs_manager``](../core/envs\_manager/index.html)
- \* [`index``](../core/index/index.html)
- \* [`initialize``](../core/initialize/index.html)



- \* [link`](../../core/link/index.html)
- \* [package\_cache\_data`](../../core/package\_cache\_data/index.html)
- \* [path\_actions`](../../core/path\_actions/index.html)
- \* [portability`](../../core/portability/index.html)
- \* [prefix\_data`](../../core/prefix\_data/index.html)
- \* [solve`](../../core/solve/index.html)
- \* [subdir\_data`](../../core/subdir\_data/index.html)
- \* [deprecations`](../../deprecations/index.html)
- \* [env`](../../env/index.html) \_\_\_\_
- \* [ env`](../../env/env/index.html)
- \* [installers`](../../env/installers/index.html) \_\_\_\_
- \* [ base`](../../env/installers/base/index.html)
- \* [conda`](../../env/installers/conda/index.html)
- \* [pip`](../../env/installers/pip/index.html)
- \* [pip\_util`](../../env/pip\_util/index.html)
- \* [specs`](../../env/specs/index.html) \_\_\_\_
- \* [ binstar`](../../env/specs/binstar/index.html)
- \* [requirements`](../../env/specs/requirements/index.html)
- \* [yaml\_file`](../../env/specs/yaml\_file/index.html)
- \* [exception\_handler`](../../exception\_handler/index.html)
- \* [exceptions`](../../exceptions/index.html)
- \* [exports`](../../exports/index.html)
- \* [gateways`](../../gateways/index.html) \_\_\_\_
- \* [ anaconda\_client`](../../gateways/anaconda\_client/index.html)
- \* [connection`](../../gateways/connection/index.html) \_\_\_\_
- \* [ adapters`](../../gateways/connection/adapters/index.html) \_\_\_\_
- \* [ ftp`](../../gateways/connection/adapters/ftp/index.html)

- \* [ `http` ](../../gateways/connection/adapters/http/index.html)
- \* [ `localfs` ](../../gateways/connection/adapters/localfs/index.html)
- \* [ `s3` ](../../gateways/connection/adapters/s3/index.html)
- \* [ `download` ](../../gateways/connection/download/index.html)
- \* [ `session` ](../../gateways/connection/session/index.html)
- \* [ `disk` ](../../gateways/disk/index.html) \_\_
- \* [ `create` ](../../gateways/disk/create/index.html)
- \* [ `delete` ](../../gateways/disk/delete/index.html)
- \* [ `link` ](../../gateways/disk/link/index.html)
- \* [ `lock` ](../../gateways/disk/lock/index.html)
- \* [ `permissions` ](../../gateways/disk/permissions/index.html)
- \* [ `read` ](../../gateways/disk/read/index.html)
- \* [ `test` ](../../gateways/disk/test/index.html)
- \* [ `update` ](../../gateways/disk/update/index.html)
- \* [ `logging` ](../../gateways/logging/index.html)
- \* [ `repodata` ](../../gateways/repodata/index.html) \_\_
- \* [ `jlap` ](../../gateways/repodata/jlap/index.html) \_\_
- \* [ `core` ](../../gateways/repodata/jlap/core/index.html)
- \* [ `fetch` ](../../gateways/repodata/jlap/fetch/index.html)
- \* [ `interface` ](../../gateways/repodata/jlap/interface/index.html)
- \* [ `lock` ](../../gateways/repodata/lock/index.html)
- \* [ `subprocess` ](../../gateways/subprocess/index.html)
- \* [ `history` ](../../history/index.html)
- \* [ `instructions` ](../../instructions/index.html)
- \* [ `misc` ](../../misc/index.html)
- \* [ `models` ](../index.html) \_\_
- \* [ `channel` ](../channel/index.html)

- \* [dist`](../dist/index.html)
- \* [enums`](../enums/index.html)
- \* [leased\_path\_entry`](../leased\_path\_entry/index.html)
- \* [match\_spec`](../match\_spec/index.html)
- \* `package\_info`
- \* [prefix\_graph`](../prefix\_graph/index.html)
- \* [records`](../records/index.html)
- \* [version`](../version/index.html)
- \* [notices`](../../notices/index.html) \_\_
- \* [ cache`](../../notices/cache/index.html)
- \* [ core`](../../notices/core/index.html)
- \* [ fetch`](../../notices/fetch/index.html)
- \* [ types`](../../notices/types/index.html)
- \* [ views`](../../notices/views/index.html)
- \* [plan`](../../plan/index.html)
- \* [plugins`](../../plugins/index.html) \_\_
- \* [ hookspec`](../../plugins/hookspec/index.html)
- \* [manager`](../../plugins/manager/index.html)
- \* [post\_solves`](../../plugins/post\_solves/index.html) \_\_
- \* [ signature\_verification`](../../plugins/post\_solves/signature\_verification/index.html)
- \* [reporter\_backends`](../../plugins/reporter\_backends/index.html) \_\_
- \* [ console`](../../plugins/reporter\_backends/console/index.html)
- \* [ json`](../../plugins/reporter\_backends/json/index.html)
- \* [solvers`](../../plugins/solvers/index.html)
- \* [subcommands`](../../plugins/subcommands/index.html) \_\_
- \* [ doctor`](../../plugins/subcommands/doctor/index.html) \_\_
- \* [ health\_checks`](../../plugins/subcommands/doctor/health\_checks/index.html)

- \* [ `types` ](../../plugins/types/index.html)
- \* [ `virtual\_packages` ](../../plugins/virtual\_packages/index.html) \_\_
  - \* [ ` archspec` ](../../plugins/virtual\_packages/archspec/index.html)
  - \* [ `conda` ](../../plugins/virtual\_packages/conda/index.html)
  - \* [ `cuda` ](../../plugins/virtual\_packages/cuda/index.html)
  - \* [ `freebsd` ](../../plugins/virtual\_packages/freebsd/index.html)
  - \* [ `linux` ](../../plugins/virtual\_packages/linux/index.html)
  - \* [ `osx` ](../../plugins/virtual\_packages/osx/index.html)
  - \* [ `windows` ](../../plugins/virtual\_packages/windows/index.html)
- \* [ `reporters` ](../../reporters/index.html)
- \* [ `resolve` ](../../resolve/index.html)
- \* [ `testing` ](../../testing/index.html) \_\_
  - \* [ `cases` ](../../testing/cases/index.html)
  - \* [ `fixtures` ](../../testing/fixtures/index.html)
  - \* [ `gateways` ](../../testing/gateways/index.html) \_\_
    - \* [ ` fixtures` ](../../testing/gateways/fixtures/index.html)
  - \* [ `helpers` ](../../testing/helpers/index.html)
  - \* [ `integration` ](../../testing/integration/index.html)
  - \* [ `notices` ](../../testing/notices/index.html) \_\_
    - \* [ ` fixtures` ](../../testing/notices/fixtures/index.html)
    - \* [ `helpers` ](../../testing/notices/helpers/index.html)
  - \* [ `solver\_helpers` ](../../testing/solver\_helpers/index.html)
- \* [ `trust` ](../../trust/index.html) \_\_
  - \* [ ` constants` ](../../trust/constants/index.html)
  - \* [ `signature\_verification` ](../../trust/signature\_verification/index.html)
- \* [ `utils` ](../../utils/index.html)
- \* [ `conda\_env` ](../../conda\_env/index.html) \_\_

\* [ `cli` ](../../conda\_env/cli/index.html)

\* [ `installers` ](../../conda\_env/installers/index.html)

\* [ \_\_\_\_ ](../../index.html)

\* [Developer guide](../../index.html)

\* \_\_\_\_

\* [ `models` ](../index.html)

\*

# `package\_info`#

(Legacy) Low-level implementation of a PackageRecord.

## Classes#

`NoarchField` | Fields are doing something very similar to boxing and unboxing

---|---

`Noarch` |

`PreferredEnv` |

`PackageMetadata` |

`PackageInfo` |

```
_class _NoarchField(_enum_class_, _default =NULL_, _required =True_,  
_validation =None_, _in_dump =True_, _default_in_dump =True_, _nullable  
=False_, _immutable =False_, _aliases =())#
```

Bases:

```
[`conda.auxlib.entity.EnumField`](../../auxlib/entity/index.html#conda.auxlib.entity.EnumField  
"conda.auxlib.entity.EnumField")
```

Fields are doing something very similar to boxing and unboxing of c#/java primitives. `__set__` should take a "primitive" or "raw" value and create a "boxed" or "programmatically usable" value of it. While `__get__` should return the boxed value, `dump` in turn should unbox the value into a primitive or raw value.

Parameters:

```
* **types** (_primitive literal_ _or_ [ _type_ ](https://docs.python.org/3/library/functions.html#type  
"\(in Python v3.13\)") _or_ _sequence_ _of_ _types_)
```

```
* **default** (_any_ __, __callable__ __, __optional__) -- If default is callable, it's guaranteed to return a  
valid value at the time of Entity creation.
```

```
* **required** (_boolean_ __, __optional__)
```

```
* **validation** (_callable__ __, __optional__)
```

```
* **dump** (_boolean_ __, __optional__)
```

`box(_instance_ , _instance_type_ , _val_)#`

`_class _Noarch(_** kwargs_)#`

Bases:

`[`conda.auxlib.entity.Entity`](../auxlib/entity/index.html#conda.auxlib.entity.Entity`

`"conda.auxlib.entity.Entity")`

`type#`

`entry_points#`

`_class _PreferredEnv(_** kwargs_)#`

Bases:

`[`conda.auxlib.entity.Entity`](../auxlib/entity/index.html#conda.auxlib.entity.Entity`

`"conda.auxlib.entity.Entity")`

name#

executable\_paths#

softlink\_paths#

\_class \_PackageMetadata(\_\*\* kwargs\_)#

Bases:

[`conda.auxlib.entity.Entity`](../auxlib/entity/index.html#conda.auxlib.entity.Entity

"conda.auxlib.entity.Entity")

package\_metadata\_version#

noarch#



preferred\_env#

\_class \_PackageInfo(\_\*\* kwargs\_)#

Bases:

[`conda.auxlib.entity.ImmutableEntity`](../auxlib/entity/index.html#conda.auxlib.entity.ImmutableEntity)

"conda.auxlib.entity.ImmutableEntity")

\_property \_name#

\_property \_version#

\_property \_build#

\_property \_build\_number#

extracted\_package\_dir#

package\_tarball\_full\_path#

channel#

repodata\_record#

url#

icondata#

package\_metadata#

paths\_data#

dist\_str()#

\_\_On this page

## \* Classes

- \* ``NoarchField``

- \* ``NoarchField.box()``

- \* ``Noarch``

- \* ``Noarch.type``

- \* ``Noarch.entry_points``

- \* ``PreferredEnv``

- \* ``PreferredEnv.name``

- \* ``PreferredEnv.executable_paths``

- \* ``PreferredEnv.softlink_paths``

- \* ``PackageMetadata``

- \* ``PackageMetadata.package_metadata_version``

- \* ``PackageMetadata.noarch``
- \* ``PackageMetadata.preferred_env``
- \* ``PackageInfo``
  - \* ``PackageInfo.name``
  - \* ``PackageInfo.version``
  - \* ``PackageInfo.build``
  - \* ``PackageInfo.build_number``
  - \* ``PackageInfo.extracted_package_dir``
  - \* ``PackageInfo.package_tarball_full_path``
  - \* ``PackageInfo.channel``
  - \* ``PackageInfo.repodata_record``
  - \* ``PackageInfo.url``
  - \* ``PackageInfo.icondata``
  - \* ``PackageInfo.package_metadata``
  - \* ``PackageInfo.paths_data``
  - \* ``PackageInfo.dist_str()``

[ \_\_Edit on GitHub]([https://github.com/conda/conda/edit/main/docs/source/dev-guide/api/conda/models/package\\_info/index.rst](https://github.com/conda/conda/edit/main/docs/source/dev-guide/api/conda/models/package_info/index.rst))

[ \_\_Show Source]([../../../../../\\_sources/dev-guide/api/conda/models/package\\_info/index.rst.txt](https://github.com/conda/conda/blob/main/docs/source/dev-guide/api/conda/models/package_info/index.rst.txt))

© Copyright 2017, Anaconda, Inc.

Created using [Sphinx](<https://www.sphinx-doc.org/>) 7.4.7.

[ Analytics Dashboard \_\_](<https://docs-conda-io.goatcounter.com> "Analytics Dashboard")

Built with the [PyData Sphinx Theme](<https://pydata-sphinx-theme.readthedocs.io/en/stable/index.html>) 0.15.4.