

[Skip to main content](#)

[\\_\\_Back to top](#)

[\\_\\_`Ctrl`+`K`](#)

[ [!conda 25.1.2.dev29 documentation -](#)

[Home\]\(../../../../../../../../\\_static/conda\\_logo\\_full.svg\)](#)

[\]\(../../../../../../../../index.html\)](#)

\* [\[Conda\]\(https://docs.conda.io/projects/conda/\)](#)

\* [\[Conda-build\]\(https://docs.conda.io/projects/conda-build\)](#)

\* [\[Miniconda\]\(https://docs.anaconda.com/free/miniconda/\)](#)

\* [\[conda.org\]\(https://conda.org\)](#)

\* [\[\\_\\_ GitHub\]\(https://github.com/conda/conda "GitHub"\)](#)

\* [\[!\[Element\]\(../../../../../../../../\\_static/element\\_logo.svg\)\]\(http://bit.ly/conda-chat-room "Element"\)](#)

\* [\[\\_\\_ Discourse\]\(https://conda.discourse.group/ "Discourse"\)](#)

\* [\[Conda\]\(https://docs.conda.io/projects/conda/\)](#)

\* [\[Conda-build\]\(https://docs.conda.io/projects/conda-build\)](#)

\* [\[Miniconda\]\(https://docs.anaconda.com/free/miniconda/\)](#)

\* [\[conda.org\]\(https://conda.org\)](#)

\* [\[\\_\\_ GitHub\]\(https://github.com/conda/conda "GitHub"\)](#)

\* [\[!\[Element\]\(../../../../../../../../\\_static/element\\_logo.svg\)\]\(http://bit.ly/conda-chat-room "Element"\)](#)

\* [\[\\_\\_ Discourse\]\(https://conda.discourse.group/ "Discourse"\)](#)

## Navigation

- \* [User guide](../user-guide/index.html) \_\_
- \* [Getting started with conda](../user-guide/getting-started.html)
- \* [Installing conda](../user-guide/install/index.html) \_\_
- \* [Installing on Windows](../user-guide/install/windows.html)
- \* [Installing on macOS](../user-guide/install/macos.html)
- \* [Installing on Linux](../user-guide/install/linux.html)
- \* [RPM and Debian Repositories for Miniconda](../user-guide/install/rpm-debian.html)
- \* [Tasks](../user-guide/tasks/index.html) \_\_
- \* [Managing conda](../user-guide/tasks/manage-conda.html)
- \* [Managing environments](../user-guide/tasks/manage-environments.html)
- \* [Managing channels](../user-guide/tasks/manage-channels.html)
- \* [Managing packages](../user-guide/tasks/manage-pkgs.html)
- \* [Managing Python](../user-guide/tasks/manage-python.html)
- \* [Managing virtual packages](../user-guide/tasks/manage-virtual.html)
- \* [Creating custom channels](../user-guide/tasks/create-custom-channels.html)
- \* [Creating projects](../user-guide/tasks/creating-projects.html)
- \* [Viewing command-line help](../user-guide/tasks/view-command-line-help.html)
- \* [Configuration](../user-guide/configuration/index.html) \_\_
  - \* [Using the .condarc conda configuration file](../user-guide/configuration/use-condarc.html)
  - \* [Settings](../user-guide/configuration/settings.html)
    - \* [Administering a multi-user conda installation](../user-guide/configuration/admin-multi-user-install.html)
  - \* [Mirroring channels](../user-guide/configuration/mirroring.html)

- \* [Disabling SSL verification](../../../../../user-guide/configuration/disable-ssl-verification.html)
- \* [Using non-standard certificates](../../../../../user-guide/configuration/non-standard-certs.html)
- \* [Using Custom Locations for Environment and Package Cache](../../../../../user-guide/configuration/custom-env-and-pkg-locations.html)
- \* [Improving interoperability with pip](../../../../../user-guide/configuration/pip-interoperability.html)
- \* [Using the free channel](../../../../../user-guide/configuration/free-channel.html)
- \* [Concepts](../../../../../user-guide/concepts/index.html) \_\_
- \* [Commands](../../../../../user-guide/concepts/conda-commands.html)
- \* [Packages](../../../../../user-guide/concepts/packages.html)
- \* [Package specification](../../../../../user-guide/concepts/pkg-specs.html)
- \* [Package search and install specifications](../../../../../user-guide/concepts/pkg-search.html)
- \* [Channels](../../../../../user-guide/concepts/channels.html)
- \* [Environments](../../../../../user-guide/concepts/environments.html)
- \* [Installing with conda](../../../../../user-guide/concepts/installing-with-conda.html)
- \* [Performance](../../../../../user-guide/concepts/conda-performance.html)
- \* [Conda for data scientists](../../../../../user-guide/concepts/data-science.html)
- \* [Plugins](../../../../../user-guide/concepts/conda-plugins.html)
- \* [Troubleshooting](../../../../../user-guide/troubleshooting.html)
- \* [Cheatsheet](../../../../../user-guide/cheatsheet.html)
- \* [Configuration](../../../../../configuration.html)
- \* [Commands](../../../../../commands/index.html) \_\_
- \* [``conda clean`](../../../../../commands/clean.html)
- \* [``conda compare`](../../../../../commands/compare.html)
- \* [``conda config`](../../../../../commands/config.html)
- \* [``conda create`](../../../../../commands/create.html)

- \* [conda doctor](../.../commands/doctor.html)
- \* [conda env](../.../commands/env/index.html) \_\_
- \* [conda env config](../.../commands/env/config/index.html) \_\_
  - \* [conda env config vars](../.../commands/env/config/vars/index.html) \_\_
    - \* [conda env config vars list](../.../commands/env/config/vars/list.html)
    - \* [conda env config vars set](../.../commands/env/config/vars/set.html)
    - \* [conda env config vars unset](../.../commands/env/config/vars/unset.html)
- \* [conda env create](../.../commands/env/create.html)
- \* [conda env export](../.../commands/env/export.html)
- \* [conda env list](../.../commands/env/list.html)
- \* [conda env remove](../.../commands/env/remove.html)
- \* [conda env update](../.../commands/env/update.html)
- \* [conda info](../.../commands/info.html)
- \* [conda init](../.../commands/init.html)
- \* [conda install](../.../commands/install.html)
- \* [conda list](../.../commands/list.html)
- \* [conda notices](../.../commands/notices.html)
- \* [conda package](../.../commands/package.html)
- \* [conda remove](../.../commands/remove.html)
- \* [conda rename](../.../commands/rename.html)
- \* [conda run](../.../commands/run.html)
- \* [conda search](../.../commands/search.html)
- \* [conda update](../.../commands/update.html)
- \* [Release notes](../.../release-notes.html)
- \* [Glossary](../.../glossary.html)
- \* [Developer guide](../.../index.html) \_\_
- \* [Architecture](../.../architecture.html)

- \* [Contributing to conda](../../contributing.html)
- \* [Development Environment](../../development-environment.html)
- \* [Deep dives](../../deep-dives/index.html) \_\_
  - \* [``conda install``](../../deep-dives/install.html)
  - \* [``conda init`` and ``conda activate``](../../deep-dives/activation.html)
  - \* [``conda config`` and context](../../deep-dives/context.html)
- \* [Solvers](../../deep-dives/solvers.html)
- \* [Logging](../../deep-dives/logging.html)
- \* [Writing Tests](../../writing-tests/index.html) \_\_
  - \* [Integration Tests](../../writing-tests/integration-tests.html)
- \* [Deprecations](../../deprecations.html)
- \* [Releasing](../../releasing.html)
- \* [Plugins](../../plugins/index.html) \_\_
  - \* [Auth Handlers](../../plugins/auth\_handlers.html)
  - \* [Health Checks](../../plugins/health\_checks.html)
  - \* [Request Headers](../../plugins/request\_headers.html)
  - \* [Post-commands](../../plugins/post\_commands.html)
  - \* [Pre-commands](../../plugins/pre\_commands.html)
  - \* [Reporter Backends](../../plugins/reporter\_backends.html)
  - \* [Settings](../../plugins/settings.html)
  - \* [Solvers](../../plugins/solvers.html)
  - \* [Subcommands](../../plugins/subcommands.html)
  - \* [Virtual Packages](../../plugins/virtual\_packages.html)
- \* [Specifications](../../specs/index.html) \_\_
  - \* [Technical specification: solver state](../../specs/solver-state.html)
- \* [API](../../api.html) \_\_
  - \* [``conda``](../../index.html) \_\_

\* [ `\_\_main\_\_` ](../../../../../\_\_main\_\_/index.html)

\* [ `\_vendor` ](../../../../../\_vendor/index.html) \_\_

\* [ `frozendict` ](../../../../../\_vendor/frozendict/index.html)

\* [ `\_version` ](../../../../../\_version/index.html)

\* [ `activate` ](../../../../../activate/index.html)

\* [ `api` ](../../../../../api/index.html)

\* [ `auxlib` ](../../../../../auxlib/index.html) \_\_

\* [ `collection` ](../../../../../auxlib/collection/index.html)

\* [ `compat` ](../../../../../auxlib/compat/index.html)

\* [ `decorators` ](../../../../../auxlib/decorators/index.html)

\* [ `entity` ](../../../../../auxlib/entity/index.html)

\* [ `exceptions` ](../../../../../auxlib/exceptions/index.html)

\* [ `ish` ](../../../../../auxlib/ish/index.html)

\* [ `logz` ](../../../../../auxlib/logz/index.html)

\* [ `type\_coercion` ](../../../../../auxlib/type\_coercion/index.html)

\* [ `base` ](../../../../../base/index.html) \_\_

\* [ `constants` ](../../../../../base/constants/index.html)

\* [ `context` ](../../../../../base/context/index.html)

\* [ `cli` ](../../../../../cli/index.html) \_\_

\* [ `actions` ](../../../../../cli/actions/index.html)

\* [ `common` ](../../../../../cli/common/index.html)

\* [ `conda\_argparse` ](../../../../../cli/conda\_argparse/index.html)

\* [ `find\_commands` ](../../../../../cli/find\_commands/index.html)

\* [ `helpers` ](../../../../../cli/helpers/index.html)

\* [ `install` ](../../../../../cli/install/index.html)

\* [ `main` ](../../../../../cli/main/index.html)

\* [ `main\_clean` ](../../../../../cli/main\_clean/index.html)

- \* [main\_commands](../../cli/main\_commands/index.html)
- \* [main\_compare](../../cli/main\_compare/index.html)
- \* [main\_config](../../cli/main\_config/index.html)
- \* [main\_create](../../cli/main\_create/index.html)
- \* [main\_env](../../cli/main\_env/index.html)
- \* [main\_env\_config](../../cli/main\_env\_config/index.html)
- \* [main\_env\_create](../../cli/main\_env\_create/index.html)
- \* [main\_env\_export](../../cli/main\_env\_export/index.html)
- \* [main\_env\_list](../../cli/main\_env\_list/index.html)
- \* [main\_env\_remove](../../cli/main\_env\_remove/index.html)
- \* [main\_env\_update](../../cli/main\_env\_update/index.html)
- \* [main\_env\_vars](../../cli/main\_env\_vars/index.html)
- \* [main\_export](../../cli/main\_export/index.html)
- \* [main\_info](../../cli/main\_info/index.html)
- \* [main\_init](../../cli/main\_init/index.html)
- \* [main\_install](../../cli/main\_install/index.html)
- \* [main\_list](../../cli/main\_list/index.html)
- \* [main\_mock\_activate](../../cli/main\_mock\_activate/index.html)
- \* [main\_mock\_deactivate](../../cli/main\_mock\_deactivate/index.html)
- \* [main\_notices](../../cli/main\_notices/index.html)
- \* [main\_package](../../cli/main\_package/index.html)
- \* [main\_pip](../../cli/main\_pip/index.html)
- \* [main\_remove](../../cli/main\_remove/index.html)
- \* [main\_rename](../../cli/main\_rename/index.html)
- \* [main\_run](../../cli/main\_run/index.html)
- \* [main\_search](../../cli/main\_search/index.html)
- \* [main\_update](../../cli/main\_update/index.html)

- \* [python\_api](../../cli/python\_api/index.html)
- \* [common](../../common/index.html) \_\_
- \* [\_logic](../../common/\_logic/index.html)
- \* [\_os](../../common/\_os/index.html) \_\_
- \* [linux](../../common/\_os/linux/index.html)
- \* [osx](../../common/\_os/osx/index.html)
- \* [unix](../../common/\_os/unix/index.html)
- \* [windows](../../common/\_os/windows/index.html)
- \* [compat](../../common/compat/index.html)
- \* [configuration](../../common/configuration/index.html)
- \* [constants](../../common/constants/index.html)
- \* [disk](../../common/disk/index.html)
- \* [io](../../common/io/index.html)
- \* [iterators](../../common/iterators/index.html)
- \* [logic](../../common/logic/index.html)
- \* [path](../../common/path/index.html) \_\_
- \* [\_cygpath](../../common/path/\_cygpath/index.html)
- \* [directories](../../common/path/directories/index.html)
- \* [python](../../common/path/python/index.html)
- \* [windows](../../common/path/windows/index.html)
- \* [pkg\_formats](../../common/pkg\_formats/index.html) \_\_
- \* [python](../../common/pkg\_formats/python/index.html)
- \* [serialize](../../common/serialize/index.html)
- \* [signals](../../common/signals/index.html)
- \* [toposort](../../common/toposort/index.html)
- \* [url](../../common/url/index.html)
- \* [core](../../core/index.html) \_\_



- \* [ `envs\_manager`](../../core/envs\_manager/index.html)
- \* [ `index`](../../core/index/index.html)
- \* [ `initialize`](../../core/initialize/index.html)
- \* [ `link`](../../core/link/index.html)
- \* [ `package\_cache\_data`](../../core/package\_cache\_data/index.html)
- \* [ `path\_actions`](../../core/path\_actions/index.html)
- \* [ `portability`](../../core/portability/index.html)
- \* [ `prefix\_data`](../../core/prefix\_data/index.html)
- \* [ `solve`](../../core/solve/index.html)
- \* [ `subdir\_data`](../../core/subdir\_data/index.html)
- \* [ `deprecations`](../../deprecations/index.html)
- \* [ `env`](../../env/index.html) \_\_\_\_
- \* [ ` env`](../../env/env/index.html)
- \* [ `installers`](../../env/installers/index.html) \_\_\_\_
- \* [ ` base`](../../env/installers/base/index.html)
- \* [ `conda`](../../env/installers/conda/index.html)
- \* [ `pip`](../../env/installers/pip/index.html)
- \* [ `pip\_util`](../../env/pip\_util/index.html)
- \* [ `specs`](../../env/specs/index.html) \_\_\_\_
- \* [ ` binstar`](../../env/specs/binstar/index.html)
- \* [ `requirements`](../../env/specs/requirements/index.html)
- \* [ `yaml\_file`](../../env/specs/yaml\_file/index.html)
- \* [ `exception\_handler`](../../exception\_handler/index.html)
- \* [ `exceptions`](../../exceptions/index.html)
- \* [ `exports`](../../exports/index.html)
- \* [ `gateways`](../../index.html) \_\_\_\_
- \* [ ` anaconda\_client`](../../anaconda\_client/index.html)

- \* [ `connection` ](../index.html) \_\_
- \* [ `adapters` ](../index.html) \_\_
- \* [ `ftp` ](../ftp/index.html)
- \* `http`
- \* [ `localfs` ](../localfs/index.html)
- \* [ `s3` ](../s3/index.html)
- \* [ `download` ](../download/index.html)
- \* [ `session` ](../session/index.html)
- \* [ `disk` ](../../disk/index.html) \_\_
- \* [ `create` ](../../disk/create/index.html)
- \* [ `delete` ](../../disk/delete/index.html)
- \* [ `link` ](../../disk/link/index.html)
- \* [ `lock` ](../../disk/lock/index.html)
- \* [ `permissions` ](../../disk/permissions/index.html)
- \* [ `read` ](../../disk/read/index.html)
- \* [ `test` ](../../disk/test/index.html)
- \* [ `update` ](../../disk/update/index.html)
- \* [ `logging` ](../../logging/index.html)
- \* [ `repdata` ](../../repdata/index.html) \_\_
- \* [ `jlap` ](../../repdata/jlap/index.html) \_\_
- \* [ `core` ](../../repdata/jlap/core/index.html)
- \* [ `fetch` ](../../repdata/jlap/fetch/index.html)
- \* [ `interface` ](../../repdata/jlap/interface/index.html)
- \* [ `lock` ](../../repdata/lock/index.html)
- \* [ `subprocess` ](../../subprocess/index.html)
- \* [ `history` ](../../history/index.html)
- \* [ `instructions` ](../../instructions/index.html)

- \* [ `misc` ](../../../../../misc/index.html)
- \* [ `models` ](../../../../../models/index.html) \_\_
  - \* [ `channel` ](../../../../../models/channel/index.html)
  - \* [ `dist` ](../../../../../models/dist/index.html)
  - \* [ `enums` ](../../../../../models/enums/index.html)
  - \* [ `leased\_path\_entry` ](../../../../../models/leased\_path\_entry/index.html)
  - \* [ `match\_spec` ](../../../../../models/match\_spec/index.html)
  - \* [ `package\_info` ](../../../../../models/package\_info/index.html)
  - \* [ `prefix\_graph` ](../../../../../models/prefix\_graph/index.html)
  - \* [ `records` ](../../../../../models/records/index.html)
  - \* [ `version` ](../../../../../models/version/index.html)
- \* [ `notices` ](../../../../../notices/index.html) \_\_
  - \* [ `cache` ](../../../../../notices/cache/index.html)
  - \* [ `core` ](../../../../../notices/core/index.html)
  - \* [ `fetch` ](../../../../../notices/fetch/index.html)
  - \* [ `types` ](../../../../../notices/types/index.html)
  - \* [ `views` ](../../../../../notices/views/index.html)
- \* [ `plan` ](../../../../../plan/index.html)
- \* [ `plugins` ](../../../../../plugins/index.html) \_\_
  - \* [ `hookspec` ](../../../../../plugins/hookspec/index.html)
  - \* [ `manager` ](../../../../../plugins/manager/index.html)
  - \* [ `post\_solves` ](../../../../../plugins/post\_solves/index.html) \_\_
    - \* [ `signature\_verification` ](../../../../../plugins/post\_solves/signature\_verification/index.html)
  - \* [ `reporter\_backends` ](../../../../../plugins/reporter\_backends/index.html) \_\_
    - \* [ `console` ](../../../../../plugins/reporter\_backends/console/index.html)
    - \* [ `json` ](../../../../../plugins/reporter\_backends/json/index.html)
  - \* [ `solvers` ](../../../../../plugins/solvers/index.html)

- \* [ subcommands ](../../plugins/subcommands/index.html) \_\_
- \* [ doctor ](../../plugins/subcommands/doctor/index.html) \_\_
  - \* [ health\_checks ](../../plugins/subcommands/doctor/health\_checks/index.html)
- \* [ types ](../../plugins/types/index.html)
- \* [ virtual\_packages ](../../plugins/virtual\_packages/index.html) \_\_
  - \* [ archspec ](../../plugins/virtual\_packages/archspec/index.html)
  - \* [ conda ](../../plugins/virtual\_packages/conda/index.html)
  - \* [ cuda ](../../plugins/virtual\_packages/cuda/index.html)
  - \* [ freebsd ](../../plugins/virtual\_packages/freebsd/index.html)
  - \* [ linux ](../../plugins/virtual\_packages/linux/index.html)
  - \* [ osx ](../../plugins/virtual\_packages/osx/index.html)
  - \* [ windows ](../../plugins/virtual\_packages/windows/index.html)
- \* [ reporters ](../../reporters/index.html)
- \* [ resolve ](../../resolve/index.html)
- \* [ testing ](../../testing/index.html) \_\_
  - \* [ cases ](../../testing/cases/index.html)
  - \* [ fixtures ](../../testing/fixtures/index.html)
  - \* [ gateways ](../../testing/gateways/index.html) \_\_
    - \* [ fixtures ](../../testing/gateways/fixtures/index.html)
  - \* [ helpers ](../../testing/helpers/index.html)
  - \* [ integration ](../../testing/integration/index.html)
  - \* [ notices ](../../testing/notices/index.html) \_\_
    - \* [ fixtures ](../../testing/notices/fixtures/index.html)
    - \* [ helpers ](../../testing/notices/helpers/index.html)
  - \* [ solver\_helpers ](../../testing/solver\_helpers/index.html)
- \* [ trust ](../../trust/index.html) \_\_
  - \* [ constants ](../../trust/constants/index.html)

\* [signature\_verification](../../trust/signature\_verification/index.html)

\* [utils](../../utils/index.html)

\* [conda\_env](../../conda\_env/index.html) \_\_

\* [cli](../../conda\_env/cli/index.html)

\* [installers](../../conda\_env/installers/index.html)

\* [\_\_](../../index.html)

\* [Developer guide](../../index.html)

\* \_\_

\* [adapters](../index.html)

\*

# [http](https://docs.python.org/3/library/http.html#module-http "(in

Python v3.13\))#

Defines HTTP transport adapter for CondaSession (requests.Session).

Closely derived from pip:

[pypa/pip](https://github.com/pypa/pip/blob/8c24fd2a80bad21aa29aec02fb48bd89a1e8f5e1/src/pip/\_internal/network/session.py#L254)

Under the MIT license:

Copyright (c) 2008-2023 The pip developers (see AUTHORS.txt file on the pip repository)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## Classes#

`\_SSLContextAdapterMixin` | Mixin to add the `ssl\_context` constructor argument to HTTP adapters.

---|---

`HTTPAdapter` | Mixin to add the `ssl\_context` constructor argument to HTTP adapters.

```

class __SSLContextAdapterMixin(_*, _ssl_context :
[ssl.SSLContext](https://docs.python.org/3/library/ssl.html#ssl.SSLContext "(in Python v3.13\)) |
[None](https://docs.python.org/3/library/constants.html#None "(in Python v3.13\)) = None_, _**
kwargs: Any_)#

```

Mixin to add the `ssl\_context` constructor argument to HTTP adapters.

The additional argument is forwarded directly to the pool manager. This allows us to dynamically decide what SSL store to use at runtime, which is used to implement the optional `truststore` backend.

```

init_poolmanager(_connections :
[int](https://docs.python.org/3/library/functions.html#int "(in Python
v3.13\))_, _maxsize :
[int](https://docs.python.org/3/library/functions.html#int "(in Python
v3.13\))_, _block :
[bool](https://docs.python.org/3/library/functions.html#bool "(in Python
v3.13\)) = DEFAULT_POOLBLOCK_, _** pool_kwargs: Any_) -> urllib3.PoolManager#

```

```

class __HTTPAdapter(_*, _ssl_context :
[ssl.SSLContext](https://docs.python.org/3/library/ssl.html#ssl.SSLContext "(in Python v3.13\)) |
[None](https://docs.python.org/3/library/constants.html#None "(in Python v3.13\)) = None_, _**
kwargs: Any_)#

```

Bases: ``_SSLContextAdapterMixin``, ``conda.gateways.connection.HTTPAdapter``

Mixin to add the ``ssl_context`` constructor argument to HTTP adapters.

The additional argument is forwarded directly to the pool manager. This allows us to dynamically decide what SSL store to use at runtime, which is used to implement the optional ``truststore`` backend.

\_\_On this page

#### \* Classes

- \* ``_SSLContextAdapterMixin``

- \* ``_SSLContextAdapterMixin.init_poolmanager()``

- \* ``HTTPAdapter``

[ \_\_Edit on GitHub](<https://github.com/conda/conda/edit/main/docs/source/dev-guide/api/conda/gateways/connection/adapters/http/index.rst>)

[ \_\_Show Source]([../\\_sources/dev-guide/api/conda/gateways/connection/adapters/http/index.rst.txt](https://github.com/conda/conda/blob/main/docs/source/dev-guide/api/conda/gateways/connection/adapters/http/index.rst.txt))

© Copyright 2017, Anaconda, Inc.

Created using [Sphinx](<https://www.sphinx-doc.org/>) 7.4.7.

[ Analytics Dashboard \_\_](<https://docs-conda-io.goatcounter.com> "Analytics



Dashboard")

Built with the [PyData Sphinx Theme](<https://pydata-sphinx-theme.readthedocs.io/en/stable/index.html>) 0.15.4.