Skip to main content
Back to top
`Ctrl`+`K`
[ ![conda 25.1.2.dev29 documentation - Home](/_static/conda_logo_full.svg)
](/index.html)
* [Conda](https://docs.conda.io/projects/conda/)  * [Conda-build](https://docs.conda.io/projects/conda-build)  * [Miniconda](https://docs.anaconda.com/free/miniconda/)  * [conda.org](https://conda.org)
* [ GitHub](https://github.com/conda/conda "GitHub")  * [![Element](/_static/element_logo.svg)](http://bit.ly/conda-chat-room "Element")  * [ Discourse](https://conda.discourse.group/ "Discourse")
* [Conda](https://docs.conda.io/projects/conda/)  * [Conda-build](https://docs.conda.io/projects/conda-build)  * [Miniconda](https://docs.anaconda.com/free/miniconda/)  * [conda.org](https://conda.org)
* [ GitHub](https://github.com/conda/conda "GitHub")  * [![Element](/_static/element_logo.svg)](http://bit.ly/conda-chat-room "Element")  * [ Discourse](https://conda.discourse.group/ "Discourse")

* [User guide](/user-guide/index.html)
* [Getting started with conda](/user-guide/getting-started.html)
* [Installing conda](/user-guide/install/index.html)
* [Installing on Windows](/user-guide/install/windows.html)
* [Installing on macOS](/user-guide/install/macos.html)
* [Installing on Linux](/user-guide/install/linux.html)
* [RPM and Debian Repositories for Miniconda](/user-guide/install/rpm-debian.html)
* [Tasks](/user-guide/tasks/index.html)
* [Managing conda](/user-guide/tasks/manage-conda.html)
* [Managing environments](/user-guide/tasks/manage-environments.html)
* [Managing channels](/user-guide/tasks/manage-channels.html)
* [Managing packages](/user-guide/tasks/manage-pkgs.html)
* [Managing Python](/user-guide/tasks/manage-python.html)
* [Managing virtual packages](/user-guide/tasks/manage-virtual.html)
* [Creating custom channels](/user-guide/tasks/create-custom-channels.html)
* [Creating projects](/user-guide/tasks/creating-projects.html)
* [Viewing command-line help](/user-guide/tasks/view-command-line-help.html)
* [Configuration](/user-guide/configuration/index.html)
* [Using the .condarc conda configuration file](/user-guide/configuration/use-condarc.html)
* [Settings](/user-guide/configuration/settings.html)
* [Administering a multi-user conda
installation](/user-guide/configuration/admin-multi-user-install.html)
* [Mirroring channels](/user-guide/configuration/mirroring.html)
* [Disabling SSL verification](/user-guide/configuration/disable-ssl-verification.html)

\* [Using non-standard certificates](../user-guide/configuration/non-standard-certs.html)

	* [Using	Custom	Locations	for	Environment	and	Package
Cache](/user-guide/c	onfiguration	/custom-env	/-and-pkg-loca	ations.l	ntml)		
* [Improving intero	perability wi	th pip](/use	er-guide/config	guratio	n/pip-interoperat	oility.htm	nl)
* [Using the free cl	hannel](/us	er-guide/co	nfiguration/fre	e-chan	nel.html)		
* [Concepts](/user-	-guide/conce	epts/index.h	tml)				
* [Commands](/u	ser-guide/co	oncepts/cond	da-commands	.html)			
* [Packages](/use	er-guide/con	cepts/packa	iges.html)				
* [Package specific	cation](/use	er-guide/con	cepts/pkg-spe	ecs.htm	nl)		
* [Package search	and install	specification	s](/user-guid	le/cond	cepts/pkg-search	ı.html)	
* [Channels](/use	er-guide/con	cepts/chann	els.html)				
* [Environments](	./user-guide/	/concepts/er	nvironments.h	tml)			
* [Installing with co	onda](/user	-guide/conc	epts/installing	-with-c	onda.html)		
* [Performance](/	user-guide/d	concepts/co	nda-performar	nce.htr	nl)		
* [Conda for data s	scientists](/	user-guide/d	concepts/data	-sciend	ce.html)		
* [Plugins](/user-ç	guide/conce	pts/conda-p	lugins.html)				
* [Troubleshooting](	/user-guide	e/troublesho	oting.html)				
* [Cheatsheet](/use	er-guide/che	eatsheet.htm	nl)				
* [Configuration](/co	onfiguration.l	html)					
* [Commands](index.	.html)						
* [` conda clean`](cl	ean.html)						
* [`conda compare`]	(compare.h	tml)					
* [`conda config`](co	onfig.html)						
* [`conda create`](cr	reate.html)						
* [`conda doctor`](de	octor.html)						
* [`conda env`](env/	index.html)						
* [` conda env con	fig`](env/cor	nfig/index.htr	ml)				
* [` conda env co	nfig vars`](e	nv/config/va	rs/index.html)	_			

* [` conda env config vars list`](env/config/vars/list.html)
* [`conda env config vars set`](env/config/vars/set.html)
* [`conda env config vars unset`](env/config/vars/unset.html)
* [`conda env create`](env/create.html)
* [`conda env export`](env/export.html)
* [`conda env list`](env/list.html)
* [`conda env remove`](env/remove.html)
* [`conda env update`](env/update.html)
* [`conda info`](info.html)
* [`conda init`](init.html)
* [`conda install`](install.html)
* [`conda list`](list.html)
* [`conda notices`](notices.html)
* `conda package`
* [`conda remove`](remove.html)
* [`conda rename`](rename.html)
* [`conda run`](run.html)
* [`conda search`](search.html)
* [`conda update`](update.html)
* [Release notes](/release-notes.html)
* [Glossary](/glossary.html)
* [Developer guide](/dev-guide/index.html)
* [Architecture](/dev-guide/architecture.html)
* [Contributing to conda](/dev-guide/contributing.html)
* [Development Environment](/dev-guide/development-environment.html)
* [Deep dives](/dev-guide/deep-dives/index.html)
* [` conda install`](/dev-guide/deep-dives/install.html)

```
* [`conda init` and `conda activate`](../dev-guide/deep-dives/activation.html)
 * [`conda config` and context](../dev-guide/deep-dives/context.html)
 * [Solvers](../dev-guide/deep-dives/solvers.html)
 * [Logging](../dev-guide/deep-dives/logging.html)
* [Writing Tests](../dev-guide/writing-tests/index.html) ___
 * [Integration Tests](../dev-guide/writing-tests/integration-tests.html)
* [Deprecations](../dev-guide/deprecations.html)
* [Releasing](../dev-guide/releasing.html)
* [Plugins](../dev-guide/plugins/index.html)
 * [Auth Handlers](../dev-guide/plugins/auth_handlers.html)
 * [Health Checks](../dev-guide/plugins/health_checks.html)
 * [Request Headers](../dev-guide/plugins/request_headers.html)
 * [Post-commands](../dev-guide/plugins/post_commands.html)
 * [Pre-commands](../dev-guide/plugins/pre commands.html)
 * [Reporter Backends](../dev-guide/plugins/reporter_backends.html)
 * [Settings](../dev-guide/plugins/settings.html)
 * [Solvers](../dev-guide/plugins/solvers.html)
 * [Subcommands](../dev-guide/plugins/subcommands.html)
 * [Virtual Packages](../dev-guide/plugins/virtual packages.html)
* [Specifications](../dev-guide/specs/index.html) ___
 * [Technical specification: solver state](../dev-guide/specs/solver-state.html)
* [API](../dev-guide/api.html) ___
 * [`conda`](../dev-guide/api/conda/index.html) ___
  * [` __main__`](../dev-guide/api/conda/__main__/index.html)
  * [`_vendor`](../dev-guide/api/conda/_vendor/index.html) ___
   * [`frozendict`](../dev-guide/api/conda/ vendor/frozendict/index.html)
  * [`_version`](../dev-guide/api/conda/_version/index.html)
```

- \* [`activate`](../dev-guide/api/conda/activate/index.html) \* [`api`](../dev-guide/api/conda/api/index.html) \* [`auxlib`](../dev-guide/api/conda/auxlib/index.html) \_\_\_ \* [`collection`](../dev-guide/api/conda/auxlib/collection/index.html) \* [`compat`](../dev-guide/api/conda/auxlib/compat/index.html) \* [`decorators`](../dev-guide/api/conda/auxlib/decorators/index.html) \* [`entity`](../dev-guide/api/conda/auxlib/entity/index.html) \* [`exceptions`](../dev-guide/api/conda/auxlib/exceptions/index.html) \* [`ish`](../dev-guide/api/conda/auxlib/ish/index.html) \* [`logz`](../dev-guide/api/conda/auxlib/logz/index.html) \* [`type\_coercion`](../dev-guide/api/conda/auxlib/type\_coercion/index.html) \* [`base`](../dev-guide/api/conda/base/index.html) \_\_\_ \* [` constants`](../dev-guide/api/conda/base/constants/index.html) \* [`context`](../dev-guide/api/conda/base/context/index.html) \* [`cli`](../dev-guide/api/conda/cli/index.html) \_\_\_ \* [`actions`](../dev-guide/api/conda/cli/actions/index.html) \* [`common`](../dev-guide/api/conda/cli/common/index.html) \* [`conda\_argparse`](../dev-guide/api/conda/cli/conda\_argparse/index.html) \* [`find\_commands`](../dev-guide/api/conda/cli/find\_commands/index.html) \* [`helpers`](../dev-guide/api/conda/cli/helpers/index.html) \* [`install`](../dev-guide/api/conda/cli/install/index.html)
  - \* [`main`](../dev-guide/api/conda/cli/main/index.html)
  - \* [`main\_clean`](../dev-guide/api/conda/cli/main\_clean/index.html)
  - \* [`main\_commands`](../dev-guide/api/conda/cli/main\_commands/index.html)
  - \* [`main\_compare`](../dev-guide/api/conda/cli/main\_compare/index.html)
  - \* [`main\_config`](../dev-guide/api/conda/cli/main\_config/index.html)
  - \* [`main\_create`](../dev-guide/api/conda/cli/main\_create/index.html)

- \* [`main\_env`](../dev-guide/api/conda/cli/main\_env/index.html)
- \* [`main\_env\_config`](../dev-guide/api/conda/cli/main\_env\_config/index.html)
- \* [`main\_env\_create`](../dev-guide/api/conda/cli/main\_env\_create/index.html)
- \* [`main\_env\_export`](../dev-guide/api/conda/cli/main\_env\_export/index.html)
- \* [`main\_env\_list`](../dev-guide/api/conda/cli/main\_env\_list/index.html)
- \* [`main\_env\_remove`](../dev-guide/api/conda/cli/main\_env\_remove/index.html)
- \* [`main\_env\_update`](../dev-guide/api/conda/cli/main\_env\_update/index.html)
- \* [`main\_env\_vars`](../dev-guide/api/conda/cli/main\_env\_vars/index.html)
- \* [`main\_export`](../dev-guide/api/conda/cli/main\_export/index.html)
- \* [`main\_info`](../dev-guide/api/conda/cli/main\_info/index.html)
- \* [`main\_init`](../dev-guide/api/conda/cli/main\_init/index.html)
- \* [`main\_install`](../dev-guide/api/conda/cli/main\_install/index.html)
- \* [`main\_list`](../dev-guide/api/conda/cli/main\_list/index.html)
- \* [`main\_mock\_activate`](../dev-guide/api/conda/cli/main\_mock\_activate/index.html)
- \* [`main\_mock\_deactivate`](../dev-guide/api/conda/cli/main\_mock\_deactivate/index.html)
- \* [`main\_notices`](../dev-guide/api/conda/cli/main\_notices/index.html)
- \* [`main\_package`](../dev-guide/api/conda/cli/main\_package/index.html)
- \* [`main\_pip`](../dev-guide/api/conda/cli/main\_pip/index.html)
- \* [`main\_remove`](../dev-guide/api/conda/cli/main\_remove/index.html)
- \* [`main\_rename`](../dev-guide/api/conda/cli/main\_rename/index.html)
- \* [`main\_run`](../dev-guide/api/conda/cli/main\_run/index.html)
- \* [`main\_search`](../dev-guide/api/conda/cli/main\_search/index.html)
- \* [`main\_update`](../dev-guide/api/conda/cli/main\_update/index.html)
- \* [`python\_api`](../dev-guide/api/conda/cli/python\_api/index.html)
- \* [`common`](../dev-guide/api/conda/common/index.html) \_\_\_
  - \* [` logic`](../dev-guide/api/conda/common/ logic/index.html)
  - \* [`\_os`](../dev-guide/api/conda/common/\_os/index.html) \_\_\_

- \* [`linux`](../dev-guide/api/conda/common/\_os/linux/index.html)
- \* [`osx`](../dev-guide/api/conda/common/\_os/osx/index.html)
- \* [`unix`](../dev-guide/api/conda/common/\_os/unix/index.html)
- \* [`windows`](../dev-guide/api/conda/common/\_os/windows/index.html)
- \* [`compat`](../dev-guide/api/conda/common/compat/index.html)
- \* [`configuration`](../dev-guide/api/conda/common/configuration/index.html)
- \* [`constants`](../dev-guide/api/conda/common/constants/index.html)
- \* [`disk`](../dev-guide/api/conda/common/disk/index.html)
- \* [`io`](../dev-guide/api/conda/common/io/index.html)
- \* [`iterators`](../dev-guide/api/conda/common/iterators/index.html)
- \* [`logic`](../dev-guide/api/conda/common/logic/index.html)
- \* [`path`](../dev-guide/api/conda/common/path/index.html) \_\_\_
  - \* [`\_cygpath`](../dev-guide/api/conda/common/path/\_cygpath/index.html)
  - \* [`directories`](../dev-guide/api/conda/common/path/directories/index.html)
  - \* [`python`](../dev-guide/api/conda/common/path/python/index.html)
  - \* [`windows`](../dev-guide/api/conda/common/path/windows/index.html)
- \* [`pkg\_formats`](../dev-guide/api/conda/common/pkg\_formats/index.html) \_\_\_
  - \* [`python`](../dev-guide/api/conda/common/pkg\_formats/python/index.html)
- \* [`serialize`](../dev-guide/api/conda/common/serialize/index.html)
- \* [`signals`](../dev-guide/api/conda/common/signals/index.html)
- \* [`toposort`](../dev-guide/api/conda/common/toposort/index.html)
- \* [`url`](../dev-guide/api/conda/common/url/index.html)
- \* [`core`](../dev-guide/api/conda/core/index.html) \_\_\_
  - \* [`envs\_manager`](../dev-guide/api/conda/core/envs\_manager/index.html)
  - \* [`index`](../dev-guide/api/conda/core/index/index.html)
  - \* [`initialize`](../dev-guide/api/conda/core/initialize/index.html)
  - \* [`link`](../dev-guide/api/conda/core/link/index.html)

```
* [`package_cache_data`](../dev-guide/api/conda/core/package_cache_data/index.html)
 * [`path_actions`](../dev-guide/api/conda/core/path_actions/index.html)
 * [`portability`](../dev-guide/api/conda/core/portability/index.html)
 * [`prefix_data`](../dev-guide/api/conda/core/prefix_data/index.html)
 * [`solve`](../dev-guide/api/conda/core/solve/index.html)
 * [`subdir_data`](../dev-guide/api/conda/core/subdir_data/index.html)
* [`deprecations`](../dev-guide/api/conda/deprecations/index.html)
* [`env`](../dev-guide/api/conda/env/index.html) ___
 * [`env`](../dev-guide/api/conda/env/env/index.html)
 * [`installers`](../dev-guide/api/conda/env/installers/index.html) ___
  * [` base`](../dev-guide/api/conda/env/installers/base/index.html)
  * [`conda`](../dev-guide/api/conda/env/installers/conda/index.html)
  * [`pip`](../dev-guide/api/conda/env/installers/pip/index.html)
 * [`pip_util`](../dev-guide/api/conda/env/pip_util/index.html)
 * [`specs`](../dev-guide/api/conda/env/specs/index.html) ___
  * [` binstar`](../dev-guide/api/conda/env/specs/binstar/index.html)
  * [`requirements`](../dev-guide/api/conda/env/specs/requirements/index.html)
  * [`yaml_file`](../dev-guide/api/conda/env/specs/yaml_file/index.html)
* [`exception_handler`](../dev-guide/api/conda/exception_handler/index.html)
* [`exceptions`](../dev-guide/api/conda/exceptions/index.html)
* [`exports`](../dev-guide/api/conda/exports/index.html)
* [`gateways`](../dev-guide/api/conda/gateways/index.html) ___
 * [`anaconda_client`](../dev-guide/api/conda/gateways/anaconda_client/index.html)
 * [`connection`](../dev-guide/api/conda/gateways/connection/index.html) ___
  * [` adapters`](../dev-guide/api/conda/gateways/connection/adapters/index.html) ___
   * [`ftp`](../dev-guide/api/conda/gateways/connection/adapters/ftp/index.html)
   * [`http`](../dev-guide/api/conda/gateways/connection/adapters/http/index.html)
```

```
* [`localfs`](../dev-guide/api/conda/gateways/connection/adapters/localfs/index.html)
   * [`s3`](../dev-guide/api/conda/gateways/connection/adapters/s3/index.html)
  * [`download`](../dev-guide/api/conda/gateways/connection/download/index.html)
  * [`session`](../dev-guide/api/conda/gateways/connection/session/index.html)
 * [`disk`](../dev-guide/api/conda/gateways/disk/index.html) ___
  * [` create`](../dev-guide/api/conda/gateways/disk/create/index.html)
  * [`delete`](../dev-guide/api/conda/gateways/disk/delete/index.html)
  * [`link`](../dev-guide/api/conda/gateways/disk/link/index.html)
  * [`lock`](../dev-guide/api/conda/gateways/disk/lock/index.html)
  * [`permissions`](../dev-guide/api/conda/gateways/disk/permissions/index.html)
  * [`read`](../dev-guide/api/conda/gateways/disk/read/index.html)
  * [`test`](../dev-guide/api/conda/gateways/disk/test/index.html)
  * [`update`](../dev-guide/api/conda/gateways/disk/update/index.html)
 * [`logging`](../dev-guide/api/conda/gateways/logging/index.html)
 * [`repodata`](../dev-guide/api/conda/gateways/repodata/index.html) ____
  * [` jlap`](../dev-guide/api/conda/gateways/repodata/jlap/index.html) ___
   * [`core`](../dev-guide/api/conda/gateways/repodata/jlap/core/index.html)
   * [`fetch`](../dev-guide/api/conda/gateways/repodata/jlap/fetch/index.html)
   * [`interface`](../dev-guide/api/conda/gateways/repodata/jlap/interface/index.html)
  * [`lock`](../dev-guide/api/conda/gateways/repodata/lock/index.html)
 * [`subprocess`](../dev-guide/api/conda/gateways/subprocess/index.html)
* [`history`](../dev-guide/api/conda/history/index.html)
* [`instructions`](../dev-guide/api/conda/instructions/index.html)
* [`misc`](../dev-guide/api/conda/misc/index.html)
* [`models`](../dev-guide/api/conda/models/index.html) ___
 * [` channel`](../dev-guide/api/conda/models/channel/index.html)
 * [`dist`](../dev-guide/api/conda/models/dist/index.html)
```

```
* [`leased_path_entry`](../dev-guide/api/conda/models/leased_path_entry/index.html)
      * [`match_spec`](../dev-guide/api/conda/models/match_spec/index.html)
      * [`package info`](../dev-guide/api/conda/models/package info/index.html)
      * [`prefix_graph`](../dev-guide/api/conda/models/prefix_graph/index.html)
      * [`records`](../dev-guide/api/conda/models/records/index.html)
      * [`version`](../dev-guide/api/conda/models/version/index.html)
     * [`notices`](../dev-guide/api/conda/notices/index.html) ___
      * [`cache`](../dev-quide/api/conda/notices/cache/index.html)
      * [`core`](../dev-guide/api/conda/notices/core/index.html)
      * [`fetch`](../dev-guide/api/conda/notices/fetch/index.html)
      * [`types`](../dev-guide/api/conda/notices/types/index.html)
      * [`views`](../dev-guide/api/conda/notices/views/index.html)
     * [`plan`](../dev-guide/api/conda/plan/index.html)
     * [`plugins`](../dev-guide/api/conda/plugins/index.html) ___
      * [` hookspec`](../dev-guide/api/conda/plugins/hookspec/index.html)
      * [`manager`](../dev-guide/api/conda/plugins/manager/index.html)
      * [`post_solves`](../dev-guide/api/conda/plugins/post_solves/index.html) ___
                                                                                                    Į,
signature_verification`](../dev-guide/api/conda/plugins/post_solves/signature_verification/index.html)
      * [`reporter_backends`](../dev-guide/api/conda/plugins/reporter_backends/index.html) ___
       * [` console`](../dev-quide/api/conda/plugins/reporter_backends/console/index.html)
       * [`json`](../dev-guide/api/conda/plugins/reporter_backends/json/index.html)
      * [`solvers`](../dev-guide/api/conda/plugins/solvers/index.html)
      * [`subcommands`](../dev-guide/api/conda/plugins/subcommands/index.html) ___
       * [`doctor`](../dev-guide/api/conda/plugins/subcommands/doctor/index.html)
                                                                                                    [`
```

\* [`enums`](../dev-guide/api/conda/models/enums/index.html)

health_checks`](/dev-guide/api/conda/plugins/subcommands/doctor/health_checks/index.html)
* [`types`](/dev-guide/api/conda/plugins/types/index.html)
* [`virtual_packages`](/dev-guide/api/conda/plugins/virtual_packages/index.html)
* [`archspec`](/dev-guide/api/conda/plugins/virtual_packages/archspec/index.html)
* [`conda`](/dev-guide/api/conda/plugins/virtual_packages/conda/index.html)
* [`cuda`](/dev-guide/api/conda/plugins/virtual_packages/cuda/index.html)
* [`freebsd`](/dev-guide/api/conda/plugins/virtual_packages/freebsd/index.html)
* [`linux`](/dev-guide/api/conda/plugins/virtual_packages/linux/index.html)
* [`osx`](/dev-guide/api/conda/plugins/virtual_packages/osx/index.html)
* [`windows`](/dev-guide/api/conda/plugins/virtual_packages/windows/index.html)
* [`reporters`](/dev-guide/api/conda/reporters/index.html)
* [`resolve`](/dev-guide/api/conda/resolve/index.html)
* [`testing`](/dev-guide/api/conda/testing/index.html)
* [` cases`](/dev-guide/api/conda/testing/cases/index.html)
* [`fixtures`](/dev-guide/api/conda/testing/fixtures/index.html)
* [`gateways`](/dev-guide/api/conda/testing/gateways/index.html)
* [`fixtures`](/dev-guide/api/conda/testing/gateways/fixtures/index.html)
* [`helpers`](/dev-guide/api/conda/testing/helpers/index.html)
* [`integration`](/dev-guide/api/conda/testing/integration/index.html)
* [`notices`](/dev-guide/api/conda/testing/notices/index.html)
* [`fixtures`](/dev-guide/api/conda/testing/notices/fixtures/index.html)
* [`helpers`](/dev-guide/api/conda/testing/notices/helpers/index.html)
* [`solver_helpers`](/dev-guide/api/conda/testing/solver_helpers/index.html)
* [`trust`](/dev-guide/api/conda/trust/index.html)
* [` constants`](/dev-guide/api/conda/trust/constants/index.html)
* [`signature_verification`](/dev-guide/api/conda/trust/signature_verification/index.html)
* [`utils`](/dev-guide/api/conda/utils/index.html)

```
* [`conda_env`](../dev-guide/api/conda_env/index.html) ___
     * [`cli`](../dev-guide/api/conda_env/cli/index.html)
     * [`installers`](../dev-guide/api/conda_env/installers/index.html)
 * [ ___](../index.html)
 * [Commands](index.html)
# `conda package`#
Create low-level conda packages. (EXPERIMENTAL)
  usage: conda package [-h] [-n ENVIRONMENT | -p PATH] [-w PATH [PATH ...]] [-r]
               [-u] [--pkg-name PKG_NAME] [--pkg-version PKG_VERSION]
               [--pkg-build PKG_BUILD]
## Named Arguments#
`-w, --which`
```

Given some file's PATH, print which conda package the file came from.

`-r,reset`
Remove all untracked files and exit.
`-u,untracked`
Display all untracked files and exit.
`pkg-name`
Designate package name of the package being created.
`pkg-version`
Designate package version of the package being created.
Designate package version of the package being created.
`pkg-build`
prg-balla

Designate package build number of the package being created.
## Target Environment Specification#
`-n,name`
Name of environment.
`-p,prefix`
Full path to environment location (i.e. prefix).
On this page
* Named Arguments  * Target Environment Specification
rarget Environment opecinication
[Edit on  GitHub](https://github.com/conda/conda/edit/main/docs/source/commands/package.rst)
[Show Source](/_sources/commands/package.rst.txt)

© Copyright 2017, Anaconda, Inc.

Created using [Sphinx](https://www.sphinx-doc.org/) 7.4.7.

[ Analytics Dashboard \_\_](https://docs-conda-io.goatcounter.com "Analytics Dashboard")

Built with the [PyData Sphinx Theme](https://pydata-sphinx-theme.readthedocs.io/en/stable/index.html) 0.15.4.