

[Skip to main content](#)

[\\_\\_Back to top](#)

[\\_\\_ `Ctrl` + `K`](#)

[ [!\[conda 25.1.2.dev29 documentation - Home\]\(../\\_static/conda\\_logo\\_full.svg\)](#)  
[\]\(../index.html\)](#)

\* [\[Conda\]\(https://docs.conda.io/projects/conda/\)](https://docs.conda.io/projects/conda/)

\* [\[Conda-build\]\(https://docs.conda.io/projects/conda-build\)](https://docs.conda.io/projects/conda-build/)

\* [\[Miniconda\]\(https://docs.anaconda.com/free/miniconda/\)](https://docs.anaconda.com/free/miniconda/)

\* [\[conda.org\]\(https://conda.org\)](https://conda.org)

\* [\[\\_\\_ GitHub\]\(https://github.com/conda/conda "GitHub"\)](https://github.com/conda/conda)

\* [\[!\[Element\]\(../\\_static/element\\_logo.svg\)\]\(http://bit.ly/conda-chat-room "Element"\)](http://bit.ly/conda-chat-room)

\* [\[\\_\\_ Discourse\]\(https://conda.discourse.group/ "Discourse"\)](https://conda.discourse.group/)

\* [\[Conda\]\(https://docs.conda.io/projects/conda/\)](https://docs.conda.io/projects/conda/)

\* [\[Conda-build\]\(https://docs.conda.io/projects/conda-build\)](https://docs.conda.io/projects/conda-build/)

\* [\[Miniconda\]\(https://docs.anaconda.com/free/miniconda/\)](https://docs.anaconda.com/free/miniconda/)

\* [\[conda.org\]\(https://conda.org\)](https://conda.org)

\* [\[\\_\\_ GitHub\]\(https://github.com/conda/conda "GitHub"\)](https://github.com/conda/conda)

\* [\[!\[Element\]\(../\\_static/element\\_logo.svg\)\]\(http://bit.ly/conda-chat-room "Element"\)](http://bit.ly/conda-chat-room)

\* [\[\\_\\_ Discourse\]\(https://conda.discourse.group/ "Discourse"\)](https://conda.discourse.group/)

## Navigation

- \* [User guide](../user-guide/index.html) \_\_
- \* [Getting started with conda](../user-guide/getting-started.html)
- \* [Installing conda](../user-guide/install/index.html) \_\_
  - \* [Installing on Windows](../user-guide/install/windows.html)
  - \* [Installing on macOS](../user-guide/install/macos.html)
  - \* [Installing on Linux](../user-guide/install/linux.html)
  - \* [RPM and Debian Repositories for Miniconda](../user-guide/install/rpm-debian.html)
- \* [Tasks](../user-guide/tasks/index.html) \_\_
  - \* [Managing conda](../user-guide/tasks/manage-conda.html)
  - \* [Managing environments](../user-guide/tasks/manage-environments.html)
  - \* [Managing channels](../user-guide/tasks/manage-channels.html)
  - \* [Managing packages](../user-guide/tasks/manage-pkgs.html)
  - \* [Managing Python](../user-guide/tasks/manage-python.html)
  - \* [Managing virtual packages](../user-guide/tasks/manage-virtual.html)
  - \* [Creating custom channels](../user-guide/tasks/create-custom-channels.html)
  - \* [Creating projects](../user-guide/tasks/creating-projects.html)
  - \* [Viewing command-line help](../user-guide/tasks/view-command-line-help.html)
- \* [Configuration](../user-guide/configuration/index.html) \_\_
  - \* [Using the .condarc conda configuration file](../user-guide/configuration/use-condarc.html)
  - \* [Settings](../user-guide/configuration/settings.html)
  - \* [Administering a multi-user conda installation](../user-guide/configuration/admin-multi-user-install.html)
  - \* [Mirroring channels](../user-guide/configuration/mirroring.html)
  - \* [Disabling SSL verification](../user-guide/configuration/disable-ssl-verification.html)
  - \* [Using non-standard certificates](../user-guide/configuration/non-standard-certs.html)

\* [Using Custom Locations for Environment and Package

Cache](../user-guide/configuration/custom-env-and-pkg-locations.html)

\* [Improving interoperability with pip](../user-guide/configuration/pip-interoperability.html)

\* [Using the free channel](../user-guide/configuration/free-channel.html)

\* [Concepts](../user-guide/concepts/index.html) \_\_

\* [Commands](../user-guide/concepts/conda-commands.html)

\* [Packages](../user-guide/concepts/packages.html)

\* [Package specification](../user-guide/concepts/pkg-specs.html)

\* [Package search and install specifications](../user-guide/concepts/pkg-search.html)

\* [Channels](../user-guide/concepts/channels.html)

\* [Environments](../user-guide/concepts/environments.html)

\* [Installing with conda](../user-guide/concepts/installing-with-conda.html)

\* [Performance](../user-guide/concepts/conda-performance.html)

\* [Conda for data scientists](../user-guide/concepts/data-science.html)

\* [Plugins](../user-guide/concepts/conda-plugins.html)

\* [Troubleshooting](../user-guide/troubleshooting.html)

\* [Cheatsheet](../user-guide/cheatsheet.html)

\* [Configuration](../configuration.html)

\* [Commands](../commands/index.html) \_\_

\* [``conda clean``](../commands/clean.html)

\* [``conda compare``](../commands/compare.html)

\* [``conda config``](../commands/config.html)

\* [``conda create``](../commands/create.html)

\* [``conda doctor``](../commands/doctor.html)

\* [``conda env``](../commands/env/index.html) \_\_

\* [``conda env config``](../commands/env/config/index.html) \_\_

\* [``conda env config vars``](../commands/env/config/vars/index.html) \_\_

- \* [`conda env config vars list``](../commands/env/config/vars/list.html)
- \* [`conda env config vars set``](../commands/env/config/vars/set.html)
- \* [`conda env config vars unset``](../commands/env/config/vars/unset.html)
- \* [`conda env create``](../commands/env/create.html)
- \* [`conda env export``](../commands/env/export.html)
- \* [`conda env list``](../commands/env/list.html)
- \* [`conda env remove``](../commands/env/remove.html)
- \* [`conda env update``](../commands/env/update.html)
- \* [`conda info``](../commands/info.html)
- \* [`conda init``](../commands/init.html)
- \* [`conda install``](../commands/install.html)
- \* [`conda list``](../commands/list.html)
- \* [`conda notices``](../commands/notices.html)
- \* [`conda package``](../commands/package.html)
- \* [`conda remove``](../commands/remove.html)
- \* [`conda rename``](../commands/rename.html)
- \* [`conda run``](../commands/run.html)
- \* [`conda search``](../commands/search.html)
- \* [`conda update``](../commands/update.html)
- \* [Release notes](../release-notes.html)
- \* [Glossary](../glossary.html)
- \* [Developer guide](index.html) \_\_\_\_
- \* [Architecture](architecture.html)
- \* [Contributing to conda](contributing.html)
- \* [Development Environment](development-environment.html)
- \* [Deep dives](deep-dives/index.html) \_\_\_\_
- \* [`conda install``](deep-dives/install.html)

- \* [``conda init`` and ``conda activate``](deep-dives/activation.html)
- \* [``conda config`` and context](deep-dives/context.html)
- \* [Solvers](deep-dives/solvers.html)
- \* [Logging](deep-dives/logging.html)
- \* [Writing Tests](writing-tests/index.html) \_\_
- \* [Integration Tests](writing-tests/integration-tests.html)
- \* [Deprecations](deprecations.html)
- \* [Releasing](releasing.html)
- \* [Plugins](plugins/index.html) \_\_
- \* [Auth Handlers](plugins/auth\_handlers.html)
- \* [Health Checks](plugins/health\_checks.html)
- \* [Request Headers](plugins/request\_headers.html)
- \* [Post-commands](plugins/post\_commands.html)
- \* [Pre-commands](plugins/pre\_commands.html)
- \* [Reporter Backends](plugins/reporter\_backends.html)
- \* [Settings](plugins/settings.html)
- \* [Solvers](plugins/solvers.html)
- \* [Subcommands](plugins/subcommands.html)
- \* [Virtual Packages](plugins/virtual\_packages.html)
- \* [Specifications](specs/index.html) \_\_
- \* [Technical specification: solver state](specs/solver-state.html)
- \* API \_\_
- \* [``conda``](api/conda/index.html) \_\_
- \* [``__main__``](api/conda/\_\_main\_\_/index.html)
- \* [``_vendor``](api/conda/\_vendor/index.html) \_\_
- \* [``frozendict``](api/conda/\_vendor/frozendict/index.html)
- \* [``_version``](api/conda/\_version/index.html)

- \* `[`activate`](api/conda/activate/index.html)`
- \* `[`api`](api/conda/api/index.html)`
- \* `[`auxlib`](api/conda/auxlib/index.html)` \_\_
  - \* `[`collection`](api/conda/auxlib/collection/index.html)`
  - \* `[`compat`](api/conda/auxlib/compat/index.html)`
  - \* `[`decorators`](api/conda/auxlib/decorators/index.html)`
  - \* `[`entity`](api/conda/auxlib/entity/index.html)`
  - \* `[`exceptions`](api/conda/auxlib/exceptions/index.html)`
  - \* `[`ish`](api/conda/auxlib/ish/index.html)`
  - \* `[`logz`](api/conda/auxlib/logz/index.html)`
  - \* `[`type_coercion`](api/conda/auxlib/type_coercion/index.html)`
- \* `[`base`](api/conda/base/index.html)` \_\_
  - \* `[`constants`](api/conda/base/constants/index.html)`
  - \* `[`context`](api/conda/base/context/index.html)`
- \* `[`cli`](api/conda/cli/index.html)` \_\_
  - \* `[`actions`](api/conda/cli/actions/index.html)`
  - \* `[`common`](api/conda/cli/common/index.html)`
  - \* `[`conda_argparse`](api/conda/cli/conda_argparse/index.html)`
  - \* `[`find_commands`](api/conda/cli/find_commands/index.html)`
  - \* `[`helpers`](api/conda/cli/helpers/index.html)`
  - \* `[`install`](api/conda/cli/install/index.html)`
  - \* `[`main`](api/conda/cli/main/index.html)`
  - \* `[`main_clean`](api/conda/cli/main_clean/index.html)`
  - \* `[`main_commands`](api/conda/cli/main_commands/index.html)`
  - \* `[`main_compare`](api/conda/cli/main_compare/index.html)`
  - \* `[`main_config`](api/conda/cli/main_config/index.html)`
  - \* `[`main_create`](api/conda/cli/main_create/index.html)`

- \* [main\_env](api/conda/cli/main\_env/index.html)
- \* [main\_env\_config](api/conda/cli/main\_env\_config/index.html)
- \* [main\_env\_create](api/conda/cli/main\_env\_create/index.html)
- \* [main\_env\_export](api/conda/cli/main\_env\_export/index.html)
- \* [main\_env\_list](api/conda/cli/main\_env\_list/index.html)
- \* [main\_env\_remove](api/conda/cli/main\_env\_remove/index.html)
- \* [main\_env\_update](api/conda/cli/main\_env\_update/index.html)
- \* [main\_env\_vars](api/conda/cli/main\_env\_vars/index.html)
- \* [main\_export](api/conda/cli/main\_export/index.html)
- \* [main\_info](api/conda/cli/main\_info/index.html)
- \* [main\_init](api/conda/cli/main\_init/index.html)
- \* [main\_install](api/conda/cli/main\_install/index.html)
- \* [main\_list](api/conda/cli/main\_list/index.html)
- \* [main\_mock\_activate](api/conda/cli/main\_mock\_activate/index.html)
- \* [main\_mock\_deactivate](api/conda/cli/main\_mock\_deactivate/index.html)
- \* [main\_notices](api/conda/cli/main\_notices/index.html)
- \* [main\_package](api/conda/cli/main\_package/index.html)
- \* [main\_pip](api/conda/cli/main\_pip/index.html)
- \* [main\_remove](api/conda/cli/main\_remove/index.html)
- \* [main\_rename](api/conda/cli/main\_rename/index.html)
- \* [main\_run](api/conda/cli/main\_run/index.html)
- \* [main\_search](api/conda/cli/main\_search/index.html)
- \* [main\_update](api/conda/cli/main\_update/index.html)
- \* [python\_api](api/conda/cli/python\_api/index.html)
- \* [common](api/conda/common/index.html) \_\_
- \* [\_logic](api/conda/common/\_logic/index.html)
- \* [\_os](api/conda/common/\_os/index.html) \_\_

- \* [`linux``](api/conda/common/\_os/linux/index.html)
- \* [`osx``](api/conda/common/\_os/osx/index.html)
- \* [`unix``](api/conda/common/\_os/unix/index.html)
- \* [`windows``](api/conda/common/\_os/windows/index.html)
- \* [`compat``](api/conda/common/compat/index.html)
- \* [`configuration``](api/conda/common/configuration/index.html)
- \* [`constants``](api/conda/common/constants/index.html)
- \* [`disk``](api/conda/common/disk/index.html)
- \* [`io``](api/conda/common/io/index.html)
- \* [`iterators``](api/conda/common/iterators/index.html)
- \* [`logic``](api/conda/common/logic/index.html)
- \* [`path``](api/conda/common/path/index.html) \_\_
- \* [`_cygpath``](api/conda/common/path/\_cygpath/index.html)
- \* [`directories``](api/conda/common/path/directories/index.html)
- \* [`python``](api/conda/common/path/python/index.html)
- \* [`windows``](api/conda/common/path/windows/index.html)
- \* [`pkg_formats``](api/conda/common/pkg\_formats/index.html) \_\_
- \* [`python``](api/conda/common/pkg\_formats/python/index.html)
- \* [`serialize``](api/conda/common/serialize/index.html)
- \* [`signals``](api/conda/common/signals/index.html)
- \* [`toposort``](api/conda/common/toposort/index.html)
- \* [`url``](api/conda/common/url/index.html)
- \* [`core``](api/conda/core/index.html) \_\_
- \* [`envs_manager``](api/conda/core/envs\_manager/index.html)
- \* [`index``](api/conda/core/index/index.html)
- \* [`initialize``](api/conda/core/initialize/index.html)
- \* [`link``](api/conda/core/link/index.html)



- \* [ `package\_cache\_data` ](api/conda/core/package\_cache\_data/index.html)
- \* [ `path\_actions` ](api/conda/core/path\_actions/index.html)
- \* [ `portability` ](api/conda/core/portability/index.html)
- \* [ `prefix\_data` ](api/conda/core/prefix\_data/index.html)
- \* [ `solve` ](api/conda/core/solve/index.html)
- \* [ `subdir\_data` ](api/conda/core/subdir\_data/index.html)
- \* [ `deprecations` ](api/conda/deprecations/index.html)
- \* [ `env` ](api/conda/env/index.html) \_\_\_\_
- \* [ ` env` ](api/conda/env/env/index.html)
- \* [ `installers` ](api/conda/env/installers/index.html) \_\_\_\_
- \* [ ` base` ](api/conda/env/installers/base/index.html)
- \* [ `conda` ](api/conda/env/installers/conda/index.html)
- \* [ `pip` ](api/conda/env/installers/pip/index.html)
- \* [ `pip\_util` ](api/conda/env/pip\_util/index.html)
- \* [ `specs` ](api/conda/env/specs/index.html) \_\_\_\_
- \* [ ` binstar` ](api/conda/env/specs/binstar/index.html)
- \* [ `requirements` ](api/conda/env/specs/requirements/index.html)
- \* [ `yaml\_file` ](api/conda/env/specs/yaml\_file/index.html)
- \* [ `exception\_handler` ](api/conda/exception\_handler/index.html)
- \* [ `exceptions` ](api/conda/exceptions/index.html)
- \* [ `exports` ](api/conda/exports/index.html)
- \* [ `gateways` ](api/conda/gateways/index.html) \_\_\_\_
- \* [ ` anaconda\_client` ](api/conda/gateways/anaconda\_client/index.html)
- \* [ `connection` ](api/conda/gateways/connection/index.html) \_\_\_\_
- \* [ ` adapters` ](api/conda/gateways/connection/adapters/index.html) \_\_\_\_
- \* [ ` ftp` ](api/conda/gateways/connection/adapters/ftp/index.html)
- \* [ `http` ](api/conda/gateways/connection/adapters/http/index.html)

- \* [localfs](api/conda/gateways/connection/adapters/localfs/index.html)
- \* [s3](api/conda/gateways/connection/adapters/s3/index.html)
- \* [download](api/conda/gateways/connection/download/index.html)
- \* [session](api/conda/gateways/connection/session/index.html)
- \* [disk](api/conda/gateways/disk/index.html) \_\_
- \* [create](api/conda/gateways/disk/create/index.html)
- \* [delete](api/conda/gateways/disk/delete/index.html)
- \* [link](api/conda/gateways/disk/link/index.html)
- \* [lock](api/conda/gateways/disk/lock/index.html)
- \* [permissions](api/conda/gateways/disk/permissions/index.html)
- \* [read](api/conda/gateways/disk/read/index.html)
- \* [test](api/conda/gateways/disk/test/index.html)
- \* [update](api/conda/gateways/disk/update/index.html)
- \* [logging](api/conda/gateways/logging/index.html)
- \* [repodata](api/conda/gateways/repodata/index.html) \_\_
- \* [jlap](api/conda/gateways/repodata/jlap/index.html) \_\_
- \* [core](api/conda/gateways/repodata/jlap/core/index.html)
- \* [fetch](api/conda/gateways/repodata/jlap/fetch/index.html)
- \* [interface](api/conda/gateways/repodata/jlap/interface/index.html)
- \* [lock](api/conda/gateways/repodata/lock/index.html)
- \* [subprocess](api/conda/gateways/subprocess/index.html)
- \* [history](api/conda/history/index.html)
- \* [instructions](api/conda/instructions/index.html)
- \* [misc](api/conda/misc/index.html)
- \* [models](api/conda/models/index.html) \_\_
- \* [channel](api/conda/models/channel/index.html)
- \* [dist](api/conda/models/dist/index.html)

- \* [enums`](api/conda/models/enums/index.html)
- \* [leased\_path\_entry`](api/conda/models/leased\_path\_entry/index.html)
- \* [match\_spec`](api/conda/models/match\_spec/index.html)
- \* [package\_info`](api/conda/models/package\_info/index.html)
- \* [prefix\_graph`](api/conda/models/prefix\_graph/index.html)
- \* [records`](api/conda/models/records/index.html)
- \* [version`](api/conda/models/version/index.html)
- \* [notices`](api/conda/notices/index.html) \_\_\_\_
- \* [ cache`](api/conda/notices/cache/index.html)
- \* [ core`](api/conda/notices/core/index.html)
- \* [ fetch`](api/conda/notices/fetch/index.html)
- \* [ types`](api/conda/notices/types/index.html)
- \* [ views`](api/conda/notices/views/index.html)
- \* [plan`](api/conda/plan/index.html)
- \* [plugins`](api/conda/plugins/index.html) \_\_\_\_
- \* [ hookspec`](api/conda/plugins/hookspec/index.html)
- \* [ manager`](api/conda/plugins/manager/index.html)
- \* [post\_solves`](api/conda/plugins/post\_solves/index.html) \_\_\_\_
- \* [ signature\_verification`](api/conda/plugins/post\_solves/signature\_verification/index.html)
- \* [reporter\_backends`](api/conda/plugins/reporter\_backends/index.html) \_\_\_\_
- \* [ console`](api/conda/plugins/reporter\_backends/console/index.html)
- \* [ json`](api/conda/plugins/reporter\_backends/json/index.html)
- \* [ solvers`](api/conda/plugins/solvers/index.html)
- \* [subcommands`](api/conda/plugins/subcommands/index.html) \_\_\_\_
- \* [ doctor`](api/conda/plugins/subcommands/doctor/index.html) \_\_\_\_
- \* [ health\_checks`](api/conda/plugins/subcommands/doctor/health\_checks/index.html)
- \* [types`](api/conda/plugins/types/index.html)

- \* [`virtual_packages``](api/conda/plugins/virtual\_packages/index.html) \_\_
- \* [`archspeg``](api/conda/plugins/virtual\_packages/archspeg/index.html)
- \* [`conda``](api/conda/plugins/virtual\_packages/conda/index.html)
- \* [`cuda``](api/conda/plugins/virtual\_packages/cuda/index.html)
- \* [`freebsd``](api/conda/plugins/virtual\_packages/freebsd/index.html)
- \* [`linux``](api/conda/plugins/virtual\_packages/linux/index.html)
- \* [`osx``](api/conda/plugins/virtual\_packages/osx/index.html)
- \* [`windows``](api/conda/plugins/virtual\_packages/windows/index.html)
- \* [`reporters``](api/conda/reporters/index.html)
- \* [`resolve``](api/conda/resolve/index.html)
- \* [`testing``](api/conda/testing/index.html) \_\_
- \* [`cases``](api/conda/testing/cases/index.html)
- \* [`fixtures``](api/conda/testing/fixtures/index.html)
- \* [`gateways``](api/conda/testing/gateways/index.html) \_\_
- \* [`fixtures``](api/conda/testing/gateways/fixtures/index.html)
- \* [`helpers``](api/conda/testing/helpers/index.html)
- \* [`integration``](api/conda/testing/integration/index.html)
- \* [`notices``](api/conda/testing/notices/index.html) \_\_
- \* [`fixtures``](api/conda/testing/notices/fixtures/index.html)
- \* [`helpers``](api/conda/testing/notices/helpers/index.html)
- \* [`solver_helpers``](api/conda/testing/solver\_helpers/index.html)
- \* [`trust``](api/conda/trust/index.html) \_\_
- \* [`constants``](api/conda/trust/constants/index.html)
- \* [`signature_verification``](api/conda/trust/signature\_verification/index.html)
- \* [`utils``](api/conda/utils/index.html)
- \* [`conda_env``](api/conda\_env/index.html) \_\_
- \* [`cli``](api/conda\_env/cli/index.html)

\* `[`installers`](api/conda_env/installers/index.html)`

\* `[__](../index.html)`

\* `[Developer guide](index.html)`

\* API

# API#

As of conda 4.4, conda can be installed in any environment, not just environments with names starting with `_` (underscore). That change was made, in part, so that conda can be used as a Python library.

As of conda 4.5, we do not support ``pip install conda``. However, we are considering that as a supported bootstrap method in the future.

`[__Edit on GitHub](https://github.com/conda/conda/edit/main/docs/source/dev-guide/api.rst)`

`[__Show Source](../_sources/dev-guide/api.rst.txt)`

© Copyright 2017, Anaconda, Inc.

Created using `[Sphinx](https://www.sphinx-doc.org/)` 7.4.7.

`[ Analytics Dashboard __](https://docs-conda-io.goatcounter.com "Analytics Dashboard")`

