```
Skip to content
![Logo for Cornell University](/assets/cornell-reduced-white.png)
[We gratefully acknowledge support from the Simons Foundation, member
institutions, and all contributors.](https://arxiv.org/about/funding)
[![logo](../assets/arxiv-logo-one-color-white.svg)](https://arxiv.org "arXiv
info")
arXiv info
Trackbacks
Initializing search
[ GitHub ](https://github.com/arXiv/arxiv-docs "Go to repository")
[![logo](../assets/arxiv-logo-one-color-white.svg)](https://arxiv.org "arXiv
info") arXiv info
[ GitHub ](https://github.com/arXiv/arxiv-docs "Go to repository")
 * [ Home ](../index.html)
 * About About
  * [ About arXiv ](../about/index.html)
  * [ Who we are ](../about/people/index.html)
```

- \* Governance Governance
- \* [ arXiv Governance Model ](../about/governance.html)
- \* [ Bylaws ](../about/arXiv bylaws.html)
- \* [ arXiv Advisory Board ](../about/people/arxiv\_advisory\_board.html)
- \* [ Science Advisory Council ](../about/people/science\_advisory\_council.html)
- \* [ Editorial Advisory Council ](../about/people/editorial\_advisory\_council.html)
- \* [ Institutions Advisory Council ](../about/people/institutions\_advisory\_council.html)
- \* [ Membership ](../about/membership.html)
- \* [ Funding ](../about/funding.html)
- \* [ Reports ](../about/reports/index.html)
- \* [ Accessibility ](../about/accessibility.html)
- \* [ arXiv Blog ](https://blog.arxiv.org/)
- \* Help Help
  - \* [ arXiv Help Contents ](index.html)
  - \* Submit an Article Submit an Article
    - \* [ Submission Overview ](submit/index.html)
    - \* [ Submit TeX/LaTeX ](submit\_tex.html)
    - \* [ Submit a PDF ](submit\_pdf.html)
    - \* FAQ FAQ
      - \* [ Frequently Asked Questions ](faq/index.html)
      - \* [ LaTeX2e class for Astronomy & Astrophysics ](fag/aaclass.html)
      - \* [ AMS LaTeX packages and AMS Journal styles ](fag/amslatex2000.html)
      - \* [ Downloaded .gz Files that are not Gzipped ](faq/browsergunzip.html)
      - \* [ Why do my citations appear in long form ](faq/citelinks.html)
      - \* [ Examples of TeX Double Subscripts ](faq/doublesubscript.html)
      - \* [ Papersize/Layout Problems: Margins are Different and/or Text is Truncated ](fag/dvips.html)
      - \* [ Using Feynmf on arXiv ](fag/feynmf.html)

- \* [ Proprietary fonts and/or their free equivalents ](faq/freefonts.html)
- \* [ How to Prepare Pages for Landscape Printout ](faq/landscape.html)
- \* [ Common Mistakes that cause Automated Processing to Fail ](faq/mistakes.html)
- \* [ Why do my user defined symbols display incorrectly ](faq/pd1enc.html)
- \* [ Why are some pages in the generated PDF file rotated? ](fag/pdfrotate.html)
- \* [ Why are there Problems with my PostScript File? ](faq/psbad.html)
- \* [ Why is my PostScript File so Large? ](faq/psjunk.html)
- \* [ Using PSTricks on arXiv ](faq/pstricks.html)
- \* [ References to and in arXiv Documents ](fag/references.html)
- \* [ Status of REVTeX 4 and REVTeX 4.1 support ](faq/revtex.html)
- \* [ Nota Bene (updated 30 Jun '97) ](faq/srcfaq.html)
- \* [ Frequently Asked Questions on Public Statistics ](fag/statfag.html)
- \* [ Notes about arXiv's TeXLive Version ](fag/texlive.html)
- \* [ Why doesn't my processed TeX submission look the way I expected it? ](fag/texprobs.html)
- \* [ Textures ](faq/textures.html)
- \* [ Why Does My Paper Give the Wrong Date? ](fag/today.html)
- \* [ Why doesn't my paper have the arXiv id stamped on the side of the page?

## ](faq/whynostamp.html)

- \* [ Status Information ](submit status.html)
- \* [ Ancillary Files (data, code, images) ](ancillary\_files.html)
- \* [ Availability of submissions ](availability.html)
- \* [ Category cross listing ](cross.html)
- \* [ Endorsement ](endorsement.html)
- \* [ Adding Journal Reference and DOI ](jref.html)
- \* [ Licenses ](license/index.html)
- \* [ Text Overlap ](overlap.html)
- \* [ Metadata for Required and Optional Fields ](prep.html)

- \* [ Submit a new version of a work ](replace.html)
- \* [ Oversized Submissions ](sizes.html)
- \* [ Submit a Paper List for Conference Proceedings ](submit\_index.html)
- \* [ Creating tar and zip Files for Upload ](tar.html)
- \* [ What is TeX ](tex.html)
- \* [ Proxy / Third Party Submission ](third\_party\_submission.html)
- \* [ Translations ](translations.html)
- \* [ Version Availability ](versions.html)
- \* [ Why Submit TeX? ](fag/whytex.html)
- \* [ Withdraw / Retract a Submission ](withdraw.html)
- \* Find and Read Articles Find and Read Articles
  - \* [ Finding Articles ](find/index.html)
  - \* [ Search for articles ](find.html)
  - \* [ Viewing submissions ](view.html)
  - \* [ Email subscriptions for new papers ](subscribe.html)
  - \* [ arXiv Identifier ](arxiv\_identifier.html)
  - \* [ Configuring your browser ](config\_browser.html)
  - \* [ RSS Feeds ](rss.html)
  - \* [ Licenses ](license/index.html)
  - \* [ Permissions and Reuse ](license/reuse.html)
  - \* [ What is MathJax? ](mathjax.html)
- \* Accounts Accounts
  - \* [ Index ](accounts/index.html)
  - \* [ Directions for Author Registration ](registerhelp.html)
  - \* [ Author Identifiers ](author\_identifiers.html)
  - \* [ ORCID identifiers ](orcid.html)
  - \* [ Authority Records ](authority.html)

- \* [ Why isn't a Person "Registered as an Author?" ](not-registered.html)
- \* Bulk Access to Metadata and Full Text Bulk Access to Metadata and Full Text
  - \* [ Index ](bulk\_data/index.html)
  - \* [ arXiv Identifier for Interacting Services ](arxiv\_identifier\_for\_services.html)
  - \* [ Full Text via S3 ](bulk\_data\_s3.html)
  - \* [ API for Metadata ](api/index.html)
  - \* [ RSS Feeds ](rss.html)
  - \* [Institutional Repository Interoperability](ir.html)
  - \* [ Automated DOI and journal reference updates from publishers ](bib\_feed.html)
- \* Brand Brand
  - \* [ Our Brand ](../brand/index.html)
  - \* [ Name and logo use ](../brand/brand-guidelines.html)
  - \* [ Brand pillars ](../brand/brand-pillars.html)
  - \* [ Colors ](../brand/colors.html)
  - \* [ Fonts ](../brand/fonts.html)
  - \* [ Images ](../brand/images.html)
  - \* [ Logos ](../brand/logos.html)
  - \* [ Quotes ](../brand/quotes.html)
  - \* [ Swag ](../brand/swag.html)
  - \* [ Tagline ](../brand/tagline.html)
  - \* [ Typography ](../brand/typography.html)
  - \* [ Voice ](../brand/voice.html)
- \* Labs Labs
  - \* [ arXivLabs: An invitation to collaborate ](../labs/index.html)
  - \* [ arXivLabs: Showcase ](../labs/showcase.html)
- \* Policies Policies
  - \* [ arXiv Policies ](policies/index.html)

\* [ Code of conduct ](policies/code\_of\_conduct.html) \* [ Privacy policy ](policies/privacy\_policy.html) \* [ Identity, affiliation, and registration ](policies/identity\_and\_affiliation.html) \* [ Submission terms and agreement ](policies/submission agreement.html) \* [ Paper ownership ](authority.html) \* [ Submission Guidelines ](submit/index.html) \* [ Submission schedule and cutoff time ](availability.html) \* [ Content Moderation ](moderation/index.html) \* [ License and copyright ](license/index.html) \* [ Withdrawals ](withdraw.html) \* [ Cross listing ](cross.html) \* [ Translations ](translations.html) \* [ Non-English submissions ](fag/multilang.html) \* [ Text Overlap ](overlap.html) \* [ Requiring TeX when possible ](fag/whytex.html) \* [ Third party submission ](third\_party\_submission.html) \* [ Categories ](https://arxiv.org/category\_taxonomy) \* [ arXiv Usage Stats ](stats/index.html) Table of contents \* Trackbacks \* Trackback Data [data] [](https://github.com/arXiv/arxiv-docs/blob/develop/source/help/trackback.md "Edit this page")

arXiv.org supports the [Trackback](http://en.wikipedia.org/wiki/Trackback) standard. By sending a trackback, you can notify arXiv.org that you've created a web page that references a particular paper. You can view [recent trackbacks.](https://arxiv.org/tb/recent)

You can send a trackback to our system by giving your blogging software the following trackback URL:

`https://arxiv.org/trackback/paper\_id`

Our abstract pages support trackback autodiscovery: some software such as [Movable Type](http://www.sixapart.com/movabletype/) can send trackbacks automatically when you link to our abstract pages. Note that [WordPress](http://www.wordpress.org) only is capable of sending "pingbacks" automatically, which are not supported by arXiv. Instead see [their help page](https://make.wordpress.org/support/user-manual/building-your-wordpress-community/trackbacks-and-pingbacks/#trackbacks) for proper configuration of your blog.

- \* Trackbacks will not be immediately visible. Because of widespread [Trackback spam](http://www.theregister.co.uk/2005/01/31/link\_spamer\_interview/) we have a semi-automated \_editorial process\_ that approves trackbacks for display. Trackbacks from known blogs should become visible in a few minutes, but it may take longer for us to recognize new blogs.
  - \* We reserve the right to reject trackbacks for any reason.
    - \* Trackback autodiscovery is only implemented on URLs of the form

`https://arxiv.org/abs/article\_id` and NOT on URLs of the format `https://arxiv.org/paper\_id` or on PDF or other full-text formats. Bloggers will get best results if they link only to the official abstract page.

\* Trackbacks recorded for an article may be seen from URIs of the form <a href="https://arxiv.org/tb/0704.0002">https://arxiv.org/tb/0704.0002</a> where [0704.0002](https://arxiv.org/abs/0704.0002) is the article id.

## Trackback Data [data]

Data for all accepted trackbacks can be downloaded in RDF serialized as [Turtle](http://www.w3.org/TR/turtle/) according to the [Open Annotation Data Model](http://www.openannotation.org/spec/core/) for machine consumption. The data is organized by the article id that the trackback or trackbacks apply to, according to the URI pattern:

`http://export.arxiv.org/data/trackbacks/trackback\_paper\_id.ttl`

For example, for [0704.0002](https://arxiv.org/abs/0704.0002) the URI is:

<a href="http://export.arxiv.org/data/trackbacks/trackback">http://export.arxiv.org/data/trackbacks/trackback</a> 0704.0002.ttl>.

To enable harvesting of the complete set of trackback data there is a 
[ResourceSync](http://www.openarchives.org/rs/1.0/resourcesync) compatible 
sitemap listing the complete set of trackback data files at: 
<a href="http://export.arxiv.org/data/trackbacks/resourcelist.xml">http://export.arxiv.org/data/trackbacks/resourcelist.xml</a>. One easy way to 
synchronize the set of data is with the 
[`resync`](https://pypi.python.org/pypi/resync) client. For example, to copy 
or sync to a local directory called `arxiv\_trackbacks` one may use:

> resync http://export.arxiv.org/data/trackbacks arxiv\_trackbacks

Status: NOT IN SYNC (same=28835, to create=1951, to update=0, to delete=0)

Will GET 1951 resources

Status: SYNCED (same=28835, created=1951, updated=0, deleted=0)

(where in the example above the data had previously been copied to the `arxiv\_trackbacks` directory but 1951 new resources were downloaded to bring the copy into sync.)

- \* [About](https://arxiv.org/about)
- \* [Help](https://arxiv.org/help)
- \* [Copyright](https://arxiv.org/help/license)
- \* [Privacy Policy](https://arxiv.org/help/policies/privacy\_policy)
- \* contact arXivClick here to contact arXiv [ Contact](https://arxiv.org/help/contact)
- \* subscribe to arXiv mailingsClick here to subscribe [ Subscribe](https://arxiv.org/help/subscribe)
- \* Report an issueClick here to report an issue with arXiv's documentation in github [Report a documentation issue](https://github.com/arXiv/arxiv-docs/issues)
  - \* [Web Accessibility Assistance](https://arxiv.org/help/web\_accessibility)
  - \* [arXiv Operational Status ](https://status.arxiv.org)

Get status notifications via

[email](https://subscribe.sorryapp.com/24846f03/email/new) or

[slack](https://subscribe.sorryapp.com/24846f03/slack/new)