

[Skip to main content](#)

[\\_\\_Back to top](#)

[\\_\\_`Ctrl`+`K`](#)

[ [!\[conda 25.1.2.dev29 documentation -](#)

[Home\]\(../../../../../\\_static/conda\\_logo\\_full.svg\) \]\(../../../../../index.html\)](#)

\* [\[Conda\]\(https://docs.conda.io/projects/conda/\)](#)

\* [\[Conda-build\]\(https://docs.conda.io/projects/conda-build\)](#)

\* [\[Miniconda\]\(https://docs.anaconda.com/free/miniconda/\)](#)

\* [\[conda.org\]\(https://conda.org\)](#)

\* [\[\\_\\_ GitHub\]\(https://github.com/conda/conda "GitHub"\)](#)

\* [!\[Element\]\(../../../../../\\_static/element\\_logo.svg\)\]\(http://bit.ly/conda-chat-room "Element"\)](#)

\* [\[\\_\\_ Discourse\]\(https://conda.discourse.group/ "Discourse"\)](#)

\* [\[Conda\]\(https://docs.conda.io/projects/conda/\)](#)

\* [\[Conda-build\]\(https://docs.conda.io/projects/conda-build\)](#)

\* [\[Miniconda\]\(https://docs.anaconda.com/free/miniconda/\)](#)

\* [\[conda.org\]\(https://conda.org\)](#)

\* [\[\\_\\_ GitHub\]\(https://github.com/conda/conda "GitHub"\)](#)

\* [!\[Element\]\(../../../../../\\_static/element\\_logo.svg\)\]\(http://bit.ly/conda-chat-room "Element"\)](#)

\* [\[\\_\\_ Discourse\]\(https://conda.discourse.group/ "Discourse"\)](#)

## Navigation

- \* [User guide](../../user-guide/index.html) \_\_
- \* [Getting started with conda](../../user-guide/getting-started.html)
- \* [Installing conda](../../user-guide/install/index.html) \_\_
  - \* [Installing on Windows](../../user-guide/install/windows.html)
  - \* [Installing on macOS](../../user-guide/install/macos.html)
  - \* [Installing on Linux](../../user-guide/install/linux.html)
  - \* [RPM and Debian Repositories for Miniconda](../../user-guide/install/rpm-debian.html)
- \* [Tasks](../../user-guide/tasks/index.html) \_\_
  - \* [Managing conda](../../user-guide/tasks/manage-conda.html)
  - \* [Managing environments](../../user-guide/tasks/manage-environments.html)
  - \* [Managing channels](../../user-guide/tasks/manage-channels.html)
  - \* [Managing packages](../../user-guide/tasks/manage-pkgs.html)
  - \* [Managing Python](../../user-guide/tasks/manage-python.html)
  - \* [Managing virtual packages](../../user-guide/tasks/manage-virtual.html)
  - \* [Creating custom channels](../../user-guide/tasks/create-custom-channels.html)
  - \* [Creating projects](../../user-guide/tasks/creating-projects.html)
  - \* [Viewing command-line help](../../user-guide/tasks/view-command-line-help.html)
- \* [Configuration](../../user-guide/configuration/index.html) \_\_
  - \* [Using the .condarc conda configuration file](../../user-guide/configuration/use-condarc.html)
  - \* [Settings](../../user-guide/configuration/settings.html)
    - \* [Administering a multi-user conda installation](../../user-guide/configuration/admin-multi-user-install.html)
  - \* [Mirroring channels](../../user-guide/configuration/mirroring.html)
  - \* [Disabling SSL verification](../../user-guide/configuration/disable-ssl-verification.html)

- \* [Using non-standard certificates](../../user-guide/configuration/non-standard-certs.html)
- \* [Using Custom Locations for Environment and Package Cache](../../user-guide/configuration/custom-env-and-pkg-locations.html)
- \* [Improving interoperability with pip](../../user-guide/configuration/pip-interoperability.html)
- \* [Using the free channel](../../user-guide/configuration/free-channel.html)
- \* [Concepts](../../user-guide/concepts/index.html) \_\_
- \* [Commands](../../user-guide/concepts/conda-commands.html)
- \* [Packages](../../user-guide/concepts/packages.html)
- \* [Package specification](../../user-guide/concepts/pkg-specs.html)
- \* [Package search and install specifications](../../user-guide/concepts/pkg-search.html)
- \* [Channels](../../user-guide/concepts/channels.html)
- \* [Environments](../../user-guide/concepts/environments.html)
- \* [Installing with conda](../../user-guide/concepts/installing-with-conda.html)
- \* [Performance](../../user-guide/concepts/conda-performance.html)
- \* [Conda for data scientists](../../user-guide/concepts/data-science.html)
- \* [Plugins](../../user-guide/concepts/conda-plugins.html)
- \* [Troubleshooting](../../user-guide/troubleshooting.html)
- \* [Cheatsheet](../../user-guide/cheatsheet.html)
- \* [Configuration](../../configuration.html)
- \* [Commands](../../index.html) \_\_
- \* [``conda clean``](../../clean.html)
- \* [``conda compare``](../../compare.html)
- \* [``conda config``](../../config.html)
- \* [``conda create``](../../create.html)
- \* [``conda doctor``](../../doctor.html)
- \* [``conda env``](../../index.html) \_\_
- \* [``conda env config``](../../index.html) \_\_

- \* [`conda env config vars``](index.html) \_\_
- \* [`conda env config vars list``](list.html)
- \* `conda env config vars set``
- \* [`conda env config vars unset``](unset.html)
- \* [`conda env create``](../create.html)
- \* [`conda env export``](../export.html)
- \* [`conda env list``](../list.html)
- \* [`conda env remove``](../remove.html)
- \* [`conda env update``](../update.html)
- \* [`conda info``](../info.html)
- \* [`conda init``](../init.html)
- \* [`conda install``](../install.html)
- \* [`conda list``](../list.html)
- \* [`conda notices``](../notices.html)
- \* [`conda package``](../package.html)
- \* [`conda remove``](../remove.html)
- \* [`conda rename``](../rename.html)
- \* [`conda run``](../run.html)
- \* [`conda search``](../search.html)
- \* [`conda update``](../update.html)
- \* [Release notes](../release-notes.html)
- \* [Glossary](../glossary.html)
- \* [Developer guide](../dev-guide/index.html) \_\_
- \* [Architecture](../dev-guide/architecture.html)
- \* [Contributing to conda](../dev-guide/contributing.html)
- \* [Development Environment](../dev-guide/development-environment.html)
- \* [Deep dives](../dev-guide/deep-dives/index.html) \_\_

- \* [`conda install``](../../dev-guide/deep-dives/install.html)
- \* [`conda init`` and `conda activate``](../../dev-guide/deep-dives/activation.html)
- \* [`conda config`` and context](../../dev-guide/deep-dives/context.html)
- \* [Solvers](../../dev-guide/deep-dives/solvers.html)
- \* [Logging](../../dev-guide/deep-dives/logging.html)
- \* [Writing Tests](../../dev-guide/writing-tests/index.html) \_\_
- \* [Integration Tests](../../dev-guide/writing-tests/integration-tests.html)
- \* [Deprecations](../../dev-guide/deprecations.html)
- \* [Releasing](../../dev-guide/releasing.html)
- \* [Plugins](../../dev-guide/plugins/index.html) \_\_
  - \* [Auth Handlers](../../dev-guide/plugins/auth\_handlers.html)
  - \* [Health Checks](../../dev-guide/plugins/health\_checks.html)
  - \* [Request Headers](../../dev-guide/plugins/request\_headers.html)
  - \* [Post-commands](../../dev-guide/plugins/post\_commands.html)
  - \* [Pre-commands](../../dev-guide/plugins/pre\_commands.html)
  - \* [Reporter Backends](../../dev-guide/plugins/reporter\_backends.html)
  - \* [Settings](../../dev-guide/plugins/settings.html)
  - \* [Solvers](../../dev-guide/plugins/solvers.html)
  - \* [Subcommands](../../dev-guide/plugins/subcommands.html)
  - \* [Virtual Packages](../../dev-guide/plugins/virtual\_packages.html)
- \* [Specifications](../../dev-guide/specs/index.html) \_\_
  - \* [Technical specification: solver state](../../dev-guide/specs/solver-state.html)
- \* [API](../../dev-guide/api.html) \_\_
  - \* [`conda``](../../dev-guide/api/conda/index.html) \_\_
    - \* [`__main__``](../../dev-guide/api/conda/\_\_main\_\_/index.html)
    - \* [`_vendor``](../../dev-guide/api/conda/\_vendor/index.html) \_\_
      - \* [`frozendict``](../../dev-guide/api/conda/\_vendor/frozendict/index.html)

- \* `[`_version`](../../dev-guide/api/conda/_version/index.html)`
- \* `[`activate`](../../dev-guide/api/conda/activate/index.html)`
- \* `[`api`](../../dev-guide/api/conda/api/index.html)`
- \* `[`auxlib`](../../dev-guide/api/conda/auxlib/index.html)` \_\_
- \* `[`collection`](../../dev-guide/api/conda/auxlib/collection/index.html)`
- \* `[`compat`](../../dev-guide/api/conda/auxlib/compat/index.html)`
- \* `[`decorators`](../../dev-guide/api/conda/auxlib/decorators/index.html)`
- \* `[`entity`](../../dev-guide/api/conda/auxlib/entity/index.html)`
- \* `[`exceptions`](../../dev-guide/api/conda/auxlib/exceptions/index.html)`
- \* `[`ish`](../../dev-guide/api/conda/auxlib/ish/index.html)`
- \* `[`logz`](../../dev-guide/api/conda/auxlib/logz/index.html)`
- \* `[`type_coercion`](../../dev-guide/api/conda/auxlib/type_coercion/index.html)`
- \* `[`base`](../../dev-guide/api/conda/base/index.html)` \_\_
- \* `[`constants`](../../dev-guide/api/conda/base/constants/index.html)`
- \* `[`context`](../../dev-guide/api/conda/base/context/index.html)`
- \* `[`cli`](../../dev-guide/api/conda/cli/index.html)` \_\_
- \* `[`actions`](../../dev-guide/api/conda/cli/actions/index.html)`
- \* `[`common`](../../dev-guide/api/conda/cli/common/index.html)`
- \* `[`conda_argparse`](../../dev-guide/api/conda/cli/conda_argparse/index.html)`
- \* `[`find_commands`](../../dev-guide/api/conda/cli/find_commands/index.html)`
- \* `[`helpers`](../../dev-guide/api/conda/cli/helpers/index.html)`
- \* `[`install`](../../dev-guide/api/conda/cli/install/index.html)`
- \* `[`main`](../../dev-guide/api/conda/cli/main/index.html)`
- \* `[`main_clean`](../../dev-guide/api/conda/cli/main_clean/index.html)`
- \* `[`main_commands`](../../dev-guide/api/conda/cli/main_commands/index.html)`
- \* `[`main_compare`](../../dev-guide/api/conda/cli/main_compare/index.html)`
- \* `[`main_config`](../../dev-guide/api/conda/cli/main_config/index.html)`

- \* [main\_create](../../dev-guide/api/conda/cli/main\_create/index.html)
- \* [main\_env](../../dev-guide/api/conda/cli/main\_env/index.html)
- \* [main\_env\_config](../../dev-guide/api/conda/cli/main\_env\_config/index.html)
- \* [main\_env\_create](../../dev-guide/api/conda/cli/main\_env\_create/index.html)
- \* [main\_env\_export](../../dev-guide/api/conda/cli/main\_env\_export/index.html)
- \* [main\_env\_list](../../dev-guide/api/conda/cli/main\_env\_list/index.html)
- \* [main\_env\_remove](../../dev-guide/api/conda/cli/main\_env\_remove/index.html)
- \* [main\_env\_update](../../dev-guide/api/conda/cli/main\_env\_update/index.html)
- \* [main\_env\_vars](../../dev-guide/api/conda/cli/main\_env\_vars/index.html)
- \* [main\_export](../../dev-guide/api/conda/cli/main\_export/index.html)
- \* [main\_info](../../dev-guide/api/conda/cli/main\_info/index.html)
- \* [main\_init](../../dev-guide/api/conda/cli/main\_init/index.html)
- \* [main\_install](../../dev-guide/api/conda/cli/main\_install/index.html)
- \* [main\_list](../../dev-guide/api/conda/cli/main\_list/index.html)
- \* [main\_mock\_activate](../../dev-guide/api/conda/cli/main\_mock\_activate/index.html)

\*

[main\_mock\_deactivate](../../dev-guide/api/conda/cli/main\_mock\_deactivate/index.html)

- \* [main\_notices](../../dev-guide/api/conda/cli/main\_notices/index.html)
- \* [main\_package](../../dev-guide/api/conda/cli/main\_package/index.html)
- \* [main\_pip](../../dev-guide/api/conda/cli/main\_pip/index.html)
- \* [main\_remove](../../dev-guide/api/conda/cli/main\_remove/index.html)
- \* [main\_rename](../../dev-guide/api/conda/cli/main\_rename/index.html)
- \* [main\_run](../../dev-guide/api/conda/cli/main\_run/index.html)
- \* [main\_search](../../dev-guide/api/conda/cli/main\_search/index.html)
- \* [main\_update](../../dev-guide/api/conda/cli/main\_update/index.html)
- \* [python\_api](../../dev-guide/api/conda/cli/python\_api/index.html)
- \* [common](../../dev-guide/api/conda/common/index.html) \_\_

- \* [ `\_logic` ](../../../../../dev-guide/api/conda/common/\_logic/index.html)
- \* [ `\_os` ](../../../../../dev-guide/api/conda/common/\_os/index.html) \_\_\_\_
- \* [ `linux` ](../../../../../dev-guide/api/conda/common/\_os/linux/index.html)
- \* [ `osx` ](../../../../../dev-guide/api/conda/common/\_os/osx/index.html)
- \* [ `unix` ](../../../../../dev-guide/api/conda/common/\_os/unix/index.html)
- \* [ `windows` ](../../../../../dev-guide/api/conda/common/\_os/windows/index.html)
- \* [ `compat` ](../../../../../dev-guide/api/conda/common/compat/index.html)
- \* [ `configuration` ](../../../../../dev-guide/api/conda/common/configuration/index.html)
- \* [ `constants` ](../../../../../dev-guide/api/conda/common/constants/index.html)
- \* [ `disk` ](../../../../../dev-guide/api/conda/common/disk/index.html)
- \* [ `io` ](../../../../../dev-guide/api/conda/common/io/index.html)
- \* [ `iterators` ](../../../../../dev-guide/api/conda/common/iterators/index.html)
- \* [ `logic` ](../../../../../dev-guide/api/conda/common/logic/index.html)
- \* [ `path` ](../../../../../dev-guide/api/conda/common/path/index.html) \_\_\_\_
- \* [ `\_cygpath` ](../../../../../dev-guide/api/conda/common/path/\_cygpath/index.html)
- \* [ `directories` ](../../../../../dev-guide/api/conda/common/path/directories/index.html)
- \* [ `python` ](../../../../../dev-guide/api/conda/common/path/python/index.html)
- \* [ `windows` ](../../../../../dev-guide/api/conda/common/path/windows/index.html)
- \* [ `pkg\_formats` ](../../../../../dev-guide/api/conda/common/pkg\_formats/index.html) \_\_\_\_
- \* [ `python` ](../../../../../dev-guide/api/conda/common/pkg\_formats/python/index.html)
- \* [ `serialize` ](../../../../../dev-guide/api/conda/common/serialize/index.html)
- \* [ `signals` ](../../../../../dev-guide/api/conda/common/signals/index.html)
- \* [ `toposort` ](../../../../../dev-guide/api/conda/common/toposort/index.html)
- \* [ `url` ](../../../../../dev-guide/api/conda/common/url/index.html)
- \* [ `core` ](../../../../../dev-guide/api/conda/core/index.html) \_\_\_\_
- \* [ `envs\_manager` ](../../../../../dev-guide/api/conda/core/envs\_manager/index.html)
- \* [ `index` ](../../../../../dev-guide/api/conda/core/index/index.html)



- \* [ initialize ](../../dev-guide/api/conda/core/initialize/index.html)
- \* [ link ](../../dev-guide/api/conda/core/link/index.html)
- \* [ package\_cache\_data ](../../dev-guide/api/conda/core/package\_cache\_data/index.html)
- \* [ path\_actions ](../../dev-guide/api/conda/core/path\_actions/index.html)
- \* [ portability ](../../dev-guide/api/conda/core/portability/index.html)
- \* [ prefix\_data ](../../dev-guide/api/conda/core/prefix\_data/index.html)
- \* [ solve ](../../dev-guide/api/conda/core/solve/index.html)
- \* [ subdir\_data ](../../dev-guide/api/conda/core/subdir\_data/index.html)
- \* [ deprecations ](../../dev-guide/api/conda/deprecations/index.html)
- \* [ env ](../../dev-guide/api/conda/env/index.html) \_\_
- \* [ env ](../../dev-guide/api/conda/env/env/index.html)
- \* [ installers ](../../dev-guide/api/conda/env/installers/index.html) \_\_
- \* [ base ](../../dev-guide/api/conda/env/installers/base/index.html)
- \* [ conda ](../../dev-guide/api/conda/env/installers/conda/index.html)
- \* [ pip ](../../dev-guide/api/conda/env/installers/pip/index.html)
- \* [ pip\_util ](../../dev-guide/api/conda/env/pip\_util/index.html)
- \* [ specs ](../../dev-guide/api/conda/env/specs/index.html) \_\_
- \* [ binstar ](../../dev-guide/api/conda/env/specs/binstar/index.html)
- \* [ requirements ](../../dev-guide/api/conda/env/specs/requirements/index.html)
- \* [ yaml\_file ](../../dev-guide/api/conda/env/specs/yaml\_file/index.html)
- \* [ exception\_handler ](../../dev-guide/api/conda/exception\_handler/index.html)
- \* [ exceptions ](../../dev-guide/api/conda/exceptions/index.html)
- \* [ exports ](../../dev-guide/api/conda/exports/index.html)
- \* [ gateways ](../../dev-guide/api/conda/gateways/index.html) \_\_
- \* [ anaconda\_client ](../../dev-guide/api/conda/gateways/anaconda\_client/index.html)
- \* [ connection ](../../dev-guide/api/conda/gateways/connection/index.html) \_\_
- \* [ adapters ](../../dev-guide/api/conda/gateways/connection/adapters/index.html) \_\_

- \* [ `ftp`](../../dev-guide/api/conda/gateways/connection/adapters/ftp/index.html)
- \* [ `http`](../../dev-guide/api/conda/gateways/connection/adapters/http/index.html)
- \* [ `localfs`](../../dev-guide/api/conda/gateways/connection/adapters/localfs/index.html)
- \* [ `s3`](../../dev-guide/api/conda/gateways/connection/adapters/s3/index.html)
- \* [ `download`](../../dev-guide/api/conda/gateways/connection/download/index.html)
- \* [ `session`](../../dev-guide/api/conda/gateways/connection/session/index.html)
- \* [ `disk`](../../dev-guide/api/conda/gateways/disk/index.html) \_\_\_\_
- \* [ `create`](../../dev-guide/api/conda/gateways/disk/create/index.html)
- \* [ `delete`](../../dev-guide/api/conda/gateways/disk/delete/index.html)
- \* [ `link`](../../dev-guide/api/conda/gateways/disk/link/index.html)
- \* [ `lock`](../../dev-guide/api/conda/gateways/disk/lock/index.html)
- \* [ `permissions`](../../dev-guide/api/conda/gateways/disk/permissions/index.html)
- \* [ `read`](../../dev-guide/api/conda/gateways/disk/read/index.html)
- \* [ `test`](../../dev-guide/api/conda/gateways/disk/test/index.html)
- \* [ `update`](../../dev-guide/api/conda/gateways/disk/update/index.html)
- \* [ `logging`](../../dev-guide/api/conda/gateways/logging/index.html)
- \* [ `reodata`](../../dev-guide/api/conda/gateways/reodata/index.html) \_\_\_\_
- \* [ `jlap`](../../dev-guide/api/conda/gateways/reodata/jlap/index.html) \_\_\_\_
- \* [ `core`](../../dev-guide/api/conda/gateways/reodata/jlap/core/index.html)
- \* [ `fetch`](../../dev-guide/api/conda/gateways/reodata/jlap/fetch/index.html)
- \* [ `interface`](../../dev-guide/api/conda/gateways/reodata/jlap/interface/index.html)
- \* [ `lock`](../../dev-guide/api/conda/gateways/reodata/lock/index.html)
- \* [ `subprocess`](../../dev-guide/api/conda/gateways/subprocess/index.html)
- \* [ `history`](../../dev-guide/api/conda/history/index.html)
- \* [ `instructions`](../../dev-guide/api/conda/instructions/index.html)
- \* [ `misc`](../../dev-guide/api/conda/misc/index.html)
- \* [ `models`](../../dev-guide/api/conda/models/index.html) \_\_\_\_

- \* [ channel ](../../dev-guide/api/conda/models/channel/index.html)
- \* [ dist ](../../dev-guide/api/conda/models/dist/index.html)
- \* [ enums ](../../dev-guide/api/conda/models/enums/index.html)
- \* [ leased\_path\_entry ](../../dev-guide/api/conda/models/leased\_path\_entry/index.html)
- \* [ match\_spec ](../../dev-guide/api/conda/models/match\_spec/index.html)
- \* [ package\_info ](../../dev-guide/api/conda/models/package\_info/index.html)
- \* [ prefix\_graph ](../../dev-guide/api/conda/models/prefix\_graph/index.html)
- \* [ records ](../../dev-guide/api/conda/models/records/index.html)
- \* [ version ](../../dev-guide/api/conda/models/version/index.html)
- \* [ notices ](../../dev-guide/api/conda/notices/index.html) \_\_
- \* [ cache ](../../dev-guide/api/conda/notices/cache/index.html)
- \* [ core ](../../dev-guide/api/conda/notices/core/index.html)
- \* [ fetch ](../../dev-guide/api/conda/notices/fetch/index.html)
- \* [ types ](../../dev-guide/api/conda/notices/types/index.html)
- \* [ views ](../../dev-guide/api/conda/notices/views/index.html)
- \* [ plan ](../../dev-guide/api/conda/plan/index.html)
- \* [ plugins ](../../dev-guide/api/conda/plugins/index.html) \_\_
- \* [ hookspec ](../../dev-guide/api/conda/plugins/hookspec/index.html)
- \* [ manager ](../../dev-guide/api/conda/plugins/manager/index.html)
- \* [ post\_solves ](../../dev-guide/api/conda/plugins/post\_solves/index.html) \_\_
- \* [
- signature\_verification ](../../dev-guide/api/conda/plugins/post\_solves/signature\_verification/index.html)
- \* [ reporter\_backends ](../../dev-guide/api/conda/plugins/reporter\_backends/index.html) \_\_
- \* [ console ](../../dev-guide/api/conda/plugins/reporter\_backends/console/index.html)
- \* [ json ](../../dev-guide/api/conda/plugins/reporter\_backends/json/index.html)
- \* [ solvers ](../../dev-guide/api/conda/plugins/solvers/index.html)

\* [ subcommands`](../../dev-guide/api/conda/plugins/subcommands/index.html) \_\_

\* [ doctor`](../../dev-guide/api/conda/plugins/subcommands/doctor/index.html) \_\_

\* [

health\_checks`](../../dev-guide/api/conda/plugins/subcommands/doctor/health\_checks/index.htm

l)

\* [ types`](../../dev-guide/api/conda/plugins/types/index.html)

\* [ virtual\_packages`](../../dev-guide/api/conda/plugins/virtual\_packages/index.html) \_\_

\* [ archspec`](../../dev-guide/api/conda/plugins/virtual\_packages/archspec/index.html)

\* [ conda`](../../dev-guide/api/conda/plugins/virtual\_packages/conda/index.html)

\* [ cuda`](../../dev-guide/api/conda/plugins/virtual\_packages/cuda/index.html)

\* [ freebsd`](../../dev-guide/api/conda/plugins/virtual\_packages/freebsd/index.html)

\* [ linux`](../../dev-guide/api/conda/plugins/virtual\_packages/linux/index.html)

\* [ osx`](../../dev-guide/api/conda/plugins/virtual\_packages/osx/index.html)

\* [ windows`](../../dev-guide/api/conda/plugins/virtual\_packages/windows/index.html)

\* [ reporters`](../../dev-guide/api/conda/reporters/index.html)

\* [ resolve`](../../dev-guide/api/conda/resolve/index.html)

\* [ testing`](../../dev-guide/api/conda/testing/index.html) \_\_

\* [ cases`](../../dev-guide/api/conda/testing/cases/index.html)

\* [ fixtures`](../../dev-guide/api/conda/testing/fixtures/index.html)

\* [ gateways`](../../dev-guide/api/conda/testing/gateways/index.html) \_\_

\* [ fixtures`](../../dev-guide/api/conda/testing/gateways/fixtures/index.html)

\* [ helpers`](../../dev-guide/api/conda/testing/helpers/index.html)

\* [ integration`](../../dev-guide/api/conda/testing/integration/index.html)

\* [ notices`](../../dev-guide/api/conda/testing/notices/index.html) \_\_

\* [ fixtures`](../../dev-guide/api/conda/testing/notices/fixtures/index.html)

\* [ helpers`](../../dev-guide/api/conda/testing/notices/helpers/index.html)

\* [ solver\_helpers`](../../dev-guide/api/conda/testing/solver\_helpers/index.html)

- \* [`trust`](../../dev-guide/api/conda/trust/index.html) \_\_
- \* [`constants`](../../dev-guide/api/conda/trust/constants/index.html)
- \* [`signature_verification`](../../dev-guide/api/conda/trust/signature\_verification/index.html)
- \* [`utils`](../../dev-guide/api/conda/utils/index.html)
- \* [`conda_env`](../../dev-guide/api/conda\_env/index.html) \_\_
- \* [`cli`](../../dev-guide/api/conda\_env/cli/index.html)
- \* [`installers`](../../dev-guide/api/conda\_env/installers/index.html)

- \* [\_\_](../index.html)
- \* [Commands](../index.html)
- \* \_\_
- \* [`conda env config vars`](index.html)
- \*

# `conda env config vars set` #

[ \_\_Edit on  
GitHub](https://github.com/conda/conda/edit/main/docs/source/commands/env/config/vars/set.rst)

[ \_\_Show Source](../../\_sources/commands/env/config/vars/set.rst.txt)

© Copyright 2017, Anaconda, Inc.

Created using [Sphinx](https://www.sphinx-doc.org/) 7.4.7.

[ Analytics Dashboard \_\_](https://docs-conda-io.goatcounter.com "Analytics  
Dashboard")

Built with the [PyData Sphinx Theme](<https://pydata-sphinx-theme.readthedocs.io/en/stable/index.html>) 0.15.4.