Skip to main content
Back to top
`Ctrl`+`K`
[ ![conda 25.1.2.dev29 documentation -
Home](//_static/conda_logo_full.svg) ](//index.html)
* [Conda](https://docs.conda.io/projects/conda/)
* [Conda-build](https://docs.conda.io/projects/conda-build)
* [Miniconda](https://docs.anaconda.com/free/miniconda/)
* [conda.org](https://conda.org)
* [ GitHub](https://github.com/conda/conda "GitHub")
* [![Element](//_static/element_logo.svg)](http://bit.ly/conda-chat-room "Element")
* [ Discourse](https://conda.discourse.group/ "Discourse")
* [Conda](https://docs.conda.io/projects/conda/)
* [Conda-build](https://docs.conda.io/projects/conda-build)
* [Miniconda](https://docs.anaconda.com/free/miniconda/)
* [conda.org](https://conda.org)
* [ GitHub](https://github.com/conda/conda "GitHub")
* [![Element](//_static/element_logo.svg)](http://bit.ly/conda-chat-room "Element")
* [ Discourse](https://conda.discourse.group/ "Discourse")

[User guide](/index.html)
* [Getting started with conda](/getting-started.html)
* [Installing conda](/install/index.html)
* [Installing on Windows](/install/windows.html)
* [Installing on macOS](/install/macos.html)
* [Installing on Linux](/install/linux.html)
* [RPM and Debian Repositories for Miniconda](/install/rpm-debian.html)
* [Tasks](/tasks/index.html)
* [Managing conda](/tasks/manage-conda.html)
* [Managing environments](/tasks/manage-environments.html)
* [Managing channels](/tasks/manage-channels.html)
* [Managing packages](/tasks/manage-pkgs.html)
* [Managing Python](/tasks/manage-python.html)
* [Managing virtual packages](/tasks/manage-virtual.html)
* [Creating custom channels](/tasks/create-custom-channels.html)
* [Creating projects](/tasks/creating-projects.html)
* [Viewing command-line help](/tasks/view-command-line-help.html)
* [Configuration](/configuration/index.html)
* [Using the .condarc conda configuration file](/configuration/use-condarc.html)
* [Settings](/configuration/settings.html)
* [Administering a multi-user conda installation](/configuration/admin-multi-user-install.html)
* [Mirroring channels](/configuration/mirroring.html)
* [Disabling SSL verification](/configuration/disable-ssl-verification.html)
* [Using non-standard certificates](/configuration/non-standard-certs.html)
* [Using Custom Locations for Environment and Package

## Cache](../configuration/custom-env-and-pkg-locations.html) \* [Improving interoperability with pip](../configuration/pip-interoperability.html) \* [Using the free channel](../configuration/free-channel.html) \* [Concepts](index.html) \* [Commands](conda-commands.html) \* [Packages](packages.html) \* [Package specification](pkg-specs.html) \* [Package search and install specifications](pkg-search.html) \* [Channels](channels.html) \* [Environments](environments.html) \* Installing with conda \* [Performance](conda-performance.html) \* [Conda for data scientists](data-science.html) \* [Plugins](conda-plugins.html) \* [Troubleshooting](../troubleshooting.html) \* [Cheatsheet](../cheatsheet.html) \* [Configuration](../../configuration.html) \* [Commands](../../commands/index.html) \_\_\_ \* [` conda clean`](../../commands/clean.html) \* [`conda compare`](../../commands/compare.html) \* [`conda config`](../../commands/config.html) \* [`conda create`](../../commands/create.html) \* [`conda doctor`](../../commands/doctor.html) \* [`conda env`](../../commands/env/index.html) \_\_\_ \* [` conda env config`](../../commands/env/config/index.html) \_\_\_ \* [` conda env config vars`](../../commands/env/config/vars/index.html) \* [` conda env config vars list`](../../commands/env/config/vars/list.html)

\* [`conda env config vars set`](../../commands/env/config/vars/set.html) \* [`conda env config vars unset`](../../commands/env/config/vars/unset.html) \* [`conda env create`](../../commands/env/create.html) \* [`conda env export`](../../commands/env/export.html) \* [`conda env list`](../../commands/env/list.html) \* [`conda env remove`](../../commands/env/remove.html) \* [`conda env update`](../../commands/env/update.html) \* [`conda info`](../../commands/info.html) \* [`conda init`](../../commands/init.html) \* [`conda install`](../../commands/install.html) \* [`conda list`](../../commands/list.html) \* [`conda notices`](../../commands/notices.html) \* [`conda package`](../../commands/package.html) \* [`conda remove`](../../commands/remove.html) \* [`conda rename`](../../commands/rename.html) \* [`conda run`](../../commands/run.html) \* [`conda search`](../../commands/search.html) \* [`conda update`](../../commands/update.html) \* [Release notes](../../release-notes.html) \* [Glossary](../../glossary.html) \* [Developer guide](../../dev-guide/index.html) \_\_\_ \* [Architecture](../../dev-guide/architecture.html) \* [Contributing to conda](../../dev-guide/contributing.html) \* [Development Environment](../../dev-guide/development-environment.html) \* [Deep dives](../../dev-guide/deep-dives/index.html) \_\_\_ \* [` conda install`](../../dev-quide/deep-dives/install.html) \* [`conda init` and `conda activate`](../../dev-guide/deep-dives/activation.html)

```
* [`conda config` and context](../../dev-guide/deep-dives/context.html)
 * [Solvers](../../dev-guide/deep-dives/solvers.html)
 * [Logging](../../dev-guide/deep-dives/logging.html)
* [Writing Tests](../../dev-guide/writing-tests/index.html)
 * [Integration Tests](../../dev-guide/writing-tests/integration-tests.html)
* [Deprecations](../../dev-guide/deprecations.html)
* [Releasing](../../dev-guide/releasing.html)
* [Plugins](../../dev-guide/plugins/index.html)
 * [Auth Handlers](../../dev-guide/plugins/auth handlers.html)
 * [Health Checks](../../dev-guide/plugins/health_checks.html)
 * [Request Headers](../../dev-guide/plugins/request_headers.html)
 * [Post-commands](../../dev-guide/plugins/post_commands.html)
 * [Pre-commands](../../dev-guide/plugins/pre_commands.html)
 * [Reporter Backends](../../dev-guide/plugins/reporter_backends.html)
 * [Settings](../../dev-guide/plugins/settings.html)
 * [Solvers](../../dev-guide/plugins/solvers.html)
 * [Subcommands](../../dev-guide/plugins/subcommands.html)
 * [Virtual Packages](../../dev-guide/plugins/virtual packages.html)
* [Specifications](../../dev-quide/specs/index.html)
 * [Technical specification: solver state](../../dev-guide/specs/solver-state.html)
* [API](../../dev-guide/api.html)
 * [` conda`](../../dev-guide/api/conda/index.html) ___
  * [` __main__`](../../dev-guide/api/conda/__main__/index.html)
  * [`_vendor`](../../dev-guide/api/conda/_vendor/index.html) ___
   * [`frozendict`](../../dev-guide/api/conda/ vendor/frozendict/index.html)
  * [`version`](../../dev-guide/api/conda/version/index.html)
  * [`activate`](../../dev-guide/api/conda/activate/index.html)
```

- \* [`api`](../../dev-guide/api/conda/api/index.html) \* [`auxlib`](../../dev-guide/api/conda/auxlib/index.html) \_\_\_ \* [`collection`](../../dev-guide/api/conda/auxlib/collection/index.html) \* [`compat`](../../dev-guide/api/conda/auxlib/compat/index.html) \* [`decorators`](../../dev-guide/api/conda/auxlib/decorators/index.html) \* [`entity`](../../dev-guide/api/conda/auxlib/entity/index.html) \* [`exceptions`](../../dev-guide/api/conda/auxlib/exceptions/index.html) \* [`ish`](../../dev-guide/api/conda/auxlib/ish/index.html) \* [`logz`](../../dev-guide/api/conda/auxlib/logz/index.html) \* [`type\_coercion`](../../dev-guide/api/conda/auxlib/type\_coercion/index.html) \* [`base`](../../dev-guide/api/conda/base/index.html) \_\_\_ \* [` constants`](../../dev-guide/api/conda/base/constants/index.html) \* [`context`](../../dev-quide/api/conda/base/context/index.html) \* [`cli`](../../dev-guide/api/conda/cli/index.html) \_\_\_ \* [`actions`](../../dev-guide/api/conda/cli/actions/index.html) \* [`common`](../../dev-guide/api/conda/cli/common/index.html) \* [`conda\_argparse`](../../dev-guide/api/conda/cli/conda\_argparse/index.html) \* [`find\_commands`](../../dev-guide/api/conda/cli/find\_commands/index.html) \* [`helpers`](../../dev-quide/api/conda/cli/helpers/index.html) \* [`install`](../../dev-guide/api/conda/cli/install/index.html) \* [`main`](../../dev-guide/api/conda/cli/main/index.html) \* [`main\_clean`](../../dev-guide/api/conda/cli/main\_clean/index.html) \* [`main\_commands`](../../dev-guide/api/conda/cli/main\_commands/index.html) \* [`main\_compare`](../../dev-guide/api/conda/cli/main\_compare/index.html) \* [`main\_config`](../../dev-guide/api/conda/cli/main\_config/index.html)
- \* [`main\_env`](../../dev-guide/api/conda/cli/main\_env/index.html)

\* [`main create`](../../dev-guide/api/conda/cli/main create/index.html)

- \* [`main\_env\_config`](../../dev-guide/api/conda/cli/main\_env\_config/index.html)
- \* [`main\_env\_create`](../../dev-guide/api/conda/cli/main\_env\_create/index.html)
- \* [`main\_env\_export`](../../dev-guide/api/conda/cli/main\_env\_export/index.html)
- \* [`main\_env\_list`](../../dev-guide/api/conda/cli/main\_env\_list/index.html)
- \* [`main\_env\_remove`](../../dev-guide/api/conda/cli/main\_env\_remove/index.html)
- \* [`main\_env\_update`](../../dev-guide/api/conda/cli/main\_env\_update/index.html)
- \* [`main\_env\_vars`](../../dev-guide/api/conda/cli/main\_env\_vars/index.html)
- \* [`main\_export`](../../dev-guide/api/conda/cli/main\_export/index.html)
- \* [`main info`](../../dev-guide/api/conda/cli/main info/index.html)
- \* [`main\_init`](../../dev-guide/api/conda/cli/main\_init/index.html)
- \* [`main\_install`](../../dev-guide/api/conda/cli/main\_install/index.html)
- \* [`main\_list`](../../dev-guide/api/conda/cli/main\_list/index.html)
- \* [`main\_mock\_activate`](../../dev-guide/api/conda/cli/main\_mock\_activate/index.html)
- \* [`main\_mock\_deactivate`](../../dev-guide/api/conda/cli/main\_mock\_deactivate/index.html)
- \* [`main\_notices`](../../dev-guide/api/conda/cli/main\_notices/index.html)
- \* [`main\_package`](../../dev-guide/api/conda/cli/main\_package/index.html)
- \* [`main\_pip`](../../dev-guide/api/conda/cli/main\_pip/index.html)
- \* [`main remove`](../../dev-guide/api/conda/cli/main remove/index.html)
- \* [`main\_rename`](../../dev-guide/api/conda/cli/main\_rename/index.html)
- \* [`main run`](../../dev-guide/api/conda/cli/main run/index.html)
- \* [`main\_search`](../../dev-guide/api/conda/cli/main\_search/index.html)
- \* [`main\_update`](../../dev-guide/api/conda/cli/main\_update/index.html)
- \* [`python\_api`](../../dev-guide/api/conda/cli/python\_api/index.html)
- \* [`common`](../../dev-guide/api/conda/common/index.html) \_\_\_
  - \* [`\_logic`](../../dev-guide/api/conda/common/\_logic/index.html)
  - \* [`\_os`](../../dev-guide/api/conda/common/\_os/index.html) \_\_\_
    - \* [`linux`](../../dev-guide/api/conda/common/\_os/linux/index.html)

- \* [`osx`](../../dev-guide/api/conda/common/\_os/osx/index.html)
- \* [`unix`](../../dev-guide/api/conda/common/\_os/unix/index.html)
- \* [`windows`](../../dev-guide/api/conda/common/\_os/windows/index.html)
- \* [`compat`](../../dev-guide/api/conda/common/compat/index.html)
- \* [`configuration`](../../dev-guide/api/conda/common/configuration/index.html)
- \* [`constants`](../../dev-guide/api/conda/common/constants/index.html)
- \* [`disk`](../../dev-guide/api/conda/common/disk/index.html)
- \* [`io`](../../dev-guide/api/conda/common/io/index.html)
- \* [`iterators`](../../dev-guide/api/conda/common/iterators/index.html)
- \* [`logic`](../../dev-guide/api/conda/common/logic/index.html)
- \* [`path`](../../dev-guide/api/conda/common/path/index.html) \_\_\_
  - \* [`\_cygpath`](../../dev-guide/api/conda/common/path/\_cygpath/index.html)
  - \* [`directories`](../../dev-guide/api/conda/common/path/directories/index.html)
  - \* [`python`](../../dev-guide/api/conda/common/path/python/index.html)
  - \* [`windows`](../../dev-guide/api/conda/common/path/windows/index.html)
- \* [`pkg\_formats`](../../dev-guide/api/conda/common/pkg\_formats/index.html) \_\_\_
  - \* [` python`](../../dev-guide/api/conda/common/pkg\_formats/python/index.html)
- \* [`serialize`](../../dev-guide/api/conda/common/serialize/index.html)
- \* [`signals`](../../dev-quide/api/conda/common/signals/index.html)
- \* [`toposort`](../../dev-guide/api/conda/common/toposort/index.html)
- \* [`url`](../../dev-guide/api/conda/common/url/index.html)
- \* [`core`](../../dev-guide/api/conda/core/index.html) \_\_\_
  - \* [` envs\_manager`](../../dev-guide/api/conda/core/envs\_manager/index.html)
  - \* [`index`](../../dev-guide/api/conda/core/index/index.html)
  - \* [`initialize`](../../dev-guide/api/conda/core/initialize/index.html)
  - \* [`link`](../../dev-guide/api/conda/core/link/index.html)
- \* [`package\_cache\_data`](../../dev-guide/api/conda/core/package\_cache\_data/index.html)

```
* [`path_actions`](../../dev-guide/api/conda/core/path_actions/index.html)
 * [`portability`](../../dev-guide/api/conda/core/portability/index.html)
 * [`prefix_data`](../../dev-guide/api/conda/core/prefix_data/index.html)
 * [`solve`](../../dev-guide/api/conda/core/solve/index.html)
 * [`subdir_data`](../../dev-guide/api/conda/core/subdir_data/index.html)
* [`deprecations`](../../dev-guide/api/conda/deprecations/index.html)
* [`env`](../../dev-guide/api/conda/env/index.html) ___
 * [`env`](../../dev-guide/api/conda/env/env/index.html)
 * [`installers`](../../dev-guide/api/conda/env/installers/index.html)
  * [`base`](../../dev-guide/api/conda/env/installers/base/index.html)
  * [`conda`](../../dev-guide/api/conda/env/installers/conda/index.html)
  * [`pip`](../../dev-guide/api/conda/env/installers/pip/index.html)
 * [`pip_util`](../../dev-guide/api/conda/env/pip_util/index.html)
 * [`specs`](../../dev-guide/api/conda/env/specs/index.html) ___
  * [`binstar`](../../dev-guide/api/conda/env/specs/binstar/index.html)
  * [`requirements`](../../dev-guide/api/conda/env/specs/requirements/index.html)
  * [`yaml_file`](../../dev-guide/api/conda/env/specs/yaml_file/index.html)
* [`exception_handler`](../../dev-guide/api/conda/exception_handler/index.html)
* [`exceptions`](../../dev-guide/api/conda/exceptions/index.html)
* [`exports`](../../dev-guide/api/conda/exports/index.html)
* [`gateways`](../../dev-guide/api/conda/gateways/index.html) ___
 * [` anaconda_client`](../../dev-guide/api/conda/gateways/anaconda_client/index.html)
 * [`connection`](../../dev-guide/api/conda/gateways/connection/index.html) ___
  * [`adapters`](../../dev-guide/api/conda/gateways/connection/adapters/index.html) ___
   * [`ftp`](../../dev-guide/api/conda/gateways/connection/adapters/ftp/index.html)
   * [`http`](../../dev-guide/api/conda/gateways/connection/adapters/http/index.html)
   * [`localfs`](../../dev-guide/api/conda/gateways/connection/adapters/localfs/index.html)
```

```
* [`s3`](../../dev-guide/api/conda/gateways/connection/adapters/s3/index.html)
  * [`download`](../../dev-guide/api/conda/gateways/connection/download/index.html)
  * [`session`](../../dev-guide/api/conda/gateways/connection/session/index.html)
 * [`disk`](../../dev-guide/api/conda/gateways/disk/index.html)
  * [` create`](../../dev-guide/api/conda/gateways/disk/create/index.html)
  * [`delete`](../../dev-guide/api/conda/gateways/disk/delete/index.html)
  * [`link`](../../dev-guide/api/conda/gateways/disk/link/index.html)
  * [`lock`](../../dev-guide/api/conda/gateways/disk/lock/index.html)
  * [`permissions`](../../dev-guide/api/conda/gateways/disk/permissions/index.html)
  * [`read`](../../dev-guide/api/conda/gateways/disk/read/index.html)
  * [`test`](../../dev-guide/api/conda/gateways/disk/test/index.html)
  * [`update`](../../dev-guide/api/conda/gateways/disk/update/index.html)
 * [`logging`](../../dev-guide/api/conda/gateways/logging/index.html)
 * [`repodata`](../../dev-guide/api/conda/gateways/repodata/index.html) ___
  * [` jlap`](../../dev-guide/api/conda/gateways/repodata/jlap/index.html) ___
   * [`core`](../../dev-guide/api/conda/gateways/repodata/jlap/core/index.html)
   * [`fetch`](../../dev-guide/api/conda/gateways/repodata/jlap/fetch/index.html)
   * [`interface`](../../dev-guide/api/conda/gateways/repodata/jlap/interface/index.html)
  * [`lock`](../../dev-guide/api/conda/gateways/repodata/lock/index.html)
 * [`subprocess`](../../dev-guide/api/conda/gateways/subprocess/index.html)
* [`history`](../../dev-guide/api/conda/history/index.html)
* [`instructions`](../../dev-guide/api/conda/instructions/index.html)
* [`misc`](../../dev-guide/api/conda/misc/index.html)
* [`models`](../../dev-guide/api/conda/models/index.html) ___
 * [` channel`](../../dev-guide/api/conda/models/channel/index.html)
 * [`dist`](../../dev-quide/api/conda/models/dist/index.html)
 * [`enums`](../../dev-guide/api/conda/models/enums/index.html)
```

```
* [`leased_path_entry`](../../dev-guide/api/conda/models/leased_path_entry/index.html)
      * [`match_spec`](../../dev-guide/api/conda/models/match_spec/index.html)
      * [`package info`](../../dev-quide/api/conda/models/package info/index.html)
      * [`prefix graph`](../../dev-guide/api/conda/models/prefix graph/index.html)
      * [`records`](../../dev-guide/api/conda/models/records/index.html)
      * [`version`](../../dev-guide/api/conda/models/version/index.html)
     * [`notices`](../../dev-guide/api/conda/notices/index.html) ___
      * [`cache`](../../dev-guide/api/conda/notices/cache/index.html)
      * [`core`](../../dev-guide/api/conda/notices/core/index.html)
      * [`fetch`](../../dev-guide/api/conda/notices/fetch/index.html)
      * [`types`](../../dev-guide/api/conda/notices/types/index.html)
      * [`views`](../../dev-guide/api/conda/notices/views/index.html)
     * [`plan`](../../dev-guide/api/conda/plan/index.html)
     * [`plugins`](../../dev-guide/api/conda/plugins/index.html) ___
      * [` hookspec`](../../dev-guide/api/conda/plugins/hookspec/index.html)
      * [`manager`](../../dev-guide/api/conda/plugins/manager/index.html)
      * [`post_solves`](../../dev-guide/api/conda/plugins/post_solves/index.html) ___
                                                                                                     Į,
signature verification`](../../dev-guide/api/conda/plugins/post solves/signature verification/index.htm
      * [`reporter_backends`](../../dev-guide/api/conda/plugins/reporter_backends/index.html) ___
       * [`console`](../../dev-guide/api/conda/plugins/reporter_backends/console/index.html)
       * [`json`](../../dev-guide/api/conda/plugins/reporter_backends/json/index.html)
      * [`solvers`](../../dev-guide/api/conda/plugins/solvers/index.html)
      * [`subcommands`](../../dev-guide/api/conda/plugins/subcommands/index.html) ___
       * [`doctor`](../../dev-guide/api/conda/plugins/subcommands/doctor/index.html)
```

[`

I)

```
health_checks`](../../dev-guide/api/conda/plugins/subcommands/doctor/health_checks/index.html)
      * [`types`](../../dev-guide/api/conda/plugins/types/index.html)
      * [`virtual_packages`](../../dev-guide/api/conda/plugins/virtual_packages/index.html) ___
        * [`archspec`](../../dev-guide/api/conda/plugins/virtual_packages/archspec/index.html)
        * [`conda`](../../dev-guide/api/conda/plugins/virtual_packages/conda/index.html)
        * [`cuda`](../../dev-guide/api/conda/plugins/virtual_packages/cuda/index.html)
        * [`freebsd`](../../dev-guide/api/conda/plugins/virtual_packages/freebsd/index.html)
        * [`linux`](../../dev-guide/api/conda/plugins/virtual_packages/linux/index.html)
        * [`osx`](../../dev-quide/api/conda/plugins/virtual_packages/osx/index.html)
        * [`windows`](../../dev-guide/api/conda/plugins/virtual_packages/windows/index.html)
     * [`reporters`](../../dev-guide/api/conda/reporters/index.html)
     * [`resolve`](../../dev-guide/api/conda/resolve/index.html)
     * [`testing`](../../dev-guide/api/conda/testing/index.html) ___
      * [` cases`](../../dev-guide/api/conda/testing/cases/index.html)
      * [`fixtures`](../../dev-guide/api/conda/testing/fixtures/index.html)
      * [`gateways`](../../dev-guide/api/conda/testing/gateways/index.html) ___
        * [` fixtures`](../../dev-guide/api/conda/testing/gateways/fixtures/index.html)
      * [`helpers`](../../dev-guide/api/conda/testing/helpers/index.html)
      * [`integration`](../../dev-guide/api/conda/testing/integration/index.html)
      * [`notices`](../../dev-guide/api/conda/testing/notices/index.html) ___
        * [` fixtures`](../../dev-guide/api/conda/testing/notices/fixtures/index.html)
        * [`helpers`](../../dev-guide/api/conda/testing/notices/helpers/index.html)
      * [`solver_helpers`](../../dev-guide/api/conda/testing/solver_helpers/index.html)
     * [`trust`](../../dev-guide/api/conda/trust/index.html) ___
      * [` constants`](../../dev-guide/api/conda/trust/constants/index.html)
      * [`signature verification`](../../dev-guide/api/conda/trust/signature verification/index.html)
     * [`utils`](../../dev-guide/api/conda/utils/index.html)
```

- \* [`conda\_env`](../../dev-guide/api/conda\_env/index.html) \_\_\_
  - \* [`cli`](../../dev-guide/api/conda\_env/cli/index.html)
  - \* [`installers`](../../dev-guide/api/conda\_env/installers/index.html)
- \* [ \_\_\_](../../index.html)
- \* [User guide](../index.html)
- \* [Concepts](index.html)
- \* Installing...

# Installing with conda#

Conda packages can be installed by running the following command:

conda install <package>

When conda installs a package, it is automatically added to your active environment. These packages are collections of files and directories that make up everything you need to use that particular library or software. For Python packages, these are primarily Python files that can be imported into other Python applications, but for compiled software packages, such as `ffmpeg`, these are typically binary executables you use directly on your computer.

Note

If you would like to learn more about how environments are structured, head
over to [conda environments](environments.html).
Below is a more precise overview of everything that happens during the
installation process for a single package:
* Currently configured channels (e.g. `defaults` or `conda-forge`) are read in order of priority
* Repodata for these configured channels is downloaded and read
repodata for these configured charmers is downloaded and read
* The repodata is searched for the package, starting with the highest priority channel first
* Once the package is found, conda makes a separate download request and then installs it
* This was a set they were at a few and by the was beautiful demand on the State was a second
* This process then repeats for each of the package's dependencies, if there are any
A graphic illustration of this process is shown below:
![//_images/installing-with-conda.png](//_images/installing-with-
conda.png)
conda.prig)
## Conda update versus conda install#
`conda update` updates packages to the latest compatible version. `conda
install` can be used to install any version.
install can be used to install any version.
Example:

- \* If Python 2.7.0 is currently installed, and the latest version of Python 2 is 2.7.5, then `conda update python` installs Python 2.7.5. It does not install Python 3.
- \* If Python 3.7.0 is currently installed, and the latest version of Python is 3.9.0, then `conda install python=3` installs Python 3.9.0.

Conda uses the same rules for other packages. `conda update` always installs the highest version with the same major version number, whereas `conda install` always installs the highest version.

## Installing conda packages offline#

To install conda packages offline, run: `conda install /path-to-package/package-filename.tar.bz2/`

If you prefer, you can create a /tar/ archive file containing many conda packages and install them all with one command: `conda install /packages-path/packages-filename.tar`

Note

If an installed package does not work, it may be missing dependencies that need to be resolved manually.

Installing packages directly from the file does not resolve dependencies.

## Installing conda packages with a specific build number#

If you want to install conda packages with the correct package specification, try `pkg\_name=version=build\_string`. Read more about [build strings and package naming conventions](https://docs.conda.io/projects/condabuild/en/latest/concepts/package-naming-conv.html#index-2). Learn more about [package specifications and metadata](https://docs.conda.io/projects/condabuild/en/latest/resources/package-spec.html#package-metadata).

For example, if you want to install llvmlite 0.31.0dev0 on Python 3.7.8, you would enter:

conda install -c numba/label/dev llvmlite=0.31.0dev0=py37\_8

\_\_On this page

- \* Conda update versus conda install
- \* Installing conda packages offline
- \* Installing conda packages with a specific build number

[ \_\_Edit on GitHub](https://github.com/conda/conda/edit/main/docs/source/user-guide/concepts/installing-with-conda.rst)

[ \_\_Show Source](../../\_sources/user-guide/concepts/installing-with-

conda.rst.txt)
© Copyright 2017, Anaconda, Inc.
Created using [Sphinx](https://www.sphinx-doc.org/) 7.4.7.
[ Analytics Dashboard](https://docs-conda-io.goatcounter.com "Analytics Dashboard")
Built with the [PyData Sphinx Theme](https://pydata-sphinx-
theme.readthedocs.io/en/stable/index.html) 0.15.4.