[![Logo](//	static/logo.png)](//index.html)
1 1 - 0 9 0 1 1 1 1 1	Statio, logo.prig,	[(// II IGCA.I IGI II /

Getting Started

- * [Installation](../../docs/installation.html)
 - * [Install with pip](../../docs/installation.html#install-with-pip)
 - * [Install with Conda](../../docs/installation.html#install-with-conda)
 - * [Install from Source](../../docs/installation.html#install-from-source)
 - * [Editable Install](../../docs/installation.html#editable-install)
 - * [Install PyTorch with CUDA support](../../docs/installation.html#install-pytorch-with-cuda-support)
- * [Quickstart](../../docs/quickstart.html)
 - * [Sentence Transformer](../../docs/quickstart.html#sentence-transformer)
 - * [Cross Encoder](../../docs/quickstart.html#cross-encoder)
 - * [Next Steps](../../docs/quickstart.html#next-steps)

Sentence Transformer

- * [Usage](../../docs/sentence_transformer/usage/usage.html)
 - * [Computing Embeddings](../applications/computing-embeddings/README.html)
 - * [Initializing a Sentence Transformer

Model](../applications/computing-embeddings/README.html#initializing-a-sentence-transformer-model)

* [Calculating

Embeddings](../applications/computing-embeddings/README.html#calculating-embeddings)

- * [Prompt Templates](../applications/computing-embeddings/README.html#prompt-templates)
- * [Input Sequence Length](../applications/computing-embeddings/README.html#id1)
 - [Multi-Process / Multi-GPU

Encoding](/applications/computing-embeddings/README.html#multi-process-multi-gpu-encoding)										
		*	[4	Semantic	Textu	al				
Similarity](//docs/sentence_transformer/usage/semantic_textual_similarity.html)										
				*	[Similari	ty				
Calculation](//docs/sentence_transformer/usage/semantic_textual_similarity.html#similarity-calcul										
ation)										
* [Semantic Search](/applications/semantic-search/README.html)										
* [Background](/applications/semantic-search/README.html#background)										
	* [Syr	nmetric	VS.	Asymmet	ric Semant	tic				
Search](/applications/semantic-searc	:h/README	.html#symr	netric-vs-	asymmetric-	semantic-search	1)				
				*	[Manu	al				
Implementation](/applications/seman	tic-search/R	README.ht	ml#manu	al-implemen	tation)					
				*	[Optimize	∍d				
Implementation](/applications/seman	tic-search/R	README.ht	ml#optim	ized-implem	entation)					
* [Speed Optimization](/application	ons/semanti	c-search/RI	EADME.h	tml#speed-c	optimization)					
* [Elasticsearch](/applications/ser	mantic-sear	ch/READM	E.html#el	asticsearch)						
		*	[Approximate	e Neare	st				
Neighbor](/applications/semantic-sea	arch/READN	/IE.html#ap	proximate	e-nearest-ne	ighbor)					
* [Retrieve & Re-Rank](/application	ons/semanti	c-search/R	EADME.h	ntml#retrieve	-re-rank)					
* [Examples](/applications/semar	ntic-search/F	README.ht	ml#exam	ples)						
* [Retrieve & Re-Rank](/application	ns/retrieve_	rerank/REA	.DME.htm	nl)						
		*	[Retrie	ve &	Re-Rar	ηk				
Pipeline](/applications/retrieve_rerank/README.html#retrieve-re-rank-pipeline)										
* [Retrieval: Bi-Encoder](/applicat	tions/retriev	e_rerank/R	EADME.h	ntml#retrieva	l-bi-encoder)					
				*	[Re-Ranke	∍r:				
Cross-Encoder](/applications/retrieve	e_rerank/RE	ADME.htm	l#re-rank	er-cross-enc	oder)					
* [Example Scripts](/applications/retrieve_rerank/README.html#example-scripts)										

[Pre-trained **Bi-Encoders** (Retrieval)](../applications/retrieve_rerank/README.html#pre-trained-bi-encoders-retrieval) [Pre-trained Cross-Encoders (Re-Ranker)](../applications/retrieve_rerank/README.html#pre-trained-cross-encoders-re-ranker) * [Clustering](../applications/clustering/README.html) * [k-Means](../applications/clustering/README.html#k-means) * [Agglomerative Clustering](../applications/clustering/README.html#agglomerative-clustering) * [Fast Clustering](../applications/clustering/README.html#fast-clustering) * [Topic Modeling](../applications/clustering/README.html#topic-modeling) * [Paraphrase Mining](../applications/paraphrase-mining/README.html) [`paraphrase_mining()`](../applications/paraphrase-mining/README.html#sentence_transformers.uti * [Translated Sentence Mining](../applications/parallel-sentence-mining/README.html)

l.paraphrase_mining)

[Margin Based

Mining](../applications/parallel-sentence-mining/README.html#margin-based-mining)

- * [Examples](../applications/parallel-sentence-mining/README.html#examples)
- * [Image Search](../applications/image-search/README.html)
 - * [Installation](../applications/image-search/README.html#installation)
 - * [Usage](../applications/image-search/README.html#usage)
 - * [Examples](../applications/image-search/README.html#examples)
- * [Embedding Quantization](../applications/embedding-quantization/README.html)

[Binary

Quantization](../applications/embedding-quantization/README.html#binary-quantization)

[Scalar (int8)

Quantization](../applications/embedding-quantization/README.html#scalar-int8-quantization)

[Additional

extensions](../applications/embedding-quantization/README.html#additional-extensions) * [Demo](../applications/embedding-quantization/README.html#demo) * [Try it yourself](../applications/embedding-quantization/README.html#try-it-yourself) * [Speeding up Inference](../../docs/sentence transformer/usage/efficiency.html) * [PyTorch](../../docs/sentence_transformer/usage/efficiency.html#pytorch) * [ONNX](../../docs/sentence_transformer/usage/efficiency.html#onnx) * [OpenVINO](../../docs/sentence_transformer/usage/efficiency.html#openvino) * [Benchmarks](../../docs/sentence_transformer/usage/efficiency.html#benchmarks) * [Creating Custom Models](../../docs/sentence_transformer/usage/custom_models.html) [Structure Sentence Transformer of Models](../../docs/sentence_transformer/usage/custom_models.html#structure-of-sentence-transfor mer-models) [Sentence Transformer Model from **Transformers** а Model](../../docs/sentence transformer/usage/custom models.html#sentence-transformer-model-fro m-a-transformers-model) * [Pretrained Models](../../docs/sentence_transformer/pretrained_models.html) * [Original Models](../../docs/sentence_transformer/pretrained_models.html#original-models) [Semantic Search Models](../../docs/sentence transformer/pretrained models.html#semantic-search-models) * [Multi-QA Models](../../docs/sentence_transformer/pretrained_models.html#multi-qa-models) [MSMARCO Passage Models](../../docs/sentence_transformer/pretrained_models.html#msmarco-passage-models) [Multilingual

Models](../../docs/sentence_transformer/pretrained_models.html#semantic-similarity-models)

[Semantic

Similarity

Models](../../docs/sentence_transformer/pretrained_models.html#multilingual-models)

* [Bitext Mining](../../docs/sentence_transformer/pretrained_models.html#bitext-mining)

```
&
                                                                            [Image
Text-Models](../../docs/sentence_transformer/pretrained_models.html#image-text-models)
                                                                                    [INSTRUCTOR
models](../../docs/sentence_transformer/pretrained_models.html#instructor-models)
                                                                   [Scientific
                                                                                          Similarity
Models](../../docs/sentence_transformer/pretrained_models.html#scientific-similarity-models)
 * [Training Overview](../../docs/sentence_transformer/training_overview.html)
  * [Why Finetune?](../../docs/sentence transformer/training overview.html#why-finetune)
                                                                                          [Training
Components](../../docs/sentence_transformer/training_overview.html#training-components)
  * [Dataset](../../docs/sentence_transformer/training_overview.html#dataset)
   * [Dataset Format](../../docs/sentence_transformer/training_overview.html#dataset-format)
  * [Loss Function](../../docs/sentence_transformer/training_overview.html#loss-function)
                                                                                          [Training
Arguments](../../docs/sentence_transformer/training_overview.html#training-arguments)
  * [Evaluator](../../docs/sentence_transformer/training_overview.html#evaluator)
  * [Trainer](../../docs/sentence_transformer/training_overview.html#trainer)
   * [Callbacks](../../docs/sentence_transformer/training_overview.html#callbacks)
                                                                                     [Multi-Dataset
Training](../../docs/sentence transformer/training overview.html#multi-dataset-training)
                                                                                       [Deprecated]
Training](../../docs/sentence_transformer/training_overview.html#deprecated-training)
                                                                                        Embedding
                                                        [Best
                                                                        Base
Models](../../docs/sentence_transformer/training_overview.html#best-base-embedding-models)
 * [Dataset Overview](../../docs/sentence_transformer/dataset_overview.html)
                                       [Datasets
                                                                   the
                                                                              Hugging
                                                                                              Face
                                                         on
Hub](../../docs/sentence_transformer/dataset_overview.html#datasets-on-the-hugging-face-hub)
```

Datasets](../../docs/sentence_transformer/dataset_overview.html#pre-existing-datasets)

- * [Loss Overview](../../docs/sentence_transformer/loss_overview.html)
 - * [Loss modifiers](../../docs/sentence_transformer/loss_overview.html#loss-modifiers)
 - * [Distillation](../../docs/sentence_transformer/loss_overview.html#distillation)

[Commonly

used

Loss

Functions](../../docs/sentence_transformer/loss_overview.html#commonly-used-loss-functions)

[Custom

Loss

Functions](../../docs/sentence transformer/loss overview.html#custom-loss-functions)

- * [Training Examples](../../docs/sentence_transformer/training/examples.html)
 - * [Semantic Textual Similarity](../training/sts/README.html)
 - * [Training data](../training/sts/README.html#training-data)
 - * [Loss Function](../training/sts/README.html#loss-function)
 - * [Natural Language Inference](../training/nli/README.html)
 - * [Data](../training/nli/README.html#data)
 - * [SoftmaxLoss](../training/nli/README.html#softmaxloss)
 - * [MultipleNegativesRankingLoss](../training/nli/README.html#multiplenegativesrankingloss)
 - * [Paraphrase Data](../training/paraphrases/README.html)
 - * [Pre-Trained Models](../training/paraphrases/README.html#pre-trained-models)
 - * [Quora Duplicate Questions](../training/quora duplicate questions/README.html)
 - * [Training](../training/quora_duplicate_questions/README.html#training)

[MultipleNegativesRankingLoss](../training/quora_duplicate_questions/README.html#multiplenegativesrankingloss)

- * [Pretrained Models](../training/quora_duplicate_questions/README.html#pretrained-models)
- * [MS MARCO](../training/ms marco/README.html)
 - * [Bi-Encoder](../training/ms_marco/README.html#bi-encoder)

4

- * [Matryoshka Embeddings](../training/matryoshka/README.html)

 * [Use Cases](../training/matryoshka/README.html#use-cases)
 - * [Results](../training/matryoshka/README.html#results)
 - * [Training](../training/matryoshka/README.html#training)
 - * [Inference](../training/matryoshka/README.html#inference)
 - * [Code Examples](../training/matryoshka/README.html#code-examples)
- * [Adaptive Layers](../training/adaptive_layer/README.html)
 - * [Use Cases](../training/adaptive_layer/README.html#use-cases)
 - * [Results](../training/adaptive_layer/README.html#results)
 - * [Training](../training/adaptive_layer/README.html#training)
 - * [Inference](../training/adaptive_layer/README.html#inference)
 - * [Code Examples](../training/adaptive_layer/README.html#code-examples)
- * [Multilingual Models](../training/multilingual/README.html)
 - * [Extend your own models](../training/multilingual/README.html#extend-your-own-models)
 - * [Training](../training/multilingual/README.html#training)
 - * [Datasets](../training/multilingual/README.html#datasets)
 - * [Sources for Training Data](../training/multilingual/README.html#sources-for-training-data)
 - * [Evaluation](../training/multilingual/README.html#evaluation)

* [Available Pre-trained

Models](../training/multilingual/README.html#available-pre-trained-models)

- * [Usage](../training/multilingual/README.html#usage)
- * [Performance](../training/multilingual/README.html#performance)
- * [Citation](../training/multilingual/README.html#citation)
- * [Model Distillation](../training/distillation/README.html)
 - * [Knowledge Distillation](../training/distillation/README.html#knowledge-distillation)

* [Speed - Performance

Trade-Off](../training/distillation/README.html#speed-performance-trade-off)

- * [Dimensionality Reduction](../training/distillation/README.html#dimensionality-reduction)
- * [Quantization](../training/distillation/README.html#quantization)
- * [Augmented SBERT](../training/data_augmentation/README.html)
 - * [Motivation](../training/data_augmentation/README.html#motivation)
- * [Extend to your own datasets](../training/data_augmentation/README.html#extend-to-your-own-datasets)
 - * [Methodology](../training/data_augmentation/README.html#methodology)
- * [Scenario 1: Limited or small annotated datasets (few labeled sentence-pairs)](../training/data_augmentation/README.html#scenario-1-limited-or-small-annotated -datasets-few-labeled-sentence-pairs)
- * [Scenario 2: No annotated datasets (Only unlabeled sentence-pairs)](../training/data_augmentation/README.html#scenario-2-no-annotated-datasets-only-unlabeled-sentence-pairs)
 - * [Training](../training/data_augmentation/README.html#training)
 - * [Citation](../training/data_augmentation/README.html#citation)
 - * [Training with Prompts](../training/prompts/README.html)
 - * [What are Prompts?](../training/prompts/README.html#what-are-prompts)
- * [Why would we train with Prompts?](../training/prompts/README.html#why-would-we-train-with-prompts)
- * [How do we train with

Prompts?](../training/prompts/README.html#how-do-we-train-with-prompts)

- * [Training with PEFT Adapters](../training/peft/README.html)
 - * [Compatibility Methods](../training/peft/README.html#compatibility-methods)
 - * [Adding a New Adapter](../training/peft/README.html#adding-a-new-adapter)
 - * [Loading a Pretrained Adapter](../training/peft/README.html#loading-a-pretrained-adapter)
 - * [Training Script](../training/peft/README.html#training-script)
- * [Unsupervised Learning](../unsupervised_learning/README.html)

- * [TSDAE](../unsupervised_learning/README.html#tsdae)
- * [SimCSE](../unsupervised_learning/README.html#simcse)
- * [CT](../unsupervised learning/README.html#ct)

* [CT (In-Batch Negative

Sampling)](../unsupervised_learning/README.html#ct-in-batch-negative-sampling)

* [Masked Language Model

(MLM)](../unsupervised_learning/README.html#masked-language-model-mlm)

- * [GenQ](../unsupervised_learning/README.html#genq)
- * [GPL](../unsupervised_learning/README.html#gpl)
- * [Performance Comparison](../unsupervised_learning/README.html#performance-comparison)
- * Domain Adaptation
 - * Domain Adaptation vs. Unsupervised Learning
 - * Adaptive Pre-Training
 - * GPL: Generative Pseudo-Labeling
- * [Hyperparameter Optimization](../training/hpo/README.html)
 - * [HPO Components](../training/hpo/README.html#hpo-components)
 - * [Putting It All Together](../training/hpo/README.html#putting-it-all-together)
 - * [Example Scripts](../training/hpo/README.html#example-scripts)
- * [Distributed Training](../../docs/sentence transformer/training/distributed.html)
 - * [Comparison](../../docs/sentence_transformer/training/distributed.html#comparison)
 - * [FSDP](../../docs/sentence transformer/training/distributed.html#fsdp)

Cross Encoder

- * [Usage](../../docs/cross_encoder/usage/usage.html)
 - * [Retrieve & Re-Rank](../applications/retrieve rerank/README.html)

[Retrieve & Re-Rank

Pipeline](../applications/retrieve_rerank/README.html#retrieve-re-rank-pipeline) * [Retrieval: Bi-Encoder](../applications/retrieve_rerank/README.html#retrieval-bi-encoder) [Re-Ranker: Cross-Encoder](../applications/retrieve rerank/README.html#re-ranker-cross-encoder) * [Example Scripts](../applications/retrieve_rerank/README.html#example-scripts) [Pre-trained **Bi-Encoders** (Retrieval)](../applications/retrieve_rerank/README.html#pre-trained-bi-encoders-retrieval) [Pre-trained Cross-Encoders (Re-Ranker)](../applications/retrieve_rerank/README.html#pre-trained-cross-encoders-re-ranker) * [Pretrained Models](../../docs/cross encoder/pretrained models.html) * [MS MARCO](../../docs/cross_encoder/pretrained_models.html#ms-marco) * [SQuAD (QNLI)](../../docs/cross_encoder/pretrained_models.html#squad-qnli) * [STSbenchmark](../../docs/cross_encoder/pretrained_models.html#stsbenchmark) **Duplicate** [Quora Questions](../../docs/cross_encoder/pretrained_models.html#quora-duplicate-questions) * [NLI](../../docs/cross_encoder/pretrained_models.html#nli) * [Community Models](../../docs/cross_encoder/pretrained_models.html#community-models) * [Training Overview](../../docs/cross_encoder/training_overview.html) * [Training Examples](../../docs/cross_encoder/training/examples.html) * [MS MARCO](../training/ms marco/cross encoder README.html) * [Cross-Encoder](../training/ms_marco/cross_encoder_README.html#cross-encoder) [Cross-Encoder Knowledge Distillation](../training/ms_marco/cross_encoder_README.html#cross-encoder-knowledge-distillatio n)

Package Reference

* [Sentence Transformer](../../docs/package_reference/sentence_transformer/index.html) [SentenceTransformer](../../docs/package_reference/sentence_transformer/SentenceTransformer.ht ml) [SentenceTransformer](../../docs/package_reference/sentence_transformer/SentenceTransformer.ht ml#id1) [SentenceTransformerModelCardData](../../docs/package_reference/sentence_transformer/Sentence eTransformer.html#sentencetransformermodelcarddata) [SimilarityFunction](../../docs/package_reference/sentence_transformer/SentenceTransformer.html# similarityfunction) * [Trainer](../../docs/package_reference/sentence_transformer/trainer.html) [SentenceTransformerTrainer](../../docs/package_reference/sentence_transformer/trainer.html#sent encetransformertrainer) * [Training Arguments](../../docs/package_reference/sentence_transformer/training_args.html) [SentenceTransformerTrainingArguments](../../docs/package_reference/sentence_transformer/traini ng_args.html#sentencetransformertrainingarguments) * [Losses](../../docs/package_reference/sentence_transformer/losses.html) [BatchAllTripletLoss](../../docs/package_reference/sentence_transformer/losses.html#batchalltripletl oss)

[BatchHardSoftMarginTripletLoss](../../docs/package_reference/sentence_transformer/losses.html#b

atchhardsoftmargintripletloss)

[BatchHardTripletLoss](../../docs/package_reference/sentence_transformer/losses.html#batchhardtri

pletloss)

[BatchSemiHardTripletLoss](../../docs/package_reference/sentence_transformer/losses.html#batchs emihardtripletloss)

*

[ContrastiveLoss](../../docs/package_reference/sentence_transformer/losses.html#contrastiveloss)

•

[OnlineContrastiveLoss](../../docs/package_reference/sentence_transformer/losses.html#onlinecontrastiveloss)

r

[ContrastiveTensionLoss](../../docs/package_reference/sentence_transformer/losses.html#contrastivetensionloss)

*

[ContrastiveTensionLossInBatchNegatives](../../docs/package_reference/sentence_transformer/loss es.html#contrastivetensionlossinbatchnegatives)

- * [CoSENTLoss](../../docs/package_reference/sentence_transformer/losses.html#cosentloss)
- * [AnglELoss](../../docs/package_reference/sentence_transformer/losses.html#angleloss)

*

[CosineSimilarityLoss](../../docs/package_reference/sentence_transformer/losses.html#cosinesimilarityloss)

*

[DenoisingAutoEncoderLoss](../../docs/package_reference/sentence_transformer/losses.html#denoisingautoencoderloss)

*

[GISTEmbedLoss](../../docs/package_reference/sentence_transformer/losses.html#gistembedloss) [CachedGISTEmbedLoss](../../docs/package_reference/sentence_transformer/losses.html#cachedgi stembedloss) * [MSELoss](../../docs/package_reference/sentence_transformer/losses.html#mseloss) [MarginMSELoss](../../docs/package_reference/sentence_transformer/losses.html#marginmseloss) [MatryoshkaLoss](../../docs/package reference/sentence transformer/losses.html#matryoshkaloss) [Matryoshka2dLoss](../../docs/package_reference/sentence_transformer/losses.html#matryoshka2dl oss) [AdaptiveLayerLoss](../../docs/package reference/sentence transformer/losses.html#adaptivelayerl oss) [MegaBatchMarginLoss](../../docs/package_reference/sentence_transformer/losses.html#megabatc hmarginloss) [MultipleNegativesRankingLoss](../../docs/package_reference/sentence_transformer/losses.html#mu Itiplenegativesrankingloss) [CachedMultipleNegativesRankingLoss](../../docs/package_reference/sentence_transformer/losses. html#cachedmultiplenegativesrankingloss) [MultipleNegativesSymmetricRankingLoss](../../docs/package_reference/sentence_transformer/loss

es.html#multiplenegativessymmetricrankingloss)

[CachedMultipleNegativesSymmetricRankingLoss](../../docs/package_reference/sentence_transformer/losses.html#cachedmultiplenegativessymmetricrankingloss)

- * [SoftmaxLoss](../../docs/package_reference/sentence_transformer/losses.html#softmaxloss)
- * [TripletLoss](../../docs/package_reference/sentence_transformer/losses.html#tripletloss)
- * [Samplers](../../docs/package_reference/sentence_transformer/sampler.html)

[BatchSamplers](../../docs/package_reference/sentence_transformer/sampler.html#batchsamplers)

[MultiDatasetBatchSamplers](../../docs/package_reference/sentence_transformer/sampler.html#mult idatasetbatchsamplers)

* [Evaluation](../../docs/package_reference/sentence_transformer/evaluation.html)

[BinaryClassificationEvaluator](../../docs/package_reference/sentence_transformer/evaluation.html# binaryclassificationevaluator)

[EmbeddingSimilarityEvaluator](../../docs/package_reference/sentence_transformer/evaluation.html# embeddingsimilarityevaluator)

[InformationRetrievalEvaluator](../../docs/package_reference/sentence_transformer/evaluation.html# informationretrievalevaluator)

[NanoBEIREvaluator](../../docs/package_reference/sentence_transformer/evaluation.html#nanobeir evaluator)

[MSEEvaluator](../../docs/package reference/sentence transformer/evaluation.html#mseevaluator)

*

*

[ParaphraseMiningEvaluator](../../docs/package_reference/sentence_transformer/evaluation.html#p araphraseminingevaluator) [RerankingEvaluator](../../docs/package_reference/sentence_transformer/evaluation.html#reranking evaluator) [SentenceEvaluator](../../docs/package_reference/sentence_transformer/evaluation.html#sentencee valuator) [SequentialEvaluator](../../docs/package_reference/sentence_transformer/evaluation.html#sequential levaluator) [TranslationEvaluator](../../docs/package_reference/sentence_transformer/evaluation.html#translatio nevaluator) [TripletEvaluator](../../docs/package_reference/sentence_transformer/evaluation.html#tripletevaluato r) * [Datasets](../../docs/package_reference/sentence_transformer/datasets.html) [ParallelSentencesDataset](../../docs/package_reference/sentence_transformer/datasets.html#parall elsentencesdataset) [SentenceLabelDataset](../../docs/package_reference/sentence_transformer/datasets.html#sentence elabeldataset) [DenoisingAutoEncoderDataset](../../docs/package_reference/sentence_transformer/datasets.html#

denoisingautoencoderdataset)

[NoDuplicatesDataLoader](../../docs/package_reference/sentence_transformer/datasets.html#noduplicatesdataloader)

- * [Models](../../docs/package_reference/sentence_transformer/models.html)
 - * [Main Classes](../../docs/package_reference/sentence_transformer/models.html#main-classes)

[Further

Classes](../../docs/package_reference/sentence_transformer/models.html#further-classes)

* [quantization](../../docs/package_reference/sentence_transformer/quantization.html)

[`quantize_embeddings()`](../../docs/package_reference/sentence_transformer/quantization.html#se ntence_transformers.quantization.quantize_embeddings)

[`semantic_search_faiss()`](../../docs/package_reference/sentence_transformer/quantization.html#s entence_transformers.quantization.semantic_search_faiss)

[`semantic_search_usearch()`](../../docs/package_reference/sentence_transformer/quantization.html #sentence_transformers.quantization.semantic_search_usearch)

- * [Cross Encoder](../../docs/package_reference/cross_encoder/index.html)
 - * [CrossEncoder](../../docs/package_reference/cross_encoder/cross_encoder.html)
 - * [CrossEncoder](../../docs/package_reference/cross_encoder/cross_encoder.html#id1)

[Training

Inputs](../../docs/package_reference/cross_encoder/cross_encoder.html#training-inputs)

* [Evaluation](../../docs/package_reference/cross_encoder/evaluation.html)

[CEBinaryAccuracyEvaluator](../../docs/package_reference/cross_encoder/evaluation.html#cebinary accuracyevaluator)

*

[CEBinaryClassificationEvaluator](../../docs/package_reference/cross_encoder/evaluation.html#cebinaryclassificationevaluator)

*

[CECorrelationEvaluator](../../docs/package_reference/cross_encoder/evaluation.html#cecorrelation evaluator)

* [CEF1Evaluator](../../docs/package_reference/cross_encoder/evaluation.html#cef1evaluator)

•

[CESoftmaxAccuracyEvaluator](../../docs/package_reference/cross_encoder/evaluation.html#cesoft maxaccuracyevaluator)

•

[CERerankingEvaluator](../../docs/package_reference/cross_encoder/evaluation.html#cererankingevaluator)

- * [util](../../docs/package_reference/util.html)
 - * [Helper Functions](../../docs/package_reference/util.html#module-sentence_transformers.util)

•

[`community_detection()`](../../docs/package_reference/util.html#sentence_transformers.util.community_detection)

* [`http_get()`](../../docs/package_reference/util.html#sentence_transformers.util.http_get)

[`is_training_available()`](../../docs/package_reference/util.html#sentence_transformers.util.is_training_available)

k

[`mine_hard_negatives()`](../../docs/package_reference/util.html#sentence_transformers.util.mine_h ard_negatives)

k

[`normalize_embeddings()`](../../docs/package_reference/util.html#sentence_transformers.util.normalize_embeddings)

*

[`paraphrase_mining()`](../../docs/package_reference/util.html#sentence_transformers.util.paraphrase_mining)

*

[`semantic_search()`](../../docs/package_reference/util.html#sentence_transformers.util.semantic_search)

ŧ

[`truncate_embeddings()`](../../docs/package_reference/util.html#sentence_transformers.util.truncate _embeddings)

[Model

Optimization](../../docs/package_reference/util.html#module-sentence_transformers.backend)

ŀ

[`export_dynamic_quantized_onnx_model()`](../../docs/package_reference/util.html#sentence_transformers.backend.export_dynamic_quantized_onnx_model)

ŧ

[`export_optimized_onnx_model()`](../../docs/package_reference/util.html#sentence_transformers.backend.export_optimized_onnx_model)

.

[`export_static_quantized_openvino_model()`](../../docs/package_reference/util.html#sentence_trans formers.backend.export_static_quantized_openvino_model)

- * [Similarity Metrics](../../docs/package_reference/util.html#module-sentence_transformers.util)
 - * [`cos_sim()`](../../docs/package_reference/util.html#sentence_transformers.util.cos_sim)
 - * [`dot_score()`](../../docs/package_reference/util.html#sentence_transformers.util.dot_score)

[`euclidean_sim()`](../../docs/package_reference/util.html#sentence_transformers.util.euclidean_sim()

[`manhattan_sim()`](../../docs/package_reference/util.html#sentence_transformers.util.manhattan_si

			:
[`pairwise_cos_sim()`](//docs/package_reference/u	til.html#sentence_tra	ansformers.util.pairw	/ise_cc
s_sim)			
			:
[`pairwise_dot_score()`](//docs/package_reference/	util.html#sentence_t	transformers.util.pair	rwise_
dot_score)			
			,
[`pairwise_euclidean_sim()`](//docs/package_refere	nce/util.html#senter	nce_transformers.uti	I.pairw
se_euclidean_sim)			
			,
[`pairwise_manhattan_sim()`](//docs/package_refer	ence/util.html#sente	ence_transformers.ut	til.pair
wise_manhattan_sim)			
[Sentence Transformers](//index.html)			
* [](//index.html)			
* [Training Examples](//docs/sentence_transforme	r/training/examples.	html)	
* Domain Adaptation			
*	[Edit	or
GitHub](https://github.com/UKPLab/sentence-transfor	mers/blob/master/ex	camples/domain_ada	aptatio
n/README.md)			
* * *			
# Domain Adaptationïf•			

m)

The goal of **Domain Adaptation** is to adapt text embedding models to your specific text domain without the need to have labeled training data.

Domain adaptation is still an active research field and there exists no perfect solution yet. However, in our two recent papers [TSDAE](https://arxiv.org/abs/2104.06979) and

[GPL](https://arxiv.org/abs/2112.07577) we evaluated several methods how text embeddings model can be adapted to your specific domain. You can find an overview of these methods in my [talk on unsupervised domain adaptation](https://youtu.be/xbdLowiQTlk).

Domain Adaptation vs. Unsupervised Learningif•

There exists methods for [unsupervised text embedding learning](../unsupervised_learning/README.html), however, they generally perform rather badly: They are not really able to learn domain specific concepts.

A much better approach is domain adaptation: Here you have an unlabeled corpus from your specific domain together with an existing labeled corpus. You can find many suitable labeled training datasets here: [Embedding Model Datasets Collection](https://huggingface.co/collections/sentence-transformers/embedding-model-datasets-6644d7a3673a511914aa7552)

Adaptive Pre-Trainingïf•

When using adaptive pre-training, you first pre-train on your target corpus

using e.g. [Masked Language

Modeling](../unsupervised_learning/MLM/README.html) or

[TSDAE](../unsupervised_learning/TSDAE/README.html) and then you fine-tune on an existing training dataset (see [Embedding Model Datasets

Collection](https://huggingface.co/collections/sentence-

transformers/embedding-model-datasets-6644d7a3673a511914aa7552)).

![Adaptive Pre-Training](https://raw.githubusercontent.com/UKPLab/sentence-transformers/master/docs/img/adaptive_pre-training.png)

In our paper [TSDAE](https://arxiv.org/abs/2104.06979) we evaluated several methods for domain adaptation on 4 domain specific sentence embedding tasks:

Approach | AskUbuntu | CQADupStack | Twitter | SciDocs | Avg

Zero-Shot Model | 54.5 | 12.9 | 72.2 | 69.4 | 52.3

TSDAE | 59.4 | **14.4** | **74.5** | **77.6** | **56.5**

MLM | **60.6** | 14.3 | 71.8 | 76.9 | 55.9

CT | 56.4 | 13.4 | 72.4 | 69.7 | 53.0

SimCSE | 56.2 | 13.1 | 71.4 | 68.9 | 52.4

As we can see, the performance can improve up-to 8 points when you first perform pre-training on your specific corpus and then fine-tune on provided labeled training data.

In [GPL](https://arxiv.org/abs/2112.07577) we evaluate these methods for semantic search: Given a short query, find the relevant passage. Here,

performance can improve up to 10 points:

Approach | FiQA | SciFact | BioASQ | TREC-COVID | CQADupStack | Robust04 | Avg

Zero-Shot Model | 26.7 | 57.1 | 52.9 | 66.1 | 29.6 | 39.0 | 45.2

TSDAE | 29.3 | **62.8** | **55.5** | **76.1** | **31.8** | **39.4** | **49.2**

MLM | **30.2** | 60.0 | 51.3 | 69.5 | 30.4 | 38.8 | 46.7

ICT | 27.0 | 58.3 | 55.3 | 69.7 | 31.3 | 37.4 | 46.5

SimCSE | 26.7 | 55.0 | 53.2 | 68.3 | 29.0 | 37.9 | 45.0

CD | 27.0 | 62.7 | 47.7 | 65.4 | 30.6 | 34.5 | 44.7

CT | 28.3 | 55.6 | 49.9 | 63.8 | 30.5 | 35.9 | 44.0

A big **disadvantage of adaptive pre-training** is the high computational overhead, as you must first run pre-training on your corpus and then supervised learning on a labeled training dataset. The labeled trained datasets can be quite large (e.g. the `all-*-v1` models had been trained on over 1 billion training pairs).

GPL: Generative Pseudo-Labelingïf•

[GPL](https://arxiv.org/abs/2112.07577) overcomes the aforementioned issue: It can be applied on-top of a fine-tuned model. Hence, you can use one of the [pre-trained models](../../docs/sentence_transformer/pretrained_models.html) and adapt it to your specific domain:

![GPL_Overview](https://raw.githubusercontent.com/UKPLab/sentence-transformers/master/docs/img/gpl_overview.png)

The longer you train, the better your model gets. In our experiments, we were training the models for about 1 day on a V100-GPU. GPL can be combined with adaptive pre-training, which can give another performance boost.

![GPL_Steps](https://raw.githubusercontent.com/UKPLab/sentence-transformers/master/docs/img/gpl_steps.png)

GPL Stepsïf•

GPL works in three phases:

![GPL Architecture](https://raw.githubusercontent.com/UKPLab/sentence-transformers/master/docs/img/gpl_architecture.png)

* **Query Generation** : For a given text from our domain, we first use a T5 model that generates a possible query for the given text. E.g. when your text is _"Python is a high-level general-purpose programming language―_ , the model might generate a query like _"What is Python―_. You can find various query generators on our [doc2query-hub](https://huggingface.co/doc2query).

* **Negative Mining** : Next, for the generated query _"What is Python―_ we mine negative passages from our corpus, i.e. passages that are similar to the query but which a user would not consider relevant. Such a negative passage could be _"Java is a high-level, class-based, object-oriented programming language.―_. We do this mining using dense retrieval, i.e. we use one of the existing text embedding models and retrieve relevant paragraphs for the given query.

* **Pseudo Labeling**: It might be that in the negative mining step we retrieve a passage that is

actually relevant for the query (like another definition for _"What is Python―_). To overcome this issue, we use a [Cross-Encoder](../applications/cross-encoder/README.html) to score all (query, passage)-pairs.

* **Training** : Once we have the triplets _(generated query, positive passage, mined negative passage)_ and the Cross-Encoder scores for _(query, positive)_ and _(query, negative)_ we can start training the text embedding model using [MarginMSELoss](../../docs/package reference/sentence transformer/losses.html#marginmseloss).

The **pseudo labeling** step is quite important and which results in the increased performance compared to the previous method QGen, which treated passages just as positive (1) or negative (0). As we see in the following picture, for a generate query (_"what is futures contract―_), the negative mining step retrieves passages that are partly or highly relevant to the generated query. Using MarginMSELoss and the Cross-Encoder, we can identify these passages and teach the text embedding model that these passages are also relevant for the given query.

![GPL Architecture](https://raw.githubusercontent.com/UKPLab/sentence-transformers/master/docs/img/gpl negatives.jpg)

The following tables gives an overview of GPL in comparison to adaptive pretraining (MLM and TSDAE). As mentioned, GPL can be combined with adaptive pretraining.

Approach | FiQA | SciFact | BioASQ | TREC-COVID | CQADupStack | Robust04 | Avg

```
Zero-Shot model | 26.7 | 57.1 | 52.9 | 66.1 | 29.6 | 39.0 | 45.2

TSDAE + GPL | **33.3** | **67.3** | **62.8** | 74.0 | **35.1** | **42.1** | **52.4**

GPL | 33.1 | 65.2 | 61.6 | 71.7 | 34.4 | **42.1** | 51.4

TSDAE | 29.3 | 62.8 | 55.5 | **76.1** | 31.8 | 39.4 | 49.2
```

GPL Codeïf•

MLM | 30.2 | 60.0 | 51.3 | 69.5 | 30.4 | 38.8 | 46.7

You can find the code for GPL here: https://github.com/UKPLab/gpl

We made the code simple to use, so that you just need to pass your corpus and everything else is handled by the training code.

Citationïf•

If you find these resources helpful, feel free to cite our papers.

[TSDAE: Using Transformer-based Sequential Denoising Auto-Encoderfor Unsupervised Sentence Embedding Learning](https://arxiv.org/abs/2104.06979)

@inproceedings{wang-2021-TSDAE,

title = "TSDAE: Using Transformer-based Sequential Denoising Auto-Encoderfor Unsupervised Sentence Embedding Learning",

author = "Wang, Kexin and Reimers, Nils and Gurevych, Iryna",
booktitle = "Findings of the Association for Computational Linguistics: EMNLP 2021",

```
month = nov,
     year = "2021",
     address = "Punta Cana, Dominican Republic",
     publisher = "Association for Computational Linguistics",
     pages = "671--688",
    url = "https://arxiv.org/abs/2104.06979",
  }
[GPL: Generative Pseudo Labeling for Unsupervised Domain Adaptation of Dense
Retrieval](https://arxiv.org/abs/2112.07577):
  @inproceedings{wang-2021-GPL,
       title = "GPL: Generative Pseudo Labeling for Unsupervised Domain Adaptation of Dense
Retrieval",
     author = "Wang, Kexin and Thakur, Nandan and Reimers, Nils and Gurevych, Iryna",
    journal= "arXiv preprint arXiv:2112.07577",
    month = "12",
    year = "2021",
    url = "https://arxiv.org/abs/2112.07577",
  }
```

[Previous](../unsupervised_learning/README.html "Unsupervised Learning")

[Next](../training/hpo/README.html "Hyperparameter Optimization")

* * *

(C) Copyright 2025.

Built with [Sphinx](https://www.sphinx-doc.org/) using a [theme](https://github.com/readthedocs/sphinx_rtd_theme) provided by [Read the Docs](https://readthedocs.org).