

[Skip to main content](#)

[\\_\\_Back to top](#)

[\\_\\_ `Ctrl` + `K`](#)

[ [!conda 25.1.2.dev29 documentation -](#)

[Home](#)](../\_static/conda\_logo\_full.svg) ](../index.html)

\* [\[Conda\]\(https://docs.conda.io/projects/conda/\)](#)

\* [\[Conda-build\]\(https://docs.conda.io/projects/conda-build\)](#)

\* [\[Miniconda\]\(https://docs.anaconda.com/free/miniconda/\)](#)

\* [\[conda.org\]\(https://conda.org\)](#)

\* [\[\\_\\_ GitHub\]\(https://github.com/conda/conda "GitHub"\)](#)

\* [\[!\[Element\]\(../\\_static/element\\_logo.svg\)\]\(http://bit.ly/conda-chat-room "Element"\)](#)

\* [\[\\_\\_ Discourse\]\(https://conda.discourse.group/ "Discourse"\)](#)

\* [\[Conda\]\(https://docs.conda.io/projects/conda/\)](#)

\* [\[Conda-build\]\(https://docs.conda.io/projects/conda-build\)](#)

\* [\[Miniconda\]\(https://docs.anaconda.com/free/miniconda/\)](#)

\* [\[conda.org\]\(https://conda.org\)](#)

\* [\[\\_\\_ GitHub\]\(https://github.com/conda/conda "GitHub"\)](#)

\* [\[!\[Element\]\(../\\_static/element\\_logo.svg\)\]\(http://bit.ly/conda-chat-room "Element"\)](#)

\* [\[\\_\\_ Discourse\]\(https://conda.discourse.group/ "Discourse"\)](#)

## Navigation

- \* [\[User guide\]\(../index.html\)](#) \_\_\_\_
- \* [\[Getting started with conda\]\(../getting-started.html\)](#)
- \* [\[Installing conda\]\(../install/index.html\)](#) \_\_\_\_
  - \* [\[Installing on Windows\]\(../install/windows.html\)](#)
  - \* [\[Installing on macOS\]\(../install/macos.html\)](#)
  - \* [\[Installing on Linux\]\(../install/linux.html\)](#)
  - \* [\[RPM and Debian Repositories for Miniconda\]\(../install/rpm-debian.html\)](#)
- \* [Tasks](#) \_\_\_\_
  - \* [\[Managing conda\]\(manage-conda.html\)](#)
  - \* [\[Managing environments\]\(manage-environments.html\)](#)
  - \* [\[Managing channels\]\(manage-channels.html\)](#)
  - \* [\[Managing packages\]\(manage-pkgs.html\)](#)
  - \* [\[Managing Python\]\(manage-python.html\)](#)
  - \* [\[Managing virtual packages\]\(manage-virtual.html\)](#)
  - \* [\[Creating custom channels\]\(create-custom-channels.html\)](#)
  - \* [\[Creating projects\]\(creating-projects.html\)](#)
  - \* [\[Viewing command-line help\]\(view-command-line-help.html\)](#)
- \* [\[Configuration\]\(../configuration/index.html\)](#) \_\_\_\_
  - \* [\[Using the .condarc conda configuration file\]\(../configuration/use-condarc.html\)](#)
  - \* [\[Settings\]\(../configuration/settings.html\)](#)
  - \* [\[Administering a multi-user conda installation\]\(../configuration/admin-multi-user-install.html\)](#)
  - \* [\[Mirroring channels\]\(../configuration/mirroring.html\)](#)
  - \* [\[Disabling SSL verification\]\(../configuration/disable-ssl-verification.html\)](#)
  - \* [\[Using non-standard certificates\]\(../configuration/non-standard-certs.html\)](#)
  - \* [\[Using Custom Locations for Environment and Package](#)

Cache](../configuration/custom-env-and-pkg-locations.html)

- \* [Improving interoperability with pip](../configuration/pip-interoperability.html)

- \* [Using the free channel](../configuration/free-channel.html)

- \* [Concepts](../concepts/index.html) \_\_

- \* [Commands](../concepts/conda-commands.html)

- \* [Packages](../concepts/packages.html)

- \* [Package specification](../concepts/pkg-specs.html)

- \* [Package search and install specifications](../concepts/pkg-search.html)

- \* [Channels](../concepts/channels.html)

- \* [Environments](../concepts/environments.html)

- \* [Installing with conda](../concepts/installing-with-conda.html)

- \* [Performance](../concepts/conda-performance.html)

- \* [Conda for data scientists](../concepts/data-science.html)

- \* [Plugins](../concepts/conda-plugins.html)

- \* [Troubleshooting](../troubleshooting.html)

- \* [Cheatsheet](../cheatsheet.html)

- \* [Configuration](../../configuration.html)

- \* [Commands](../../commands/index.html) \_\_

- \* [``conda clean``](../../commands/clean.html)

- \* [``conda compare``](../../commands/compare.html)

- \* [``conda config``](../../commands/config.html)

- \* [``conda create``](../../commands/create.html)

- \* [``conda doctor``](../../commands/doctor.html)

- \* [``conda env``](../../commands/env/index.html) \_\_

- \* [``conda env config``](../../commands/env/config/index.html) \_\_

- \* [``conda env config vars``](../../commands/env/config/vars/index.html) \_\_

- \* [``conda env config vars list``](../../commands/env/config/vars/list.html)

- \* [`conda env config vars set`](../commands/env/config/vars/set.html)
- \* [`conda env config vars unset`](../commands/env/config/vars/unset.html)
- \* [`conda env create`](../commands/env/create.html)
- \* [`conda env export`](../commands/env/export.html)
- \* [`conda env list`](../commands/env/list.html)
- \* [`conda env remove`](../commands/env/remove.html)
- \* [`conda env update`](../commands/env/update.html)
- \* [`conda info`](../commands/info.html)
- \* [`conda init`](../commands/init.html)
- \* [`conda install`](../commands/install.html)
- \* [`conda list`](../commands/list.html)
- \* [`conda notices`](../commands/notices.html)
- \* [`conda package`](../commands/package.html)
- \* [`conda remove`](../commands/remove.html)
- \* [`conda rename`](../commands/rename.html)
- \* [`conda run`](../commands/run.html)
- \* [`conda search`](../commands/search.html)
- \* [`conda update`](../commands/update.html)
- \* [Release notes](../release-notes.html)
- \* [Glossary](../glossary.html)
- \* [Developer guide](../dev-guide/index.html) \_\_
- \* [Architecture](../dev-guide/architecture.html)
- \* [Contributing to conda](../dev-guide/contributing.html)
- \* [Development Environment](../dev-guide/development-environment.html)
- \* [Deep dives](../dev-guide/deep-dives/index.html) \_\_
- \* [`conda install`](../dev-guide/deep-dives/install.html)
- \* [`conda init` and `conda activate`](../dev-guide/deep-dives/activation.html)

- \* [`conda config` and context`](../../dev-guide/deep-dives/context.html)
- \* [Solvers](../../dev-guide/deep-dives/solvers.html)
- \* [Logging](../../dev-guide/deep-dives/logging.html)
- \* [Writing Tests](../../dev-guide/writing-tests/index.html) \_\_
- \* [Integration Tests](../../dev-guide/writing-tests/integration-tests.html)
- \* [Deprecations](../../dev-guide/deprecations.html)
- \* [Releasing](../../dev-guide/releasing.html)
- \* [Plugins](../../dev-guide/plugins/index.html) \_\_
  - \* [Auth Handlers](../../dev-guide/plugins/auth\_handlers.html)
  - \* [Health Checks](../../dev-guide/plugins/health\_checks.html)
  - \* [Request Headers](../../dev-guide/plugins/request\_headers.html)
  - \* [Post-commands](../../dev-guide/plugins/post\_commands.html)
  - \* [Pre-commands](../../dev-guide/plugins/pre\_commands.html)
  - \* [Reporter Backends](../../dev-guide/plugins/reporter\_backends.html)
  - \* [Settings](../../dev-guide/plugins/settings.html)
  - \* [Solvers](../../dev-guide/plugins/solvers.html)
  - \* [Subcommands](../../dev-guide/plugins/subcommands.html)
  - \* [Virtual Packages](../../dev-guide/plugins/virtual\_packages.html)
- \* [Specifications](../../dev-guide/specs/index.html) \_\_
  - \* [Technical specification: solver state](../../dev-guide/specs/solver-state.html)
- \* [API](../../dev-guide/api.html) \_\_
  - \* [`conda``](../../dev-guide/api/conda/index.html) \_\_
    - \* [`__main__``](../../dev-guide/api/conda/\_\_main\_\_/index.html)
    - \* [`_vendor``](../../dev-guide/api/conda/\_vendor/index.html) \_\_
      - \* [`frozendict``](../../dev-guide/api/conda/\_vendor/frozendict/index.html)
    - \* [`_version``](../../dev-guide/api/conda/\_version/index.html)
    - \* [`activate``](../../dev-guide/api/conda/activate/index.html)

- \* `[`api`](../../dev-guide/api/conda/api/index.html)`
- \* `[`auxlib`](../../dev-guide/api/conda/auxlib/index.html) __`
- \* `[`collection`](../../dev-guide/api/conda/auxlib/collection/index.html)`
- \* `[`compat`](../../dev-guide/api/conda/auxlib/compat/index.html)`
- \* `[`decorators`](../../dev-guide/api/conda/auxlib/decorators/index.html)`
- \* `[`entity`](../../dev-guide/api/conda/auxlib/entity/index.html)`
- \* `[`exceptions`](../../dev-guide/api/conda/auxlib/exceptions/index.html)`
- \* `[`ish`](../../dev-guide/api/conda/auxlib/ish/index.html)`
- \* `[`logz`](../../dev-guide/api/conda/auxlib/logz/index.html)`
- \* `[`type_coercion`](../../dev-guide/api/conda/auxlib/type_coercion/index.html)`
- \* `[`base`](../../dev-guide/api/conda/base/index.html) __`
- \* `[`constants`](../../dev-guide/api/conda/base/constants/index.html)`
- \* `[`context`](../../dev-guide/api/conda/base/context/index.html)`
- \* `[`cli`](../../dev-guide/api/conda/cli/index.html) __`
- \* `[`actions`](../../dev-guide/api/conda/cli/actions/index.html)`
- \* `[`common`](../../dev-guide/api/conda/cli/common/index.html)`
- \* `[`conda_argparse`](../../dev-guide/api/conda/cli/conda_argparse/index.html)`
- \* `[`find_commands`](../../dev-guide/api/conda/cli/find_commands/index.html)`
- \* `[`helpers`](../../dev-guide/api/conda/cli/helpers/index.html)`
- \* `[`install`](../../dev-guide/api/conda/cli/install/index.html)`
- \* `[`main`](../../dev-guide/api/conda/cli/main/index.html)`
- \* `[`main_clean`](../../dev-guide/api/conda/cli/main_clean/index.html)`
- \* `[`main_commands`](../../dev-guide/api/conda/cli/main_commands/index.html)`
- \* `[`main_compare`](../../dev-guide/api/conda/cli/main_compare/index.html)`
- \* `[`main_config`](../../dev-guide/api/conda/cli/main_config/index.html)`
- \* `[`main_create`](../../dev-guide/api/conda/cli/main_create/index.html)`
- \* `[`main_env`](../../dev-guide/api/conda/cli/main_env/index.html)`

- \* [main\_env\_config](../../dev-guide/api/conda/cli/main\_env\_config/index.html)
- \* [main\_env\_create](../../dev-guide/api/conda/cli/main\_env\_create/index.html)
- \* [main\_env\_export](../../dev-guide/api/conda/cli/main\_env\_export/index.html)
- \* [main\_env\_list](../../dev-guide/api/conda/cli/main\_env\_list/index.html)
- \* [main\_env\_remove](../../dev-guide/api/conda/cli/main\_env\_remove/index.html)
- \* [main\_env\_update](../../dev-guide/api/conda/cli/main\_env\_update/index.html)
- \* [main\_env\_vars](../../dev-guide/api/conda/cli/main\_env\_vars/index.html)
- \* [main\_export](../../dev-guide/api/conda/cli/main\_export/index.html)
- \* [main\_info](../../dev-guide/api/conda/cli/main\_info/index.html)
- \* [main\_init](../../dev-guide/api/conda/cli/main\_init/index.html)
- \* [main\_install](../../dev-guide/api/conda/cli/main\_install/index.html)
- \* [main\_list](../../dev-guide/api/conda/cli/main\_list/index.html)
- \* [main\_mock\_activate](../../dev-guide/api/conda/cli/main\_mock\_activate/index.html)
- \* [main\_mock\_deactivate](../../dev-guide/api/conda/cli/main\_mock\_deactivate/index.html)
- \* [main\_notices](../../dev-guide/api/conda/cli/main\_notices/index.html)
- \* [main\_package](../../dev-guide/api/conda/cli/main\_package/index.html)
- \* [main\_pip](../../dev-guide/api/conda/cli/main\_pip/index.html)
- \* [main\_remove](../../dev-guide/api/conda/cli/main\_remove/index.html)
- \* [main\_rename](../../dev-guide/api/conda/cli/main\_rename/index.html)
- \* [main\_run](../../dev-guide/api/conda/cli/main\_run/index.html)
- \* [main\_search](../../dev-guide/api/conda/cli/main\_search/index.html)
- \* [main\_update](../../dev-guide/api/conda/cli/main\_update/index.html)
- \* [python\_api](../../dev-guide/api/conda/cli/python\_api/index.html)
- \* [common](../../dev-guide/api/conda/common/index.html) \_\_
- \* [ \_logic](../../dev-guide/api/conda/common/\_logic/index.html)
- \* [ \_os](../../dev-guide/api/conda/common/\_os/index.html) \_\_
- \* [ linux](../../dev-guide/api/conda/common/\_os/linux/index.html)

- \* `[`osx`](../../dev-guide/api/conda/common/_os/osx/index.html)`
- \* `[`unix`](../../dev-guide/api/conda/common/_os/unix/index.html)`
- \* `[`windows`](../../dev-guide/api/conda/common/_os/windows/index.html)`
- \* `[`compat`](../../dev-guide/api/conda/common/compat/index.html)`
- \* `[`configuration`](../../dev-guide/api/conda/common/configuration/index.html)`
- \* `[`constants`](../../dev-guide/api/conda/common/constants/index.html)`
- \* `[`disk`](../../dev-guide/api/conda/common/disk/index.html)`
- \* `[`io`](../../dev-guide/api/conda/common/io/index.html)`
- \* `[`iterators`](../../dev-guide/api/conda/common/iterators/index.html)`
- \* `[`logic`](../../dev-guide/api/conda/common/logic/index.html)`
- \* `[`path`](../../dev-guide/api/conda/common/path/index.html)` \_\_
- \* `[`_cygpath`](../../dev-guide/api/conda/common/path/_cygpath/index.html)`
- \* `[`directories`](../../dev-guide/api/conda/common/path/directories/index.html)`
- \* `[`python`](../../dev-guide/api/conda/common/path/python/index.html)`
- \* `[`windows`](../../dev-guide/api/conda/common/path/windows/index.html)`
- \* `[`pkg_formats`](../../dev-guide/api/conda/common/pkg_formats/index.html)` \_\_
- \* `[`python`](../../dev-guide/api/conda/common/pkg_formats/python/index.html)`
- \* `[`serialize`](../../dev-guide/api/conda/common/serialize/index.html)`
- \* `[`signals`](../../dev-guide/api/conda/common/signals/index.html)`
- \* `[`toposort`](../../dev-guide/api/conda/common/toposort/index.html)`
- \* `[`url`](../../dev-guide/api/conda/common/url/index.html)`
- \* `[`core`](../../dev-guide/api/conda/core/index.html)` \_\_
- \* `[`envs_manager`](../../dev-guide/api/conda/core/envs_manager/index.html)`
- \* `[`index`](../../dev-guide/api/conda/core/index/index.html)`
- \* `[`initialize`](../../dev-guide/api/conda/core/initialize/index.html)`
- \* `[`link`](../../dev-guide/api/conda/core/link/index.html)`
- \* `[`package_cache_data`](../../dev-guide/api/conda/core/package_cache_data/index.html)`



- \* [path\_actions](../../dev-guide/api/conda/core/path\_actions/index.html)
- \* [portability](../../dev-guide/api/conda/core/portability/index.html)
- \* [prefix\_data](../../dev-guide/api/conda/core/prefix\_data/index.html)
- \* [solve](../../dev-guide/api/conda/core/solve/index.html)
- \* [subdir\_data](../../dev-guide/api/conda/core/subdir\_data/index.html)
- \* [deprecations](../../dev-guide/api/conda/deprecations/index.html)
- \* [env](../../dev-guide/api/conda/env/index.html) \_\_
- \* [ env](../../dev-guide/api/conda/env/env/index.html)
- \* [installers](../../dev-guide/api/conda/env/installers/index.html) \_\_
- \* [ base](../../dev-guide/api/conda/env/installers/base/index.html)
- \* [conda](../../dev-guide/api/conda/env/installers/conda/index.html)
- \* [pip](../../dev-guide/api/conda/env/installers/pip/index.html)
- \* [pip\_util](../../dev-guide/api/conda/env/pip\_util/index.html)
- \* [specs](../../dev-guide/api/conda/env/specs/index.html) \_\_
- \* [binstar](../../dev-guide/api/conda/env/specs/binstar/index.html)
- \* [requirements](../../dev-guide/api/conda/env/specs/requirements/index.html)
- \* [yaml\_file](../../dev-guide/api/conda/env/specs/yaml\_file/index.html)
- \* [exception\_handler](../../dev-guide/api/conda/exception\_handler/index.html)
- \* [exceptions](../../dev-guide/api/conda/exceptions/index.html)
- \* [exports](../../dev-guide/api/conda/exports/index.html)
- \* [gateways](../../dev-guide/api/conda/gateways/index.html) \_\_
- \* [ anaconda\_client](../../dev-guide/api/conda/gateways/anaconda\_client/index.html)
- \* [connection](../../dev-guide/api/conda/gateways/connection/index.html) \_\_
- \* [ adapters](../../dev-guide/api/conda/gateways/connection/adapters/index.html) \_\_
- \* [ ftp](../../dev-guide/api/conda/gateways/connection/adapters/ftp/index.html)
- \* [http](../../dev-guide/api/conda/gateways/connection/adapters/http/index.html)
- \* [localfs](../../dev-guide/api/conda/gateways/connection/adapters/localfs/index.html)

- \* [ `s3` ](../../dev-guide/api/conda/gateways/connection/adapters/s3/index.html)
- \* [ `download` ](../../dev-guide/api/conda/gateways/connection/download/index.html)
- \* [ `session` ](../../dev-guide/api/conda/gateways/connection/session/index.html)
- \* [ `disk` ](../../dev-guide/api/conda/gateways/disk/index.html) \_\_\_\_
- \* [ `create` ](../../dev-guide/api/conda/gateways/disk/create/index.html)
- \* [ `delete` ](../../dev-guide/api/conda/gateways/disk/delete/index.html)
- \* [ `link` ](../../dev-guide/api/conda/gateways/disk/link/index.html)
- \* [ `lock` ](../../dev-guide/api/conda/gateways/disk/lock/index.html)
- \* [ `permissions` ](../../dev-guide/api/conda/gateways/disk/permissions/index.html)
- \* [ `read` ](../../dev-guide/api/conda/gateways/disk/read/index.html)
- \* [ `test` ](../../dev-guide/api/conda/gateways/disk/test/index.html)
- \* [ `update` ](../../dev-guide/api/conda/gateways/disk/update/index.html)
- \* [ `logging` ](../../dev-guide/api/conda/gateways/logging/index.html)
- \* [ `repodata` ](../../dev-guide/api/conda/gateways/repodata/index.html) \_\_\_\_
- \* [ `jlap` ](../../dev-guide/api/conda/gateways/repodata/jlap/index.html) \_\_\_\_
- \* [ `core` ](../../dev-guide/api/conda/gateways/repodata/jlap/core/index.html)
- \* [ `fetch` ](../../dev-guide/api/conda/gateways/repodata/jlap/fetch/index.html)
- \* [ `interface` ](../../dev-guide/api/conda/gateways/repodata/jlap/interface/index.html)
- \* [ `lock` ](../../dev-guide/api/conda/gateways/repodata/lock/index.html)
- \* [ `subprocess` ](../../dev-guide/api/conda/gateways/subprocess/index.html)
- \* [ `history` ](../../dev-guide/api/conda/history/index.html)
- \* [ `instructions` ](../../dev-guide/api/conda/instructions/index.html)
- \* [ `misc` ](../../dev-guide/api/conda/misc/index.html)
- \* [ `models` ](../../dev-guide/api/conda/models/index.html) \_\_\_\_
- \* [ `channel` ](../../dev-guide/api/conda/models/channel/index.html)
- \* [ `dist` ](../../dev-guide/api/conda/models/dist/index.html)
- \* [ `enums` ](../../dev-guide/api/conda/models/enums/index.html)

- \* `[`leased_path_entry`](../../dev-guide/api/conda/models/leased_path_entry/index.html)`
- \* `[`match_spec`](../../dev-guide/api/conda/models/match_spec/index.html)`
- \* `[`package_info`](../../dev-guide/api/conda/models/package_info/index.html)`
- \* `[`prefix_graph`](../../dev-guide/api/conda/models/prefix_graph/index.html)`
- \* `[`records`](../../dev-guide/api/conda/models/records/index.html)`
- \* `[`version`](../../dev-guide/api/conda/models/version/index.html)`
- \* `[`notices`](../../dev-guide/api/conda/notices/index.html) ____`
- \* `[`  cache`](../../dev-guide/api/conda/notices/cache/index.html)`
- \* `[`  core`](../../dev-guide/api/conda/notices/core/index.html)`
- \* `[`  fetch`](../../dev-guide/api/conda/notices/fetch/index.html)`
- \* `[`  types`](../../dev-guide/api/conda/notices/types/index.html)`
- \* `[`  views`](../../dev-guide/api/conda/notices/views/index.html)`
- \* `[`plan`](../../dev-guide/api/conda/plan/index.html)`
- \* `[`plugins`](../../dev-guide/api/conda/plugins/index.html) ____`
- \* `[`  hookspec`](../../dev-guide/api/conda/plugins/hookspec/index.html)`
- \* `[`  manager`](../../dev-guide/api/conda/plugins/manager/index.html)`
- \* `[`  post_solves`](../../dev-guide/api/conda/plugins/post_solves/index.html) ____`
- \* `[``
- `signature_verification`](../../dev-guide/api/conda/plugins/post_solves/signature_verification/index.htm`
- `l)`
- \* `[`reporter_backends`](../../dev-guide/api/conda/plugins/reporter_backends/index.html) ____`
- \* `[`  console`](../../dev-guide/api/conda/plugins/reporter_backends/console/index.html)`
- \* `[`  json`](../../dev-guide/api/conda/plugins/reporter_backends/json/index.html)`
- \* `[`  solvers`](../../dev-guide/api/conda/plugins/solvers/index.html)`
- \* `[`  subcommands`](../../dev-guide/api/conda/plugins/subcommands/index.html) ____`
- \* `[`  doctor`](../../dev-guide/api/conda/plugins/subcommands/doctor/index.html) ____`
- \* `[``

health\_checks`](../../dev-guide/api/conda/plugins/subcommands/doctor/health\_checks/index.html)

\* [ `types` ](../../dev-guide/api/conda/plugins/types/index.html)

\* [ `virtual\_packages` ](../../dev-guide/api/conda/plugins/virtual\_packages/index.html) \_\_

\* [ ` archspec` ](../../dev-guide/api/conda/plugins/virtual\_packages/archspec/index.html)

\* [ `conda` ](../../dev-guide/api/conda/plugins/virtual\_packages/conda/index.html)

\* [ `cuda` ](../../dev-guide/api/conda/plugins/virtual\_packages/cuda/index.html)

\* [ `freebsd` ](../../dev-guide/api/conda/plugins/virtual\_packages/freebsd/index.html)

\* [ `linux` ](../../dev-guide/api/conda/plugins/virtual\_packages/linux/index.html)

\* [ `osx` ](../../dev-guide/api/conda/plugins/virtual\_packages/osx/index.html)

\* [ `windows` ](../../dev-guide/api/conda/plugins/virtual\_packages/windows/index.html)

\* [ `reporters` ](../../dev-guide/api/conda/reporters/index.html)

\* [ `resolve` ](../../dev-guide/api/conda/resolve/index.html)

\* [ `testing` ](../../dev-guide/api/conda/testing/index.html) \_\_

\* [ ` cases` ](../../dev-guide/api/conda/testing/cases/index.html)

\* [ ` fixtures` ](../../dev-guide/api/conda/testing/fixtures/index.html)

\* [ ` gateways` ](../../dev-guide/api/conda/testing/gateways/index.html) \_\_

\* [ ` fixtures` ](../../dev-guide/api/conda/testing/gateways/fixtures/index.html)

\* [ `helpers` ](../../dev-guide/api/conda/testing/helpers/index.html)

\* [ `integration` ](../../dev-guide/api/conda/testing/integration/index.html)

\* [ `notices` ](../../dev-guide/api/conda/testing/notices/index.html) \_\_

\* [ ` fixtures` ](../../dev-guide/api/conda/testing/notices/fixtures/index.html)

\* [ `helpers` ](../../dev-guide/api/conda/testing/notices/helpers/index.html)

\* [ `solver\_helpers` ](../../dev-guide/api/conda/testing/solver\_helpers/index.html)

\* [ `trust` ](../../dev-guide/api/conda/trust/index.html) \_\_

\* [ ` constants` ](../../dev-guide/api/conda/trust/constants/index.html)

\* [ `signature\_verification` ](../../dev-guide/api/conda/trust/signature\_verification/index.html)

\* [ `utils` ](../../dev-guide/api/conda/utils/index.html)

- \* [`conda_env``](../../dev-guide/api/conda\_env/index.html) \_\_
- \* [`cli``](../../dev-guide/api/conda\_env/cli/index.html)
- \* [`installers``](../../dev-guide/api/conda\_env/installers/index.html)

- \* [\_\_](../../index.html)
- \* [User guide](../index.html)
- \* Tasks

## # Tasks#

The tasks section is organized into various pages which cover nearly everything you can do with conda.

## ## Common Tasks#

[Managing conda](manage-conda.html)#

Everything necessary to know about managing your installation of conda

[Managing environments](manage-environments.html)#

Various operations involved with creating, updating, exporting, and removing environments, plus more

[\[Managing channels\]\(manage-channels.html\)#](#)

Information about channels and how they are searched through when installing packages

[\[Managing packages\]\(manage-pkgs.html\)#](#)

Details related to how to find, install, remove, and update packages in a given environment

[\[Managing python\]\(manage-python.html\)#](#)

Supported versions of Python and tips for updating and using multiple Python versions

[\[Managing virtual packages\]\(manage-virtual.html\)#](#)

Learn what virtual packages are and conda uses them

[\[View command line help\]\(view-command-line-help.html\)#](#)

Get help on the command line for any conda command

## ## Tutorials#

[\[Creating custom channels\]\(create-custom-channels.html\)#](#)

Tutorial walking you through how to create a custom channel and serve it from your local computer

[\[Creating projects with conda\]\(creating-projects.html\)#](#)

Learn how to start a new project with conda using a ``environment.yml`` file to manage your dependencies

\_\_\_On this page

- \* Common Tasks

- \* Tutorials

[ [\\_\\_Edit on GitHub](https://github.com/conda/conda/edit/main/docs/source/user-guide/tasks/index.rst)](https://github.com/conda/conda/edit/main/docs/source/user-guide/tasks/index.rst)

[ [\\_\\_Show Source](https://github.com/conda/conda/edit/main/docs/source/user-guide/tasks/index.rst)](../../\_sources/user-guide/tasks/index.rst.txt)

© Copyright 2017, Anaconda, Inc.

Created using [\[Sphinx\]](https://www.sphinx-doc.org/) 7.4.7.

[ [Analytics Dashboard \\_\\_](https://docs-conda-io.goatcounter.com)](https://docs-conda-io.goatcounter.com "Analytics Dashboard")

Built with the [\[PyData Sphinx Theme\]](https://pydata-sphinx-theme.readthedocs.io/en/stable/index.html) 0.15.4.