

[Skip to main content](#)

[\\_\\_Back to top](#)

[\\_\\_ `Ctrl` + `K`](#)

[ [!\[conda 25.1.2.dev29 documentation - Home\]\(../\\_static/conda\\_logo\\_full.svg\)](#)  
[\]\(../index.html\)](#)

\* [\[Conda\]\(https://docs.conda.io/projects/conda/\)](https://docs.conda.io/projects/conda/)

\* [\[Conda-build\]\(https://docs.conda.io/projects/conda-build\)](https://docs.conda.io/projects/conda-build/)

\* [\[Miniconda\]\(https://docs.anaconda.com/free/miniconda/\)](https://docs.anaconda.com/free/miniconda/)

\* [\[conda.org\]\(https://conda.org\)](https://conda.org)

\* [\[\\_\\_ GitHub\]\(https://github.com/conda/conda "GitHub"\)](https://github.com/conda/conda)

\* [\[!\[Element\]\(../\\_static/element\\_logo.svg\)\]\(http://bit.ly/conda-chat-room "Element"\)](http://bit.ly/conda-chat-room)

\* [\[\\_\\_ Discourse\]\(https://conda.discourse.group/ "Discourse"\)](https://conda.discourse.group/)

\* [\[Conda\]\(https://docs.conda.io/projects/conda/\)](https://docs.conda.io/projects/conda/)

\* [\[Conda-build\]\(https://docs.conda.io/projects/conda-build\)](https://docs.conda.io/projects/conda-build/)

\* [\[Miniconda\]\(https://docs.anaconda.com/free/miniconda/\)](https://docs.anaconda.com/free/miniconda/)

\* [\[conda.org\]\(https://conda.org\)](https://conda.org)

\* [\[\\_\\_ GitHub\]\(https://github.com/conda/conda "GitHub"\)](https://github.com/conda/conda)

\* [\[!\[Element\]\(../\\_static/element\\_logo.svg\)\]\(http://bit.ly/conda-chat-room "Element"\)](http://bit.ly/conda-chat-room)

\* [\[\\_\\_ Discourse\]\(https://conda.discourse.group/ "Discourse"\)](https://conda.discourse.group/)

## Navigation

- \* [\[User guide\]\(../user-guide/index.html\)](#) \_\_
- \* [\[Getting started with conda\]\(../user-guide/getting-started.html\)](#)
- \* [\[Installing conda\]\(../user-guide/install/index.html\)](#) \_\_
- \* [\[Installing on Windows\]\(../user-guide/install/windows.html\)](#)
- \* [\[Installing on macOS\]\(../user-guide/install/macos.html\)](#)
- \* [\[Installing on Linux\]\(../user-guide/install/linux.html\)](#)
- \* [\[RPM and Debian Repositories for Miniconda\]\(../user-guide/install/rpm-debian.html\)](#)
- \* [\[Tasks\]\(../user-guide/tasks/index.html\)](#) \_\_
- \* [\[Managing conda\]\(../user-guide/tasks/manage-conda.html\)](#)
- \* [\[Managing environments\]\(../user-guide/tasks/manage-environments.html\)](#)
- \* [\[Managing channels\]\(../user-guide/tasks/manage-channels.html\)](#)
- \* [\[Managing packages\]\(../user-guide/tasks/manage-pkgs.html\)](#)
- \* [\[Managing Python\]\(../user-guide/tasks/manage-python.html\)](#)
- \* [\[Managing virtual packages\]\(../user-guide/tasks/manage-virtual.html\)](#)
- \* [\[Creating custom channels\]\(../user-guide/tasks/create-custom-channels.html\)](#)
- \* [\[Creating projects\]\(../user-guide/tasks/creating-projects.html\)](#)
- \* [\[Viewing command-line help\]\(../user-guide/tasks/view-command-line-help.html\)](#)
- \* [\[Configuration\]\(../user-guide/configuration/index.html\)](#) \_\_
- \* [\[Using the .condarc conda configuration file\]\(../user-guide/configuration/use-condarc.html\)](#)
- \* [\[Settings\]\(../user-guide/configuration/settings.html\)](#)
- \* [\[Administering a multi-user conda installation\]\(../user-guide/configuration/admin-multi-user-install.html\)](#)
- \* [\[Mirroring channels\]\(../user-guide/configuration/mirroring.html\)](#)
- \* [\[Disabling SSL verification\]\(../user-guide/configuration/disable-ssl-verification.html\)](#)
- \* [\[Using non-standard certificates\]\(../user-guide/configuration/non-standard-certs.html\)](#)

\* [Using Custom Locations for Environment and Package

Cache](../user-guide/configuration/custom-env-and-pkg-locations.html)

\* [Improving interoperability with pip](../user-guide/configuration/pip-interoperability.html)

\* [Using the free channel](../user-guide/configuration/free-channel.html)

\* [Concepts](../user-guide/concepts/index.html) \_\_

\* [Commands](../user-guide/concepts/conda-commands.html)

\* [Packages](../user-guide/concepts/packages.html)

\* [Package specification](../user-guide/concepts/pkg-specs.html)

\* [Package search and install specifications](../user-guide/concepts/pkg-search.html)

\* [Channels](../user-guide/concepts/channels.html)

\* [Environments](../user-guide/concepts/environments.html)

\* [Installing with conda](../user-guide/concepts/installing-with-conda.html)

\* [Performance](../user-guide/concepts/conda-performance.html)

\* [Conda for data scientists](../user-guide/concepts/data-science.html)

\* [Plugins](../user-guide/concepts/conda-plugins.html)

\* [Troubleshooting](../user-guide/troubleshooting.html)

\* [Cheatsheet](../user-guide/cheatsheet.html)

\* [Configuration](../configuration.html)

\* [Commands](index.html) \_\_

\* [``conda clean``](clean.html)

\* [``conda compare``](compare.html)

\* [``conda config``](config.html)

\* [``conda create``](create.html)

\* [``conda doctor``](doctor.html)

\* [``conda env``](env/index.html) \_\_

\* [``conda env config``](env/config/index.html) \_\_

\* [``conda env config vars``](env/config/vars/index.html) \_\_

- \* [`conda env config vars list``](env/config/vars/list.html)
- \* [`conda env config vars set``](env/config/vars/set.html)
- \* [`conda env config vars unset``](env/config/vars/unset.html)
- \* [`conda env create``](env/create.html)
- \* [`conda env export``](env/export.html)
- \* [`conda env list``](env/list.html)
- \* [`conda env remove``](env/remove.html)
- \* [`conda env update``](env/update.html)
- \* [`conda info``](info.html)
- \* [`conda init``](init.html)
- \* [`conda install``](install.html)
- \* [`conda list``](list.html)
- \* [`conda notices``](notices.html)
- \* [`conda package``](package.html)
- \* [`conda remove``](remove.html)
- \* `conda rename``
- \* [`conda run``](run.html)
- \* [`conda search``](search.html)
- \* [`conda update``](update.html)
- \* [Release notes](../release-notes.html)
- \* [Glossary](../glossary.html)
- \* [Developer guide](../dev-guide/index.html) \_\_\_\_
- \* [Architecture](../dev-guide/architecture.html)
- \* [Contributing to conda](../dev-guide/contributing.html)
- \* [Development Environment](../dev-guide/development-environment.html)
- \* [Deep dives](../dev-guide/deep-dives/index.html) \_\_\_\_
- \* [`conda install``](../dev-guide/deep-dives/install.html)

- \* [``conda init`` and ``conda activate``](../dev-guide/deep-dives/activation.html)
- \* [``conda config`` and context](../dev-guide/deep-dives/context.html)
- \* [Solvers](../dev-guide/deep-dives/solvers.html)
- \* [Logging](../dev-guide/deep-dives/logging.html)
- \* [Writing Tests](../dev-guide/writing-tests/index.html) \_\_
- \* [Integration Tests](../dev-guide/writing-tests/integration-tests.html)
- \* [Deprecations](../dev-guide/deprecations.html)
- \* [Releasing](../dev-guide/releasing.html)
- \* [Plugins](../dev-guide/plugins/index.html) \_\_
- \* [Auth Handlers](../dev-guide/plugins/auth\_handlers.html)
- \* [Health Checks](../dev-guide/plugins/health\_checks.html)
- \* [Request Headers](../dev-guide/plugins/request\_headers.html)
- \* [Post-commands](../dev-guide/plugins/post\_commands.html)
- \* [Pre-commands](../dev-guide/plugins/pre\_commands.html)
- \* [Reporter Backends](../dev-guide/plugins/reporter\_backends.html)
- \* [Settings](../dev-guide/plugins/settings.html)
- \* [Solvers](../dev-guide/plugins/solvers.html)
- \* [Subcommands](../dev-guide/plugins/subcommands.html)
- \* [Virtual Packages](../dev-guide/plugins/virtual\_packages.html)
- \* [Specifications](../dev-guide/specs/index.html) \_\_
- \* [Technical specification: solver state](../dev-guide/specs/solver-state.html)
- \* [API](../dev-guide/api.html) \_\_
- \* [``__conda__``](../dev-guide/api/conda/index.html) \_\_
- \* [``__main__``](../dev-guide/api/conda/\_\_main\_\_/index.html)
- \* [``_vendor``](../dev-guide/api/conda/\_vendor/index.html) \_\_
- \* [``frozendict``](../dev-guide/api/conda/\_vendor/frozendict/index.html)
- \* [``_version``](../dev-guide/api/conda/\_version/index.html)

- \* [`activate``](../dev-guide/api/conda/activate/index.html)
- \* [`api``](../dev-guide/api/conda/api/index.html)
- \* [`auxlib``](../dev-guide/api/conda/auxlib/index.html) \_\_\_\_
  - \* [`collection``](../dev-guide/api/conda/auxlib/collection/index.html)
  - \* [`compat``](../dev-guide/api/conda/auxlib/compat/index.html)
  - \* [`decorators``](../dev-guide/api/conda/auxlib/decorators/index.html)
  - \* [`entity``](../dev-guide/api/conda/auxlib/entity/index.html)
  - \* [`exceptions``](../dev-guide/api/conda/auxlib/exceptions/index.html)
  - \* [`ish``](../dev-guide/api/conda/auxlib/ish/index.html)
  - \* [`logz``](../dev-guide/api/conda/auxlib/logz/index.html)
  - \* [`type_coercion``](../dev-guide/api/conda/auxlib/type\_coercion/index.html)
- \* [`base``](../dev-guide/api/conda/base/index.html) \_\_\_\_
  - \* [`constants``](../dev-guide/api/conda/base/constants/index.html)
  - \* [`context``](../dev-guide/api/conda/base/context/index.html)
- \* [`cli``](../dev-guide/api/conda/cli/index.html) \_\_\_\_
  - \* [`actions``](../dev-guide/api/conda/cli/actions/index.html)
  - \* [`common``](../dev-guide/api/conda/cli/common/index.html)
  - \* [`conda_argparse``](../dev-guide/api/conda/cli/conda\_argparse/index.html)
  - \* [`find_commands``](../dev-guide/api/conda/cli/find\_commands/index.html)
  - \* [`helpers``](../dev-guide/api/conda/cli/helpers/index.html)
  - \* [`install``](../dev-guide/api/conda/cli/install/index.html)
  - \* [`main``](../dev-guide/api/conda/cli/main/index.html)
  - \* [`main_clean``](../dev-guide/api/conda/cli/main\_clean/index.html)
  - \* [`main_commands``](../dev-guide/api/conda/cli/main\_commands/index.html)
  - \* [`main_compare``](../dev-guide/api/conda/cli/main\_compare/index.html)
  - \* [`main_config``](../dev-guide/api/conda/cli/main\_config/index.html)
  - \* [`main_create``](../dev-guide/api/conda/cli/main\_create/index.html)

- \* [main\_env](../dev-guide/api/conda/cli/main\_env/index.html)
- \* [main\_env\_config](../dev-guide/api/conda/cli/main\_env\_config/index.html)
- \* [main\_env\_create](../dev-guide/api/conda/cli/main\_env\_create/index.html)
- \* [main\_env\_export](../dev-guide/api/conda/cli/main\_env\_export/index.html)
- \* [main\_env\_list](../dev-guide/api/conda/cli/main\_env\_list/index.html)
- \* [main\_env\_remove](../dev-guide/api/conda/cli/main\_env\_remove/index.html)
- \* [main\_env\_update](../dev-guide/api/conda/cli/main\_env\_update/index.html)
- \* [main\_env\_vars](../dev-guide/api/conda/cli/main\_env\_vars/index.html)
- \* [main\_export](../dev-guide/api/conda/cli/main\_export/index.html)
- \* [main\_info](../dev-guide/api/conda/cli/main\_info/index.html)
- \* [main\_init](../dev-guide/api/conda/cli/main\_init/index.html)
- \* [main\_install](../dev-guide/api/conda/cli/main\_install/index.html)
- \* [main\_list](../dev-guide/api/conda/cli/main\_list/index.html)
- \* [main\_mock\_activate](../dev-guide/api/conda/cli/main\_mock\_activate/index.html)
- \* [main\_mock\_deactivate](../dev-guide/api/conda/cli/main\_mock\_deactivate/index.html)
- \* [main\_notices](../dev-guide/api/conda/cli/main\_notices/index.html)
- \* [main\_package](../dev-guide/api/conda/cli/main\_package/index.html)
- \* [main\_pip](../dev-guide/api/conda/cli/main\_pip/index.html)
- \* [main\_remove](../dev-guide/api/conda/cli/main\_remove/index.html)
- \* [main\_rename](../dev-guide/api/conda/cli/main\_rename/index.html)
- \* [main\_run](../dev-guide/api/conda/cli/main\_run/index.html)
- \* [main\_search](../dev-guide/api/conda/cli/main\_search/index.html)
- \* [main\_update](../dev-guide/api/conda/cli/main\_update/index.html)
- \* [python\_api](../dev-guide/api/conda/cli/python\_api/index.html)
- \* [common](../dev-guide/api/conda/common/index.html) \_\_
- \* [ \_logic](../dev-guide/api/conda/common/\_logic/index.html)
- \* [ \_os](../dev-guide/api/conda/common/\_os/index.html) \_\_

- \* [`linux``](../dev-guide/api/conda/common/\_os/linux/index.html)
- \* [`osx``](../dev-guide/api/conda/common/\_os/osx/index.html)
- \* [`unix``](../dev-guide/api/conda/common/\_os/unix/index.html)
- \* [`windows``](../dev-guide/api/conda/common/\_os/windows/index.html)
- \* [`compat``](../dev-guide/api/conda/common/compat/index.html)
- \* [`configuration``](../dev-guide/api/conda/common/configuration/index.html)
- \* [`constants``](../dev-guide/api/conda/common/constants/index.html)
- \* [`disk``](../dev-guide/api/conda/common/disk/index.html)
- \* [`io``](../dev-guide/api/conda/common/io/index.html)
- \* [`iterators``](../dev-guide/api/conda/common/iterators/index.html)
- \* [`logic``](../dev-guide/api/conda/common/logic/index.html)
- \* [`path``](../dev-guide/api/conda/common/path/index.html) \_\_
- \* [`_cygpath``](../dev-guide/api/conda/common/path/\_cygpath/index.html)
- \* [`directories``](../dev-guide/api/conda/common/path/directories/index.html)
- \* [`python``](../dev-guide/api/conda/common/path/python/index.html)
- \* [`windows``](../dev-guide/api/conda/common/path/windows/index.html)
- \* [`pkg_formats``](../dev-guide/api/conda/common/pkg\_formats/index.html) \_\_
- \* [`python``](../dev-guide/api/conda/common/pkg\_formats/python/index.html)
- \* [`serialize``](../dev-guide/api/conda/common/serialize/index.html)
- \* [`signals``](../dev-guide/api/conda/common/signals/index.html)
- \* [`toposort``](../dev-guide/api/conda/common/toposort/index.html)
- \* [`url``](../dev-guide/api/conda/common/url/index.html)
- \* [`core``](../dev-guide/api/conda/core/index.html) \_\_
- \* [`envs_manager``](../dev-guide/api/conda/core/envs\_manager/index.html)
- \* [`index``](../dev-guide/api/conda/core/index/index.html)
- \* [`initialize``](../dev-guide/api/conda/core/initialize/index.html)
- \* [`link``](../dev-guide/api/conda/core/link/index.html)



- \* [ package\_cache\_data ](../dev-guide/api/conda/core/package\_cache\_data/index.html)
- \* [ path\_actions ](../dev-guide/api/conda/core/path\_actions/index.html)
- \* [ portability ](../dev-guide/api/conda/core/portability/index.html)
- \* [ prefix\_data ](../dev-guide/api/conda/core/prefix\_data/index.html)
- \* [ solve ](../dev-guide/api/conda/core/solve/index.html)
- \* [ subdir\_data ](../dev-guide/api/conda/core/subdir\_data/index.html)
- \* [ deprecations ](../dev-guide/api/conda/deprecations/index.html)
- \* [ env ](../dev-guide/api/conda/env/index.html) \_\_\_\_
- \* [ env ](../dev-guide/api/conda/env/env/index.html)
- \* [ installers ](../dev-guide/api/conda/env/installers/index.html) \_\_\_\_
- \* [ base ](../dev-guide/api/conda/env/installers/base/index.html)
- \* [ conda ](../dev-guide/api/conda/env/installers/conda/index.html)
- \* [ pip ](../dev-guide/api/conda/env/installers/pip/index.html)
- \* [ pip\_util ](../dev-guide/api/conda/env/pip\_util/index.html)
- \* [ specs ](../dev-guide/api/conda/env/specs/index.html) \_\_\_\_
- \* [ binstar ](../dev-guide/api/conda/env/specs/binstar/index.html)
- \* [ requirements ](../dev-guide/api/conda/env/specs/requirements/index.html)
- \* [ yaml\_file ](../dev-guide/api/conda/env/specs/yaml\_file/index.html)
- \* [ exception\_handler ](../dev-guide/api/conda/exception\_handler/index.html)
- \* [ exceptions ](../dev-guide/api/conda/exceptions/index.html)
- \* [ exports ](../dev-guide/api/conda/exports/index.html)
- \* [ gateways ](../dev-guide/api/conda/gateways/index.html) \_\_\_\_
- \* [ anaconda\_client ](../dev-guide/api/conda/gateways/anaconda\_client/index.html)
- \* [ connection ](../dev-guide/api/conda/gateways/connection/index.html) \_\_\_\_
- \* [ adapters ](../dev-guide/api/conda/gateways/connection/adapters/index.html) \_\_\_\_
- \* [ ftp ](../dev-guide/api/conda/gateways/connection/adapters/ftp/index.html)
- \* [ http ](../dev-guide/api/conda/gateways/connection/adapters/http/index.html)

- \* [localfs](../dev-guide/api/conda/gateways/connection/adapters/localfs/index.html)
- \* [s3](../dev-guide/api/conda/gateways/connection/adapters/s3/index.html)
- \* [download](../dev-guide/api/conda/gateways/connection/download/index.html)
- \* [session](../dev-guide/api/conda/gateways/connection/session/index.html)
- \* [disk](../dev-guide/api/conda/gateways/disk/index.html) \_\_
- \* [create](../dev-guide/api/conda/gateways/disk/create/index.html)
- \* [delete](../dev-guide/api/conda/gateways/disk/delete/index.html)
- \* [link](../dev-guide/api/conda/gateways/disk/link/index.html)
- \* [lock](../dev-guide/api/conda/gateways/disk/lock/index.html)
- \* [permissions](../dev-guide/api/conda/gateways/disk/permissions/index.html)
- \* [read](../dev-guide/api/conda/gateways/disk/read/index.html)
- \* [test](../dev-guide/api/conda/gateways/disk/test/index.html)
- \* [update](../dev-guide/api/conda/gateways/disk/update/index.html)
- \* [logging](../dev-guide/api/conda/gateways/logging/index.html)
- \* [reodata](../dev-guide/api/conda/gateways/reodata/index.html) \_\_
- \* [jlap](../dev-guide/api/conda/gateways/reodata/jlap/index.html) \_\_
- \* [core](../dev-guide/api/conda/gateways/reodata/jlap/core/index.html)
- \* [fetch](../dev-guide/api/conda/gateways/reodata/jlap/fetch/index.html)
- \* [interface](../dev-guide/api/conda/gateways/reodata/jlap/interface/index.html)
- \* [lock](../dev-guide/api/conda/gateways/reodata/lock/index.html)
- \* [subprocess](../dev-guide/api/conda/gateways/subprocess/index.html)
- \* [history](../dev-guide/api/conda/history/index.html)
- \* [instructions](../dev-guide/api/conda/instructions/index.html)
- \* [misc](../dev-guide/api/conda/misc/index.html)
- \* [models](../dev-guide/api/conda/models/index.html) \_\_
- \* [channel](../dev-guide/api/conda/models/channel/index.html)
- \* [dist](../dev-guide/api/conda/models/dist/index.html)

- \* `[`enums`](../dev-guide/api/conda/models/enums/index.html)`
- \* `[`leased_path_entry`](../dev-guide/api/conda/models/leased_path_entry/index.html)`
- \* `[`match_spec`](../dev-guide/api/conda/models/match_spec/index.html)`
- \* `[`package_info`](../dev-guide/api/conda/models/package_info/index.html)`
- \* `[`prefix_graph`](../dev-guide/api/conda/models/prefix_graph/index.html)`
- \* `[`records`](../dev-guide/api/conda/models/records/index.html)`
- \* `[`version`](../dev-guide/api/conda/models/version/index.html)`
- \* `[`notices`](../dev-guide/api/conda/notices/index.html) ____`
- \* `[`cache`](../dev-guide/api/conda/notices/cache/index.html)`
- \* `[`core`](../dev-guide/api/conda/notices/core/index.html)`
- \* `[`fetch`](../dev-guide/api/conda/notices/fetch/index.html)`
- \* `[`types`](../dev-guide/api/conda/notices/types/index.html)`
- \* `[`views`](../dev-guide/api/conda/notices/views/index.html)`
- \* `[`plan`](../dev-guide/api/conda/plan/index.html)`
- \* `[`plugins`](../dev-guide/api/conda/plugins/index.html) ____`
- \* `[`hookspec`](../dev-guide/api/conda/plugins/hookspec/index.html)`
- \* `[`manager`](../dev-guide/api/conda/plugins/manager/index.html)`
- \* `[`post_solves`](../dev-guide/api/conda/plugins/post_solves/index.html) ____`
- \* `[`signature_verification`](../dev-guide/api/conda/plugins/post_solves/signature_verification/index.html)`
- \* `[`reporter_backends`](../dev-guide/api/conda/plugins/reporter_backends/index.html) ____`
- \* `[`console`](../dev-guide/api/conda/plugins/reporter_backends/console/index.html)`
- \* `[`json`](../dev-guide/api/conda/plugins/reporter_backends/json/index.html)`
- \* `[`solvers`](../dev-guide/api/conda/plugins/solvers/index.html)`
- \* `[`subcommands`](../dev-guide/api/conda/plugins/subcommands/index.html) ____`
- \* `[`doctor`](../dev-guide/api/conda/plugins/subcommands/doctor/index.html) ____`

[health\\_checks`\]\(../dev-guide/api/conda/plugins/subcommands/doctor/health\\_checks/index.html\)](#)

\* [\[`types`\]\(../dev-guide/api/conda/plugins/types/index.html\)](#)

\* [\[`virtual\\_packages`\]\(../dev-guide/api/conda/plugins/virtual\\_packages/index.html\)](#) \_\_

\* [\[`archspeg`\]\(../dev-guide/api/conda/plugins/virtual\\_packages/archspec/index.html\)](#)

\* [\[`conda`\]\(../dev-guide/api/conda/plugins/virtual\\_packages/conda/index.html\)](#)

\* [\[`cuda`\]\(../dev-guide/api/conda/plugins/virtual\\_packages/cuda/index.html\)](#)

\* [\[`freebsd`\]\(../dev-guide/api/conda/plugins/virtual\\_packages/freebsd/index.html\)](#)

\* [\[`linux`\]\(../dev-guide/api/conda/plugins/virtual\\_packages/linux/index.html\)](#)

\* [\[`osx`\]\(../dev-guide/api/conda/plugins/virtual\\_packages/osx/index.html\)](#)

\* [\[`windows`\]\(../dev-guide/api/conda/plugins/virtual\\_packages/windows/index.html\)](#)

\* [\[`reporters`\]\(../dev-guide/api/conda/reporters/index.html\)](#)

\* [\[`resolve`\]\(../dev-guide/api/conda/resolve/index.html\)](#)

\* [\[`testing`\]\(../dev-guide/api/conda/testing/index.html\)](#) \_\_

\* [\[`cases`\]\(../dev-guide/api/conda/testing/cases/index.html\)](#)

\* [\[`fixtures`\]\(../dev-guide/api/conda/testing/fixtures/index.html\)](#)

\* [\[`gateways`\]\(../dev-guide/api/conda/testing/gateways/index.html\)](#) \_\_

\* [\[`fixtures`\]\(../dev-guide/api/conda/testing/gateways/fixtures/index.html\)](#)

\* [\[`helpers`\]\(../dev-guide/api/conda/testing/helpers/index.html\)](#)

\* [\[`integration`\]\(../dev-guide/api/conda/testing/integration/index.html\)](#)

\* [\[`notices`\]\(../dev-guide/api/conda/testing/notices/index.html\)](#) \_\_

\* [\[`fixtures`\]\(../dev-guide/api/conda/testing/notices/fixtures/index.html\)](#)

\* [\[`helpers`\]\(../dev-guide/api/conda/testing/notices/helpers/index.html\)](#)

\* [\[`solver\\_helpers`\]\(../dev-guide/api/conda/testing/solver\\_helpers/index.html\)](#)

\* [\[`trust`\]\(../dev-guide/api/conda/trust/index.html\)](#) \_\_

\* [\[`constants`\]\(../dev-guide/api/conda/trust/constants/index.html\)](#)

\* [\[`signature\\_verification`\]\(../dev-guide/api/conda/trust/signature\\_verification/index.html\)](#)

\* [\[`utils`\]\(../dev-guide/api/conda/utils/index.html\)](#)

```
* [ `conda_env` ](..dev-guide/api/conda_env/index.html) ____  
* [ `cli` ](..dev-guide/api/conda_env/cli/index.html)  
* [ `installers` ](..dev-guide/api/conda_env/installers/index.html)
```

```
* [ ____ ](..index.html)  
* [Commands](index.html)  
*
```

```
# `conda rename`#
```

Rename an existing environment.

This command renames a conda environment via its name (-n/--name) or its prefix (-p/--prefix).

The base environment and the currently-active environment cannot be renamed.

```
usage: conda rename [-h] [-n ENVIRONMENT | -p PATH] [-f] [--json]  
                  [--console CONSOLE] [-v] [-q] [-d] [-y]  
                  destination
```

## Positional Arguments#

```
`destination`
```

New name for the conda environment.

## Named Arguments#

`-f, --force`

\--force is deprecated and will be removed in 25.3. Use \--yes instead.

## Target Environment Specification#

`-n, --name`

Name of environment.

`-p, --prefix`

Full path to environment location (i.e. prefix).

## ## Output, Prompt, and Flow Control Options#

`--json``

Report all output as json. Suitable for using conda programmatically.

`--console``

Select the backend to use for normal output rendering.

`-v, --verbose``

Can be used multiple times. Once for detailed output, twice for INFO logging, thrice for DEBUG logging, four times for TRACE logging.

`-q, --quiet``

Do not display progress bar.

``-d, --dry-run``

Only display what would have been done.

``-y, --yes``

Sets any confirmation values to 'yes' automatically. Users will not be asked to confirm any adding, deleting, backups, etc.

Examples:

```
conda rename -n test123 test321
```

```
conda rename --name test123 test321
```

```
conda rename -p path/to/test123 test321
```

```
conda rename --prefix path/to/test123 test321
```



- \* Positional Arguments
- \* Named Arguments
- \* Target Environment Specification
- \* Output, Prompt, and Flow Control Options

[ [\\_\\_Edit on](#)

GitHub](<https://github.com/conda/conda/edit/main/docs/source/commands/rename.rst>)

[ [\\_\\_Show Source](#)]([../\\_sources/commands/rename.rst.txt](https://github.com/conda/conda/edit/main/docs/source/commands/rename.rst.txt))

© Copyright 2017, Anaconda, Inc.

Created using [Sphinx](<https://www.sphinx-doc.org/>) 7.4.7.

[ [Analytics Dashboard \\_\\_](#)](<https://docs-conda-io.goatcounter.com> "Analytics Dashboard")

Built with the [PyData Sphinx Theme](<https://pydata-sphinx-theme.readthedocs.io/en/stable/index.html>) 0.15.4.