

[Skip to main content](#)

[__Back to top](#)

[__ `Ctrl` + `K`](#)

[[!conda 25.1.2.dev29 documentation -](#)

[Home](#)](../_static/conda_logo_full.svg)](../index.html)

* [\[Conda\]\(https://docs.conda.io/projects/conda/\)](#)

* [\[Conda-build\]\(https://docs.conda.io/projects/conda-build\)](#)

* [\[Miniconda\]\(https://docs.anaconda.com/free/miniconda/\)](#)

* [\[conda.org\]\(https://conda.org\)](#)

* [\[__ GitHub\]\(https://github.com/conda/conda "GitHub"\)](#)

* [\[!\[Element\]\(../_static/element_logo.svg\)\]\(http://bit.ly/conda-chat-room "Element"\)](#)

* [\[__ Discourse\]\(https://conda.discourse.group/ "Discourse"\)](#)

* [\[Conda\]\(https://docs.conda.io/projects/conda/\)](#)

* [\[Conda-build\]\(https://docs.conda.io/projects/conda-build\)](#)

* [\[Miniconda\]\(https://docs.anaconda.com/free/miniconda/\)](#)

* [\[conda.org\]\(https://conda.org\)](#)

* [\[__ GitHub\]\(https://github.com/conda/conda "GitHub"\)](#)

* [\[!\[Element\]\(../_static/element_logo.svg\)\]\(http://bit.ly/conda-chat-room "Element"\)](#)

* [\[__ Discourse\]\(https://conda.discourse.group/ "Discourse"\)](#)

Navigation

- * [\[User guide\]\(../index.html\)](#) __
- * [\[Getting started with conda\]\(../getting-started.html\)](#)
- * [\[Installing conda\]\(index.html\)](#) __
 - * [\[Installing on Windows\]\(windows.html\)](#)
 - * [\[Installing on macOS\]\(macos.html\)](#)
 - * [Installing on Linux](#)
 - * [\[RPM and Debian Repositories for Miniconda\]\(rpm-debian.html\)](#)
- * [\[Tasks\]\(../tasks/index.html\)](#) __
 - * [\[Managing conda\]\(../tasks/manage-conda.html\)](#)
 - * [\[Managing environments\]\(../tasks/manage-environments.html\)](#)
 - * [\[Managing channels\]\(../tasks/manage-channels.html\)](#)
 - * [\[Managing packages\]\(../tasks/manage-pkgs.html\)](#)
 - * [\[Managing Python\]\(../tasks/manage-python.html\)](#)
 - * [\[Managing virtual packages\]\(../tasks/manage-virtual.html\)](#)
 - * [\[Creating custom channels\]\(../tasks/create-custom-channels.html\)](#)
 - * [\[Creating projects\]\(../tasks/creating-projects.html\)](#)
 - * [\[Viewing command-line help\]\(../tasks/view-command-line-help.html\)](#)
- * [\[Configuration\]\(../configuration/index.html\)](#) __
 - * [\[Using the .condarc conda configuration file\]\(../configuration/use-condarc.html\)](#)
 - * [\[Settings\]\(../configuration/settings.html\)](#)
 - * [\[Administering a multi-user conda installation\]\(../configuration/admin-multi-user-install.html\)](#)
 - * [\[Mirroring channels\]\(../configuration/mirroring.html\)](#)
 - * [\[Disabling SSL verification\]\(../configuration/disable-ssl-verification.html\)](#)
 - * [\[Using non-standard certificates\]\(../configuration/non-standard-certs.html\)](#)
 - * [\[Using Custom Locations for Environment and Package](#)

Cache](../configuration/custom-env-and-pkg-locations.html)

- * [Improving interoperability with pip](../configuration/pip-interoperability.html)

- * [Using the free channel](../configuration/free-channel.html)

- * [Concepts](../concepts/index.html) __

- * [Commands](../concepts/conda-commands.html)

- * [Packages](../concepts/packages.html)

- * [Package specification](../concepts/pkg-specs.html)

- * [Package search and install specifications](../concepts/pkg-search.html)

- * [Channels](../concepts/channels.html)

- * [Environments](../concepts/environments.html)

- * [Installing with conda](../concepts/installing-with-conda.html)

- * [Performance](../concepts/conda-performance.html)

- * [Conda for data scientists](../concepts/data-science.html)

- * [Plugins](../concepts/conda-plugins.html)

- * [Troubleshooting](../troubleshooting.html)

- * [Cheatsheet](../cheatsheet.html)

- * [Configuration](../../configuration.html)

- * [Commands](../../commands/index.html) __

- * [``conda clean``](../../commands/clean.html)

- * [``conda compare``](../../commands/compare.html)

- * [``conda config``](../../commands/config.html)

- * [``conda create``](../../commands/create.html)

- * [``conda doctor``](../../commands/doctor.html)

- * [``conda env``](../../commands/env/index.html) __

- * [``conda env config``](../../commands/env/config/index.html) __

- * [``conda env config vars``](../../commands/env/config/vars/index.html) __

- * [``conda env config vars list``](../../commands/env/config/vars/list.html)

- * [`conda env config vars set`](../commands/env/config/vars/set.html)
- * [`conda env config vars unset`](../commands/env/config/vars/unset.html)
- * [`conda env create`](../commands/env/create.html)
- * [`conda env export`](../commands/env/export.html)
- * [`conda env list`](../commands/env/list.html)
- * [`conda env remove`](../commands/env/remove.html)
- * [`conda env update`](../commands/env/update.html)
- * [`conda info`](../commands/info.html)
- * [`conda init`](../commands/init.html)
- * [`conda install`](../commands/install.html)
- * [`conda list`](../commands/list.html)
- * [`conda notices`](../commands/notices.html)
- * [`conda package`](../commands/package.html)
- * [`conda remove`](../commands/remove.html)
- * [`conda rename`](../commands/rename.html)
- * [`conda run`](../commands/run.html)
- * [`conda search`](../commands/search.html)
- * [`conda update`](../commands/update.html)
- * [Release notes](../release-notes.html)
- * [Glossary](../glossary.html)
- * [Developer guide](../dev-guide/index.html) __
- * [Architecture](../dev-guide/architecture.html)
- * [Contributing to conda](../dev-guide/contributing.html)
- * [Development Environment](../dev-guide/development-environment.html)
- * [Deep dives](../dev-guide/deep-dives/index.html) __
- * [`conda install`](../dev-guide/deep-dives/install.html)
- * [`conda init` and `conda activate`](../dev-guide/deep-dives/activation.html)

- * [`conda config` and context`](../../dev-guide/deep-dives/context.html)
- * [Solvers](../../dev-guide/deep-dives/solvers.html)
- * [Logging](../../dev-guide/deep-dives/logging.html)
- * [Writing Tests](../../dev-guide/writing-tests/index.html) __
- * [Integration Tests](../../dev-guide/writing-tests/integration-tests.html)
- * [Deprecations](../../dev-guide/deprecations.html)
- * [Releasing](../../dev-guide/releasing.html)
- * [Plugins](../../dev-guide/plugins/index.html) __
 - * [Auth Handlers](../../dev-guide/plugins/auth_handlers.html)
 - * [Health Checks](../../dev-guide/plugins/health_checks.html)
 - * [Request Headers](../../dev-guide/plugins/request_headers.html)
 - * [Post-commands](../../dev-guide/plugins/post_commands.html)
 - * [Pre-commands](../../dev-guide/plugins/pre_commands.html)
 - * [Reporter Backends](../../dev-guide/plugins/reporter_backends.html)
 - * [Settings](../../dev-guide/plugins/settings.html)
 - * [Solvers](../../dev-guide/plugins/solvers.html)
 - * [Subcommands](../../dev-guide/plugins/subcommands.html)
 - * [Virtual Packages](../../dev-guide/plugins/virtual_packages.html)
- * [Specifications](../../dev-guide/specs/index.html) __
 - * [Technical specification: solver state](../../dev-guide/specs/solver-state.html)
- * [API](../../dev-guide/api.html) __
 - * [`conda``](../../dev-guide/api/conda/index.html) __
 - * [`__main__``](../../dev-guide/api/conda/__main__/index.html)
 - * [`_vendor``](../../dev-guide/api/conda/_vendor/index.html) __
 - * [`frozendict``](../../dev-guide/api/conda/_vendor/frozendict/index.html)
 - * [`_version``](../../dev-guide/api/conda/_version/index.html)
 - * [`activate``](../../dev-guide/api/conda/activate/index.html)

- * `[`api`](../../dev-guide/api/conda/api/index.html)`
- * `[`auxlib`](../../dev-guide/api/conda/auxlib/index.html) __`
- * `[`collection`](../../dev-guide/api/conda/auxlib/collection/index.html)`
- * `[`compat`](../../dev-guide/api/conda/auxlib/compat/index.html)`
- * `[`decorators`](../../dev-guide/api/conda/auxlib/decorators/index.html)`
- * `[`entity`](../../dev-guide/api/conda/auxlib/entity/index.html)`
- * `[`exceptions`](../../dev-guide/api/conda/auxlib/exceptions/index.html)`
- * `[`ish`](../../dev-guide/api/conda/auxlib/ish/index.html)`
- * `[`logz`](../../dev-guide/api/conda/auxlib/logz/index.html)`
- * `[`type_coercion`](../../dev-guide/api/conda/auxlib/type_coercion/index.html)`
- * `[`base`](../../dev-guide/api/conda/base/index.html) __`
- * `[`constants`](../../dev-guide/api/conda/base/constants/index.html)`
- * `[`context`](../../dev-guide/api/conda/base/context/index.html)`
- * `[`cli`](../../dev-guide/api/conda/cli/index.html) __`
- * `[`actions`](../../dev-guide/api/conda/cli/actions/index.html)`
- * `[`common`](../../dev-guide/api/conda/cli/common/index.html)`
- * `[`conda_argparse`](../../dev-guide/api/conda/cli/conda_argparse/index.html)`
- * `[`find_commands`](../../dev-guide/api/conda/cli/find_commands/index.html)`
- * `[`helpers`](../../dev-guide/api/conda/cli/helpers/index.html)`
- * `[`install`](../../dev-guide/api/conda/cli/install/index.html)`
- * `[`main`](../../dev-guide/api/conda/cli/main/index.html)`
- * `[`main_clean`](../../dev-guide/api/conda/cli/main_clean/index.html)`
- * `[`main_commands`](../../dev-guide/api/conda/cli/main_commands/index.html)`
- * `[`main_compare`](../../dev-guide/api/conda/cli/main_compare/index.html)`
- * `[`main_config`](../../dev-guide/api/conda/cli/main_config/index.html)`
- * `[`main_create`](../../dev-guide/api/conda/cli/main_create/index.html)`
- * `[`main_env`](../../dev-guide/api/conda/cli/main_env/index.html)`

- * [main_env_config](../../dev-guide/api/conda/cli/main_env_config/index.html)
- * [main_env_create](../../dev-guide/api/conda/cli/main_env_create/index.html)
- * [main_env_export](../../dev-guide/api/conda/cli/main_env_export/index.html)
- * [main_env_list](../../dev-guide/api/conda/cli/main_env_list/index.html)
- * [main_env_remove](../../dev-guide/api/conda/cli/main_env_remove/index.html)
- * [main_env_update](../../dev-guide/api/conda/cli/main_env_update/index.html)
- * [main_env_vars](../../dev-guide/api/conda/cli/main_env_vars/index.html)
- * [main_export](../../dev-guide/api/conda/cli/main_export/index.html)
- * [main_info](../../dev-guide/api/conda/cli/main_info/index.html)
- * [main_init](../../dev-guide/api/conda/cli/main_init/index.html)
- * [main_install](../../dev-guide/api/conda/cli/main_install/index.html)
- * [main_list](../../dev-guide/api/conda/cli/main_list/index.html)
- * [main_mock_activate](../../dev-guide/api/conda/cli/main_mock_activate/index.html)
- * [main_mock_deactivate](../../dev-guide/api/conda/cli/main_mock_deactivate/index.html)
- * [main_notices](../../dev-guide/api/conda/cli/main_notices/index.html)
- * [main_package](../../dev-guide/api/conda/cli/main_package/index.html)
- * [main_pip](../../dev-guide/api/conda/cli/main_pip/index.html)
- * [main_remove](../../dev-guide/api/conda/cli/main_remove/index.html)
- * [main_rename](../../dev-guide/api/conda/cli/main_rename/index.html)
- * [main_run](../../dev-guide/api/conda/cli/main_run/index.html)
- * [main_search](../../dev-guide/api/conda/cli/main_search/index.html)
- * [main_update](../../dev-guide/api/conda/cli/main_update/index.html)
- * [python_api](../../dev-guide/api/conda/cli/python_api/index.html)
- * [common](../../dev-guide/api/conda/common/index.html) __
- * [_logic](../../dev-guide/api/conda/common/_logic/index.html)
- * [_os](../../dev-guide/api/conda/common/_os/index.html) __
- * [linux](../../dev-guide/api/conda/common/_os/linux/index.html)

- * `[`osx`](../../dev-guide/api/conda/common/_os/osx/index.html)`
- * `[`unix`](../../dev-guide/api/conda/common/_os/unix/index.html)`
- * `[`windows`](../../dev-guide/api/conda/common/_os/windows/index.html)`
- * `[`compat`](../../dev-guide/api/conda/common/compat/index.html)`
- * `[`configuration`](../../dev-guide/api/conda/common/configuration/index.html)`
- * `[`constants`](../../dev-guide/api/conda/common/constants/index.html)`
- * `[`disk`](../../dev-guide/api/conda/common/disk/index.html)`
- * `[`io`](../../dev-guide/api/conda/common/io/index.html)`
- * `[`iterators`](../../dev-guide/api/conda/common/iterators/index.html)`
- * `[`logic`](../../dev-guide/api/conda/common/logic/index.html)`
- * `[`path`](../../dev-guide/api/conda/common/path/index.html)` __
- * `[`_cygpath`](../../dev-guide/api/conda/common/path/_cygpath/index.html)`
- * `[`directories`](../../dev-guide/api/conda/common/path/directories/index.html)`
- * `[`python`](../../dev-guide/api/conda/common/path/python/index.html)`
- * `[`windows`](../../dev-guide/api/conda/common/path/windows/index.html)`
- * `[`pkg_formats`](../../dev-guide/api/conda/common/pkg_formats/index.html)` __
- * `[`python`](../../dev-guide/api/conda/common/pkg_formats/python/index.html)`
- * `[`serialize`](../../dev-guide/api/conda/common/serialize/index.html)`
- * `[`signals`](../../dev-guide/api/conda/common/signals/index.html)`
- * `[`toposort`](../../dev-guide/api/conda/common/toposort/index.html)`
- * `[`url`](../../dev-guide/api/conda/common/url/index.html)`
- * `[`core`](../../dev-guide/api/conda/core/index.html)` __
- * `[`envs_manager`](../../dev-guide/api/conda/core/envs_manager/index.html)`
- * `[`index`](../../dev-guide/api/conda/core/index/index.html)`
- * `[`initialize`](../../dev-guide/api/conda/core/initialize/index.html)`
- * `[`link`](../../dev-guide/api/conda/core/link/index.html)`
- * `[`package_cache_data`](../../dev-guide/api/conda/core/package_cache_data/index.html)`

- * [path_actions](../../dev-guide/api/conda/core/path_actions/index.html)
- * [portability](../../dev-guide/api/conda/core/portability/index.html)
- * [prefix_data](../../dev-guide/api/conda/core/prefix_data/index.html)
- * [solve](../../dev-guide/api/conda/core/solve/index.html)
- * [subdir_data](../../dev-guide/api/conda/core/subdir_data/index.html)
- * [deprecations](../../dev-guide/api/conda/deprecations/index.html)
- * [env](../../dev-guide/api/conda/env/index.html) __
- * [env](../../dev-guide/api/conda/env/env/index.html)
- * [installers](../../dev-guide/api/conda/env/installers/index.html) __
- * [base](../../dev-guide/api/conda/env/installers/base/index.html)
- * [conda](../../dev-guide/api/conda/env/installers/conda/index.html)
- * [pip](../../dev-guide/api/conda/env/installers/pip/index.html)
- * [pip_util](../../dev-guide/api/conda/env/pip_util/index.html)
- * [specs](../../dev-guide/api/conda/env/specs/index.html) __
- * [binstar](../../dev-guide/api/conda/env/specs/binstar/index.html)
- * [requirements](../../dev-guide/api/conda/env/specs/requirements/index.html)
- * [yaml_file](../../dev-guide/api/conda/env/specs/yaml_file/index.html)
- * [exception_handler](../../dev-guide/api/conda/exception_handler/index.html)
- * [exceptions](../../dev-guide/api/conda/exceptions/index.html)
- * [exports](../../dev-guide/api/conda/exports/index.html)
- * [gateways](../../dev-guide/api/conda/gateways/index.html) __
- * [anaconda_client](../../dev-guide/api/conda/gateways/anaconda_client/index.html)
- * [connection](../../dev-guide/api/conda/gateways/connection/index.html) __
- * [adapters](../../dev-guide/api/conda/gateways/connection/adapters/index.html) __
- * [ftp](../../dev-guide/api/conda/gateways/connection/adapters/ftp/index.html)
- * [http](../../dev-guide/api/conda/gateways/connection/adapters/http/index.html)
- * [localfs](../../dev-guide/api/conda/gateways/connection/adapters/localfs/index.html)

- * [`s3`](../../dev-guide/api/conda/gateways/connection/adapters/s3/index.html)
- * [`download`](../../dev-guide/api/conda/gateways/connection/download/index.html)
- * [`session`](../../dev-guide/api/conda/gateways/connection/session/index.html)
- * [`disk`](../../dev-guide/api/conda/gateways/disk/index.html) ____
- * [`create`](../../dev-guide/api/conda/gateways/disk/create/index.html)
- * [`delete`](../../dev-guide/api/conda/gateways/disk/delete/index.html)
- * [`link`](../../dev-guide/api/conda/gateways/disk/link/index.html)
- * [`lock`](../../dev-guide/api/conda/gateways/disk/lock/index.html)
- * [`permissions`](../../dev-guide/api/conda/gateways/disk/permissions/index.html)
- * [`read`](../../dev-guide/api/conda/gateways/disk/read/index.html)
- * [`test`](../../dev-guide/api/conda/gateways/disk/test/index.html)
- * [`update`](../../dev-guide/api/conda/gateways/disk/update/index.html)
- * [`logging`](../../dev-guide/api/conda/gateways/logging/index.html)
- * [`repodata`](../../dev-guide/api/conda/gateways/repodata/index.html) ____
- * [`jlap`](../../dev-guide/api/conda/gateways/repodata/jlap/index.html) ____
- * [`core`](../../dev-guide/api/conda/gateways/repodata/jlap/core/index.html)
- * [`fetch`](../../dev-guide/api/conda/gateways/repodata/jlap/fetch/index.html)
- * [`interface`](../../dev-guide/api/conda/gateways/repodata/jlap/interface/index.html)
- * [`lock`](../../dev-guide/api/conda/gateways/repodata/lock/index.html)
- * [`subprocess`](../../dev-guide/api/conda/gateways/subprocess/index.html)
- * [`history`](../../dev-guide/api/conda/history/index.html)
- * [`instructions`](../../dev-guide/api/conda/instructions/index.html)
- * [`misc`](../../dev-guide/api/conda/misc/index.html)
- * [`models`](../../dev-guide/api/conda/models/index.html) ____
- * [`channel`](../../dev-guide/api/conda/models/channel/index.html)
- * [`dist`](../../dev-guide/api/conda/models/dist/index.html)
- * [`enums`](../../dev-guide/api/conda/models/enums/index.html)

- * [leased_path_entry](../../dev-guide/api/conda/models/leased_path_entry/index.html)
- * [match_spec](../../dev-guide/api/conda/models/match_spec/index.html)
- * [package_info](../../dev-guide/api/conda/models/package_info/index.html)
- * [prefix_graph](../../dev-guide/api/conda/models/prefix_graph/index.html)
- * [records](../../dev-guide/api/conda/models/records/index.html)
- * [version](../../dev-guide/api/conda/models/version/index.html)
- * [notices](../../dev-guide/api/conda/notices/index.html) __
 - * [cache](../../dev-guide/api/conda/notices/cache/index.html)
 - * [core](../../dev-guide/api/conda/notices/core/index.html)
 - * [fetch](../../dev-guide/api/conda/notices/fetch/index.html)
 - * [types](../../dev-guide/api/conda/notices/types/index.html)
 - * [views](../../dev-guide/api/conda/notices/views/index.html)
- * [plan](../../dev-guide/api/conda/plan/index.html)
- * [plugins](../../dev-guide/api/conda/plugins/index.html) __
 - * [hookspec](../../dev-guide/api/conda/plugins/hookspec/index.html)
 - * [manager](../../dev-guide/api/conda/plugins/manager/index.html)
 - * [post_solves](../../dev-guide/api/conda/plugins/post_solves/index.html) __
 - * [signature_verification](../../dev-guide/api/conda/plugins/post_solves/signature_verification/index.html)
- * [reporter_backends](../../dev-guide/api/conda/plugins/reporter_backends/index.html) __
 - * [console](../../dev-guide/api/conda/plugins/reporter_backends/console/index.html)
 - * [json](../../dev-guide/api/conda/plugins/reporter_backends/json/index.html)
- * [solvers](../../dev-guide/api/conda/plugins/solvers/index.html)
- * [subcommands](../../dev-guide/api/conda/plugins/subcommands/index.html) __
 - * [doctor](../../dev-guide/api/conda/plugins/subcommands/doctor/index.html) __

`health_checks`](../../dev-guide/api/conda/plugins/subcommands/doctor/health_checks/index.html)`

`* [`types`](../../dev-guide/api/conda/plugins/types/index.html)`

`* [`virtual_packages`](../../dev-guide/api/conda/plugins/virtual_packages/index.html) __`

`* [` archspec`](../../dev-guide/api/conda/plugins/virtual_packages/archspec/index.html)`

`* [`conda`](../../dev-guide/api/conda/plugins/virtual_packages/conda/index.html)`

`* [`cuda`](../../dev-guide/api/conda/plugins/virtual_packages/cuda/index.html)`

`* [`freebsd`](../../dev-guide/api/conda/plugins/virtual_packages/freebsd/index.html)`

`* [`linux`](../../dev-guide/api/conda/plugins/virtual_packages/linux/index.html)`

`* [`osx`](../../dev-guide/api/conda/plugins/virtual_packages/osx/index.html)`

`* [`windows`](../../dev-guide/api/conda/plugins/virtual_packages/windows/index.html)`

`* [`reporters`](../../dev-guide/api/conda/reporters/index.html)`

`* [`resolve`](../../dev-guide/api/conda/resolve/index.html)`

`* [`testing`](../../dev-guide/api/conda/testing/index.html) __`

`* [` cases`](../../dev-guide/api/conda/testing/cases/index.html)`

`* [` fixtures`](../../dev-guide/api/conda/testing/fixtures/index.html)`

`* [` gateways`](../../dev-guide/api/conda/testing/gateways/index.html) __`

`* [` fixtures`](../../dev-guide/api/conda/testing/gateways/fixtures/index.html)`

`* [`helpers`](../../dev-guide/api/conda/testing/helpers/index.html)`

`* [`integration`](../../dev-guide/api/conda/testing/integration/index.html)`

`* [`notices`](../../dev-guide/api/conda/testing/notices/index.html) __`

`* [` fixtures`](../../dev-guide/api/conda/testing/notices/fixtures/index.html)`

`* [`helpers`](../../dev-guide/api/conda/testing/notices/helpers/index.html)`

`* [`solver_helpers`](../../dev-guide/api/conda/testing/solver_helpers/index.html)`

`* [`trust`](../../dev-guide/api/conda/trust/index.html) __`

`* [` constants`](../../dev-guide/api/conda/trust/constants/index.html)`

`* [`signature_verification`](../../dev-guide/api/conda/trust/signature_verification/index.html)`

`* [`utils`](../../dev-guide/api/conda/utils/index.html)`

- * [`conda_env``](../../dev-guide/api/conda_env/index.html) __
- * [`cli``](../../dev-guide/api/conda_env/cli/index.html)
- * [`installers``](../../dev-guide/api/conda_env/installers/index.html)

- * [__](../../index.html)
- * [User guide](../index.html)
- * [Installing conda](index.html)
- * Installing on Linux

Installing on Linux#

1. Download the installer:

- * [Miniconda installer for Linux](https://docs.anaconda.com/miniconda/).
- * [Anaconda Distribution installer for Linux](https://www.anaconda.com/download/).
- * [Miniforge installer for Linux](https://conda-forge.org/download/).

2. [Verify your installer hashes](index.html#hash-verification).

3. In your terminal window, run:

```
bash <conda-installer-name>-latest-Linux-x86_64.sh
```

``conda-installer-name`` will be one of "Miniconda3", "Anaconda", or

"Miniforge3".

4. Follow the prompts on the installer screens. If you are unsure about any setting, accept the defaults. You can change them later.

5. To make the changes take effect, close and then re-open your terminal window.

6. Test your installation. In your terminal window, run the command ``conda list``. A list of installed packages appears if it has been installed correctly.

Using with fish shell#

To use conda with fish shell, run the following in your terminal:

Add conda binary to \$PATH, if not yet added:

```
fish_add_path <conda-install-location>/condabin
```

Configure fish-shell:

```
conda init fish
```

Installing in silent mode#

See the instructions for [installing in silent mode on macOS]([macos.html#install-macos-silent](#)).

Updating conda#

1. Open a terminal window.
2. Run ``conda update conda``.

Uninstalling conda#

1. Open a terminal window.
2. Remove the entire conda install directory with (`_this may differ_` depending on your installation location_`)

```
rm -rf ~/conda
```

3. `_Optional_`` : run ``conda init --reverse --all`` to undo changes to shell initialization scripts
4. `_Optional_`` : remove the following hidden file and folders that may have been created in the home directory:

- * ``.condarc`` file

- * ``.conda`` directory

- * ``.continuum`` directory

By running:

```
rm -rf ~/.condarc ~/.conda ~/.continuum
```

__On this page

- * Using with fish shell

- * Installing in silent mode

- * Updating conda

- * Uninstalling conda

[__Edit on GitHub](<https://github.com/conda/conda/edit/main/docs/source/user-guide/install/linux.rst>)

[__Show Source]([./../_sources/user-guide/install/linux.rst.txt](https://github.com/conda/conda/blob/main/docs/source/user-guide/install/linux.rst.txt))

© Copyright 2017, Anaconda, Inc.

Created using [Sphinx](<https://www.sphinx-doc.org/>) 7.4.7.

[Analytics Dashboard __](https://docs-conda-io.goatcounter.com "Analytics Dashboard")

Built with the [PyData Sphinx Theme](https://pydata-sphinx-theme.readthedocs.io/en/stable/index.html) 0.15.4.