



Skip to main content

 (/static/browse/0.3.4/images/icons/cu/cornell-reduced-white-SMALL.svg)) (https://www.cornell.edu/)

We gratefully acknowledge support from the Simons Foundation, [member institutions] (https://info.arxiv.org/about/ourmembers.html), and all contributors. [Donate] (https://info.arxiv.org/about/donate.html)


[/IgnoreMe)


 (/static/browse/0.3.4/images/arxiv-logo-one-color-white.svg)) (/)
> [cs] (/list/cs/recent) > arXiv:2407.00121

[Help] (https://info.arxiv.org/help) | [Advanced Search] (https://arxiv.org/search/advanced)

All fields Title Author Abstract Comments Journal reference ACM classification
MSC classification Report number arXiv identifier DOI ORCID arXiv author ID
Help pages Full text

Search

 (/static/browse/0.3.4/images/arxiv-logomark-small-white.svg)) (https://arxiv.org/)

[ (/static/browse/0.3.4/images/icons/cu/cornell-reduced-white-SMALL.svg)] (https://www.cornell.edu/)

open search

GO

open navigation menu

quick links

- * [Login](https://arxiv.org/login)
- * [Help Pages](https://info.arxiv.org/help)
- * [About](https://info.arxiv.org/about)

Computer Science > Machine Learning

****arXiv:2407.00121**** (cs)

[Submitted on 27 Jun 2024]

Title:Granite-Function Calling Model: Introducing Function Calling Abilities
via Multi-task Learning of Granular Tasks

Authors:[Ibrahim

Abdelaziz](https://arxiv.org/search/cs?searchtype=author&query=Abdelaziz,+I),

[Kinjal Basu](https://arxiv.org/search/cs?searchtype=author&query=Basu,+K),

[Mayank

Agarwal](https://arxiv.org/search/cs?searchtype=author&query=Agarwal,+M),

[Sadhana

Kumaravel](<https://arxiv.org/search/cs?searchtype=author&query=Kumaravel,+S>),

[Matthew

Stallone](<https://arxiv.org/search/cs?searchtype=author&query=Stallone,+M>),

[Rameswar

Panda](<https://arxiv.org/search/cs?searchtype=author&query=Panda,+R>), [Yara

Rizk](<https://arxiv.org/search/cs?searchtype=author&query=Rizk,+Y>), [GP

Bhargav](<https://arxiv.org/search/cs?searchtype=author&query=Bhargav,+G>),

[Maxwell

Crouse](<https://arxiv.org/search/cs?searchtype=author&query=Crouse,+M>),

[Chulaka

Gunasekara](<https://arxiv.org/search/cs?searchtype=author&query=Gunasekara,+C>),

[Shajith Ikbal](<https://arxiv.org/search/cs?searchtype=author&query=Ikbal,+S>),

[Sachin Joshi](<https://arxiv.org/search/cs?searchtype=author&query=Joshi,+S>),

[Hima

Karanam](<https://arxiv.org/search/cs?searchtype=author&query=Karanam,+H>),

[Vineet Kumar](<https://arxiv.org/search/cs?searchtype=author&query=Kumar,+V>),

[Asim

Munawar](<https://arxiv.org/search/cs?searchtype=author&query=Munawar,+A>),

[Sumit Neelam](<https://arxiv.org/search/cs?searchtype=author&query=Neelam,+S>),

[Dinesh Raghu](<https://arxiv.org/search/cs?searchtype=author&query=Raghu,+D>),

[Udit Sharma](<https://arxiv.org/search/cs?searchtype=author&query=Sharma,+U>),

[Adriana Meza

Soria](<https://arxiv.org/search/cs?searchtype=author&query=Soria,+A+M>),

[Dheeraj

Sreedhar](<https://arxiv.org/search/cs?searchtype=author&query=Dheeraj>),

[Praveen

Venkateswaran](https://arxiv.org/search/cs?searchtype=author&query=Venkateswaran,+P),
[Merve Unuvar](https://arxiv.org/search/cs?searchtype=author&query=Unuvar,+M),
[David Cox](https://arxiv.org/search/cs?searchtype=author&query=Cox,+D),
[Salim Roukos](https://arxiv.org/search/cs?searchtype=author&query=Roukos,+S),
[Luis
Lastras](https://arxiv.org/search/cs?searchtype=author&query=Lastras,+L),
[Pavan
Kapanipathi](https://arxiv.org/search/cs?searchtype=author&query=Kapanipathi,+P)

View a PDF of the paper titled Granite-Function Calling Model: Introducing
Function Calling Abilities via Multi-task Learning of Granular Tasks, by
Ibrahim Abdelaziz and 25 other authors

[View PDF](/pdf/2407.00121) [HTML
(experimental)](https://arxiv.org/html/2407.00121v1)

> Abstract: Large language models (LLMs) have recently shown tremendous promise
> in serving as the backbone to agentic systems, as demonstrated by their
> performance in multi-faceted, challenging benchmarks like SWE-Bench and
> Agent-Bench. However, to realize the true potential of LLMs as autonomous
> agents, they must learn to identify, call, and interact with external tools
> and application program interfaces (APIs) to complete complex tasks. These
> tasks together are termed function calling. Endowing LLMs with function
> calling abilities leads to a myriad of advantages, such as access to current
> and domain-specific information in databases and knowledge sources, and the
> ability to outsource tasks that can be reliably performed by tools, e.g., a
> Python interpreter or calculator. While there has been significant progress

> in function calling with LLMs, there is still a dearth of open models that
> perform on par with proprietary LLMs like GPT, Claude, and Gemini.
> Therefore, in this work, we introduce the GRANITE-20B-FUNCTIONCALLING model
> under an Apache 2.0 license. The model is trained using a multi-task
> training approach on seven fundamental tasks encompassed in function
> calling, those being Nested Function Calling, Function Chaining, Parallel
> Functions, Function Name Detection, Parameter-Value Pair Detection, Next-
> Best Function, and Response Generation. We present a comprehensive
> evaluation on multiple out-of-domain datasets comparing
> GRANITE-20B-FUNCTIONCALLING to more than 15 other best proprietary and open
> models. GRANITE-20B-FUNCTIONCALLING provides the best performance among all
> open models on the Berkeley Function Calling Leaderboard and fourth overall.
> As a result of the diverse tasks and datasets used for training our model,
> we show that GRANITE-20B-FUNCTIONCALLING has better generalizability on
> multiple tasks in seven different evaluation datasets.

Subjects: | Machine Learning (cs.LG); Artificial Intelligence (cs.AI); Computation and Language (cs.CL)

---|---

Cite as: | [arXiv:2407.00121](https://arxiv.org/abs/2407.00121) [cs.LG]

| (or [arXiv:2407.00121v1](https://arxiv.org/abs/2407.00121v1) [cs.LG] for this version)

| <https://doi.org/10.48550/arXiv.2407.00121> Focus to learn more arXiv-issued DOI via DataCite

Submission history


From: Kinjal Basu [[view email]/(show-email/7a902d76/2407.00121)]

Full-text links:

Access Paper:

View a PDF of the paper titled Granite-Function Calling Model: Introducing Function Calling Abilities via Multi-task Learning of Granular Tasks, by Ibrahim Abdelaziz and 25 other authors

- * [\[View PDF\]\(/pdf/2407.00121\)](/pdf/2407.00121)
- * [\[HTML \(experimental\)\]\(https://arxiv.org/html/2407.00121v1\)](https://arxiv.org/html/2407.00121v1)
- * [\[TeX Source\]\(/src/2407.00121\)](/src/2407.00121)
- * [\[Other Formats\]\(/format/2407.00121\)](/format/2407.00121)

[ <https://arxiv.org/icons/licenses/by-4.0.png> view license](<http://creativecommons.org/licenses/by/4.0/> "Rights to this article")

Current browse context:

cs

[< prev](/prevnext?id=2407.00121&function=prev&context=cs "previous in cs \(\accesskey p\)") | [next >](/prevnext?id=2407.00121&function=next&context=cs "next in cs \(\accesskey n\)")

[new](/list/cs/new) | [recent](/list/cs/recent) | [2024-07](/list/cs/2024-07)

Change to browse by:

[cs.AI](/abs/2407.00121?context=cs.AI)

[cs.CL](/abs/2407.00121?context=cs.CL)

[cs.LG](/abs/2407.00121?context=cs.LG)

References & Citations

* [NASA ADS](https://ui.adsabs.harvard.edu/abs/arXiv:2407.00121)

* [Google Scholar](https://scholar.google.com/scholar_lookup?arxiv_id=2407.00121)

* [Semantic Scholar](https://api.semanticscholar.org/arXiv:2407.00121)

[a](/static/browse/0.3.4/css/cite.css) export BibTeX citation Loading...

BibTeX formatted citation

×

loading...

Data provided by:

Bookmark

[![BibSonomy logo](/static/browse/0.3.4/images/icons/social/bibsonomy.png)

](http://www.bibsonomy.org/BibtexHandler?requTask=upload&url=https://arxiv.org/abs/2407.00121&description=Granite-

Function Calling Model: Introducing Function Calling Abilities via Multi-task

Learning of Granular Tasks "Bookmark on BibSonomy") [![Reddit

logo][static/browse/0.3.4/images/icons/social/reddit.png)

](https://reddit.com/submit?url=https://arxiv.org/abs/2407.00121&title=Granite-

Function Calling Model: Introducing Function Calling Abilities via Multi-task

Learning of Granular Tasks "Bookmark on Reddit")

Bibliographic Tools

Bibliographic and Citation Tools

Bibliographic Explorer Toggle

Bibliographic Explorer _([What is the

Explorer?](https://info.arxiv.org/labs/showcase.html#arxiv-bibliographic-

explorer))_

Connected Papers Toggle

Connected Papers _([What is Connected

Papers?](https://www.connectedpapers.com/about))_

Litmaps Toggle

Litmaps _([What is Litmaps?](https://www.litmaps.co/))_

scite.ai Toggle

scite Smart Citations [_\(\[What are Smart Citations?\]\(https://www.scite.ai/\)\)_](https://www.scite.ai/)

Code, Data, Media

Code, Data and Media Associated with this Article

alphaXiv Toggle

alphaXiv [_\(\[What is alphaXiv?\]\(https://alphaxiv.org/\)\)_](https://alphaxiv.org/)

Links to Code Toggle

CatalyzeX Code Finder for Papers [_\(\[What is CatalyzeX?\]\(https://www.catalyzex.com\)\)_](https://www.catalyzex.com/)

DagsHub Toggle

DagsHub [_\(\[What is DagsHub?\]\(https://dagshub.com/\)\)_](https://dagshub.com/)

GotitPub Toggle

Gotit.pub [_\(\[What is GotitPub?\]\(http://gotit.pub/faq\)\)_](http://gotit.pub/faq)

Huggingface Toggle

Hugging Face [_\(\[What is Huggingface?\]\(https://huggingface.co/huggingface\)\)_](https://huggingface.co/huggingface)

Links to Code Toggle

Papers with Code _([What is Papers with Code?](https://paperswithcode.com/))_

ScienceCast Toggle

ScienceCast _([What is ScienceCast?](https://sciencecast.org/welcome))_

Demos

Demos

Replicate Toggle

Replicate _([What is Replicate?](https://replicate.com/docs/arxiv/about))_

Spaces Toggle

Hugging Face Spaces _([What is
Spaces?](https://huggingface.co/docs/hub/spaces))_

Spaces Toggle

TXYZ.AI _([What is TXYZ.AI?](https://txyz.ai))_

Related Papers

Recommenders and Search Tools

Link to Influence Flower

Influence Flower [_\(\[What are Influence Flowers?\]\(https://influencemap.cmlab.dev/\)\)_](https://influencemap.cmlab.dev/)

Core recommender toggle

CORE Recommender [_\(\[What is CORE?\]\(https://core.ac.uk/services/recommender\)\)_](https://core.ac.uk/services/recommender/)

IArxiv recommender toggle

IArxiv Recommender [_\(\[What is IArxiv?\]\(https://iarxiv.org/about\)\)_](https://iarxiv.org/about/)

- * Author
- * Venue
- * Institution
- * Topic

About arXivLabs

arXivLabs: experimental projects with community collaborators

arXivLabs is a framework that allows collaborators to develop and share new arXiv features directly on our website.

Both individuals and organizations that work with arXivLabs have embraced and accepted our values of openness, community, excellence, and user data privacy. arXiv is committed to these values and only works with partners that adhere to them.

Have an idea for a project that will add value for arXiv's community? [\[**Learn more about arXivLabs**\]\(https://info.arxiv.org/labs/index.html\)](https://info.arxiv.org/labs/index.html).

[\[Which authors of this paper are endorsers?\]\(/auth/show-endorsers/2407.00121\)](#) | [\[Disable MathJax\]\(javascript:setMathjaxCookie\\(\\)\)](#) [\(\[What is MathJax?\]\(https://info.arxiv.org/help/mathjax.html\)\)](#)

* [\[About\]\(https://info.arxiv.org/about\)](https://info.arxiv.org/about)

* [\[Help\]\(https://info.arxiv.org/help\)](https://info.arxiv.org/help)

* [contact arXiv](#) [Click here to contact arXiv](#) [\[Contact\]\(https://info.arxiv.org/help/contact.html\)](https://info.arxiv.org/help/contact.html)

* [subscribe to arXiv mailings](#) [Click here to subscribe](#) [\[Subscribe\]\(https://info.arxiv.org/help/subscribe\)](#)

* [\[Copyright\]\(https://info.arxiv.org/help/license/index.html\)](https://info.arxiv.org/help/license/index.html)

* [\[Privacy Policy\]\(https://info.arxiv.org/help/policies/privacy_policy.html\)](https://info.arxiv.org/help/policies/privacy_policy.html)

* [\[Web Accessibility Assistance\]\(https://info.arxiv.org/help/web_accessibility.html\)](https://info.arxiv.org/help/web_accessibility.html)

* [\[arXiv Operational Status \]\(https://status.arxiv.org\)](https://status.arxiv.org)

Get status notifications via

[\[email\]\(https://subscribe.sorryapp.com/24846f03/email/new\)](https://subscribe.sorryapp.com/24846f03/email/new) or

[slack](https://subscribe.sorryapp.com/24846f03/slack/new)