EXP.NO: 8

Develop anapplication to change the font and color of the text and display toast message when the user presses the button

AIM:

Todevelop an Android application that allows the user to change the font and color of text displayed on the screen and display a Toast message when a button is pressed.

PROCEDURE:

1. Open Android Studio andcreate a new project.
2. Select **Empty Views Activity** template.
3. Design the UI using:
    - TextView (for displaying text)
    - Button (to change style)
4. Create a **font folder** inside res and add a custom font.
5. Link UI components in MainActivity.java.
6. Set **OnClickListener** for the button.
7. Change font using setTypeface().
8. Change color using setTextColor().
9. Display a Toast message using Toast.makeText().
10. Run the application using an emulator.

CODE:

activity_main.xml

```
<!DOCTYPE xml>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
```

```
xmlns:app="http://schemas.android.com/apk/res-auto"
android:layout_width="match_parent"
android:layout_height="match_parent"
android:padding="16dp">

<TextView
    android:id="@+id/sampleText"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="Hello, World!"
    android:textSize="24sp"
    android:textColor="#000000"
    app:layout_constraintTop_toTopOf="parent"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintEnd_toEndOf="parent"/>

<Button
    android:id="@+id/changeStyleButton"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="Change Style"
    app:layout_constraintTop_toBottomOf="@id/sampleText"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    android:layout_marginTop="20dp"/>

</androidx.constraintlayout.widget.ConstraintLayout>
```

MainActivity.java

```
package com.example.font_change;

import android.graphics.Color;
import android.graphics.Typeface;
import android.os.Bundle;
import android.widget.Button;
import android.widget.TextView;
import android.widget.Toast;
import androidx.appcompat.app.AppCompatActivity;

public class MainActivity extends AppCompatActivity {

    TextView sampleText;
```

```
    ButtonchangeStyleButton;
    booleanisChanged = false;

    @Override
    protectedvoid onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);

        sampleText = findViewById(R.id.sampleText);
        changeStyleButton = findViewById(R.id.changeStyleButton);

        changeStyleButton.setOnClickListener(v -> {

            if(!isChanged) {
                sampleText.setTextColor(Color.RED);
                sampleText.setTypeface(Typeface.DEFAULT_BOLD);

                Toast.makeText(this, "Style Changed!", Toast.LENGTH_SHORT).show();
            } else {
                sampleText.setTextColor(Color.BLACK);
                sampleText.setTypeface(Typeface.DEFAULT);

                Toast.makeText(this, "Style Reset!", Toast.LENGTH_SHORT).show();
            }

            isChanged = !isChanged;
        });
    }
}
```

OUTPUT:



RESULT:

An Android application is successfully developed to change the font and color of the text and display a Toast message when the user presses the button.