

STANDARD OPERATING PROCEDURE

iSend Transaction Lifecycle, Approval & Escalation SOP

This SOP defines how the Operations and Compliance teams monitor, approve, release, and escalate iSend transactions across their lifecycle. It is written for Compliance, operations- facing Team Member and does not assume any coding or systems background.

Document Owner	Gopal Pokhrel - Product Owner
Audience	iSend Operations Team, Compliance Team and other Member
Applies To	iSend transaction monitoring, approval, and exception handling
Version	1.0
Date	13/07/2026

1. Purpose & Scope

The purpose of this SOP is to give the Operations and Compliance teams a single, clear reference for:

- Understanding what each transaction status means to the customer and to the system.
- Knowing exactly which team is responsible for approving, releasing, or escalating a transaction at each stage.
- Following a consistent, repeatable process for Payment Pending approvals, Suspicious transaction releases, and Exception list handling.
- Knowing when and to whom a transaction should be escalated (Technical, Support, or Compliance).

2. Roles & Responsibilities

Three groups are involved in the day- to- day handling of iSend transactions. This SOP focuses on the actions owned by Operations and Compliance.

Role	Primary Responsibility	Acts On
Operations Team	Approves customer transactions once payment/receipt has been submitted and is waiting for verification	Payment Pending → Approval Pending / Created
Compliance Team	Reviews and releases transactions flagged as Suspicious; reviews and releases transactions on the Exception list	Suspicious release; Exception list release

Role	Primary Responsibility	Acts On
iSend Team (Monika)	Handles Customer side Escalation	Escalated items only
Technical / Support Team	Handles system- level issues raised through escalation (e.g., delayed pin generation, payment gateway mismatches)	Escalated items only

3. Status Glossary (Plain- Language Reference)

Every transaction carry two statuses at the same time. The Send Status is what the customer sees on their screen. The Transaction Status is the internal processing state, and is not shown to the customer.

3.1 Customer Facing App Status (Send Status)

Label	What It Means
Payment Pending	Customer has confirmed the transaction but has not yet uploaded a receipt or completed payment.
Approval Pending	Customer has uploaded the receipt; transaction is waiting for Operations to verify it.
Created	Receipt has been approved; transaction is created and moving into processing.
Completed	Funds have been delivered to the beneficiary. Transaction is closed.
Refunded / Rejected	Transaction did not complete; amount is refunded or rejected.

3.2 iSend Admin Portal Status (Internal Transaction Status)

Label	What It Means
Payment Pending	Transaction Created. Payment not done yet.
Approval Pending	Payment done for Bank Transfer, Receipt Approval Needed.
Created	Transaction created and in progress, not yet completed.
Suspicious	Transaction flagged for Compliance review. Requires Compliance release before it can proceed.
Processing	Transaction actively moving through the payout workflow.
Completed	Full lifecycle finished; funds delivered.

Label	What It Means
Refunded / Rejected	Transaction did not complete; may occur via automatic timeout, admin rejection, or payout-partner rejection (see Section 4.1).

Key Point

The customer's screen can look normal ("Created") while the Admin Portal shows a different internal state, such as "Suspicious" or "Processing." Always check the Admin Portal status, not just what the customer sees, before acting.

4. Standard Transaction Lifecycle

The table below walks through the normal path a transaction takes from creation to completion, and shows which team is responsible at each step.

Step	Customer Facing App	iSend Admin Portal	Owner / Action
1	Payment Pending	Payment Pending	Customer action. No team action required yet.
2	Approval Pending	Approval Pending	Operations Team: verify uploaded receipt and approve (see SOP A).
3	Created	Created (normal)	System moves forward automatically. No action needed.
3a	Created	Suspicious	Compliance Team: review and release the flag (see SOP B).
4	Created	Created	System moves forward once cleared. No action needed.
5	Created	Processing	System processes payout. Monitor for escalation triggers (Section 6).
6	Completed	Completed	Transaction closed. No action needed.
Exit	Refunded/Rejected	Refunded/Rejected	Can occur automatically (timeout), via admin rejection, or via payout- partner rejection - see Section 4.1.

4.1 How a Transaction Can End in Refunded / Rejected

- Automatic timeout: customer did not complete a QR payment in time.
- Manual rejection by admin from the refund/transaction menu.
- Rejection by the external payout partner, IPAYHUB as of now.

5. SOP A - Payment Pending Approval (Owner: Operations Team)

Trigger

A transaction shows Send Status **Approval Pending**. The customer has uploaded a payment receipt and is waiting for verification.

Steps

1. Open the transaction and locate the uploaded receipt/proof of payment.
2. Verify the receipt details against the transaction amount, sender details, and payment channel shown in the system.
3. If the receipt is valid and the amount matches: approve the transaction. It will move to Send Status **Created**.
4. If the receipt is unclear, incomplete, or does not match: do not approve. Follow the standard **Refunded/Rejected** process and contact the iSend Team (Monika) for clarification.
5. If, after approval, the transaction is later flagged as **Suspicious**, no further action is needed from Operations - this moves to Compliance under SOP B.

Do's and Don'ts

- Do confirm the amount on the receipt exactly matches the transaction amount before approving.
- Do not approve a transaction based on Status alone - always open and check the receipt.
- Do not attempt to clear a Suspicious flag yourself - that is a Compliance action.

6. SOP B - Suspicious Transaction Release (Owner: Compliance Team)

Trigger

A transaction shows, **Suspicious**. The customer sees a normal- looking status **Created**; internally, the transaction is on hold for risk review.

Steps

1. Identify all Suspicious transactions from the admin portal via Payment Pending → AML Suspicious Transaction Menu.
2. Review the transaction against standard risk/compliance criteria (sender history, amount thresholds, destination, documentation, etc.).
3. If the transaction is cleared: release it. Transaction Status moves to **Created** and the transaction proceeds to payout automatically.
4. If the transaction cannot be cleared: keep it on hold and follow the internal risk- escalation process outside this SOP as per the compliance Policy.



Do's and Don'ts

- Do document the reason for release or hold in the compliance case notes.
- Do not release a transaction based only on the customer- facing status - always check the internal flag reason first.

7. SOP C - Exception List Handling (Owner: Compliance Team)

Trigger

A transaction appears on the iSend Exception list (Reason is provided as a text file of exception transactions). If the transaction is in Exception the status will be **Processing- Processing**.



Steps

1. Open the exception transaction list and read the Remarks Text file for the specific transaction.
2. If the remark is "Invalid Location ID": escalate to the Technical Team - this is a system/configuration issue, not a compliance decision.
3. If the remark relates to the Customer ID: check the Customer ID's expiry date.
4. If the Customer ID is near or past its expiry date: escalate to the Compliance Team for identity re- verification before the transaction can be released.
5. Once the underlying issue is resolved (by Technical or Compliance), release the transaction from the Exception list.

Do's and Don'ts

- Do always check the Remarks column first - it tells you which team should act next.
- Do not release an exception transaction without confirming the remark has been resolved by the correct team.

8. Escalation Matrix - Common Escalation Points

These are recurring situations the Operations team may observe while monitoring transactions. Use this table to decide who to contact.

Scenario	Condition to Watch For	Escalate To
PayNowQR - Singapore	Transaction stays in Payment Pending for more than 3- 5 minutes after creation and customer has deposited the Fund. Fund confirmation is confirmed through based on the DBS email.	Technical Team
Flash_Vatfr - Australia	Transaction in Payment Pending: check the Flash Payment log menu to see if the exact amount was deposited by the customer	See outcomes below
→ Amount mismatched	Deposited amount does not match the transaction amount	iSend Team (Monika)
→ Amount matched, no transaction ID	Amount matches but no transaction ID was generated on the Flash menu	Technical Team
Payout Processing	Transaction shows Created- Created in iSend but the IPAYHUB pin number is not generated within 3- 5 minutes	Technical Team
Exception List - Invalid Location ID	Remarks column shows "Invalid Location ID"	Technical Team
Exception List - Customer ID near expiry	Customer ID expiry date is approaching or passed	Compliance Team

Timing Rule of Thumb

For time- based triggers (PayNowQR, IPAYHUB pin generation), wait 3- 5 minutes from the relevant event before escalating. Escalating too early can create noise for the technical team; waiting too long delays the customer's transaction. For PayNowQR, the status changes only after the customer transfers the amount via QR - fund-received confirmation depends on the DBS email, so check that email before escalating.

9. Quick Reference - Who Do I Contact?

If you see...	Contact...
Approval Pending transaction with a receipt to check	Operations Team (SOP A)
Transaction Status = Suspicious	Compliance Team (SOP B)
Exception list item - Invalid Location ID	Technical Team (SOP C)
Exception list item - Customer ID near expiry	Compliance Team (SOP C)
PayNowQR (Singapore) stuck in Payment Pending 3- 5 min+ after DBS email is received for fund confirmation.	Technical Team
Flash_Vatfr (AUS) amount mismatch	iSend Team (Monika)
Flash_Vatfr (AUS) amount matched, no transaction ID	Technical Team
Payout Processing, IPAYHUB pin delayed 3- 5 min+	Technical Team

10. Key Points to Remember

- A transaction can look normal ("Created") to the customer while being on hold internally ("Suspicious").
- Refunded/Rejected can happen at three different points: automatic timeout, manual admin rejection, or payout- partner rejection.
- Admin Portal Status drives what happens next in the system; Customer Facing App Status only controls what the customer sees.
- Operations own approvals at the Payment Pending stage; Compliance owns Suspicious releases and Exception list releases; Technical/Support are for escalations only.

11. SOP D - Technical Team Issue Diagnosis & Escalation (Owner: Technical Team)

This section covers the most frequently observed technical issues, how to diagnose them, and where to escalate. Other errors may occur that are not listed here - these should be diagnosed and escalated using the General Troubleshooting Protocol in Section 11.5.

11.1 Issue 1 - PayNowQR Transaction Not Released After DBS Fund Confirmation

Symptom

Transaction remains in Payment Pending even though the customer has completed payment via PayNowQR (Singapore) and the DBS fund-confirmation email has been received.

Diagnostic Steps

1. Reach out to the Engineering Team to check whether a DBS callback was received for the transaction.
2. If no callback was received: escalate to the DBS Team to investigate why the callback was not sent.
3. If a callback was received and confirmed by Engineering, but the transaction status has still not changed: the Engineering Team investigates the internal processing issue.

Escalation

- No callback received → DBS Team (external banking partner).
- Callback received and confirmed, status still unchanged → Engineering Team.

11.2 Issue 2 - Transaction Stuck in Processing- Processing After Suspicious Release (Invalid Location ID)

Symptom

Transaction has been released from Suspicious by Compliance, but shows a Processing- Processing status and appears on the Exception list.

Diagnostic Steps

1. Check the exception remarks for the transaction.
2. If the remark is "Invalid Location ID": go to Setup → Partner Bank → Bank Name → External Bank Code.
3. Confirm whether the Location ID configured for the payout bank matches the Location ID provided by payout partner IPAYHUB.
4. If the Location ID is mismatched, correct the mapping.
5. Once corrected, ask the Compliance team to release the transaction from the Exception list.

Escalation

- Mapping correction → handled directly by Technical Team.
- Final release action → handed back to Compliance once the mapping is fixed.

11.3 Issue 3 - Transaction Released from Suspicious but Not Sent to Payout

Symptom

Transaction has been released from Suspicious, does not appear on the Exception list, but has not moved to payout for an extended period.

Diagnostic Steps

1. Confirm the transaction is not currently on the Exception list.
2. Check whether this is an isolated transaction or affecting multiple transactions - multiple affected transactions suggest a service-level issue rather than a single transaction issue.

- Escalate to the Engineering Team to check the status of the iSend service responsible for sending transactions to payout, which may be down or off.


Escalation

- Engineering Team - to check and restore the iSend payout service.

11.4 Issue 4 - Customer-Reported "Something Went Wrong" Error (Server Storage Full)

Symptom

Customer reports a generic error such as "Something went wrong, please try again" while using the webpage or app.



Diagnostic Steps

- Go to the webpage login page.
- Open browser inspect/developer tools.
- Log in using authorized technical credentials and reproduce the issue.
- Check the server response returned in the network/console log.
- If the response shows "System.IO.IOException: No space left on device": this indicates the server storage is full.

Response Format

```
System.IO.IOException: No space left on device : '/var/www/html/AppLog/IsendUser/20250803/'
at System.IO.FileSystem.CreateDirectory(String fullPath, UnixFileMode unixCreateMode)
at System.IO.Directory.CreateDirectory(String path)
```

```

at CustomerOnline.Logger.RequestResponseLoggingMiddleware.Invoke(HttpContext context) in
/home/runner/work/RemService-Online-iSend/RemService-Online-
iSend/CustomerOnline/Logger/RequestResponseLoggingMiddleware.cs:line 66
at Serilog.AspNetCore.RequestLoggingMiddleware.Invoke(HttpContext httpContext)
at Microsoft.AspNetCore.Authorization.AuthorizationMiddleware.Invoke(HttpContext context)
at Microsoft.AspNetCore.Authentication.AuthenticationMiddleware.Invoke(HttpContext context)
at Swashbuckle.AspNetCore.SwaggerUI.SwaggerUIMiddleware.Invoke(HttpContext httpContext)
at Swashbuckle.AspNetCore.Swagger.SwaggerMiddleware.Invoke(HttpContext httpContext, ISwaggerProvider
swaggerProvider)
at Microsoft.AspNetCore.Diagnostics.DeveloperExceptionPageMiddlewareImpl.Invoke(HttpContext context)

```

HEADERS

Accept: application/json, text/plain, /

Connection: keep-alive

Host: sgpuuserapi.isendremit.com

User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/138.0.0.0 Safari/537.36

Accept-Encoding: gzip, deflate, br, zstd

Accept-Language: en-US,en;q=0.9

Content-Type: application/json

Origin: https://isendremit.com

Referer: <https://isendremit.com/>[Read More](#)

Escalation

- Escalate to the Cloud Team, looping in the Engineering Team.
- Once the server is backed up and storage is cleared, the service will resume normally.

11.5 General Troubleshooting Protocol for Unlisted Errors

For any technical issue that does not match Sections 11.1- 11.4:

1. Reproduce the issue where possible, and capture the exact error message, transaction ID, timestamp, and a screenshot.
2. Check whether the symptoms are close to any of the four known patterns above, even if not an exact match.
3. If the cause is still unclear, check the server/application logs for the affected transaction.
4. Escalate to the Engineering Team with the captured evidence for triage.
5. Once resolved, log the issue and its resolution so it can be added to this SOP in a future update.

11.6 Escalation Contact Summary

Issue Type	Escalate To
PayNowQR - no DBS callback received	DBS Team

Issue Type	Escalate To
PayNowQR - callback confirmed, status unchanged	Engineering Team
Invalid Location ID mapping (Exception list)	Technical Team (fix), then Compliance (release)
iSend payout service down/off	Engineering Team
Server storage full (IOException)	Cloud Team + Engineering Team
Unrecognized / new error pattern	Engineering Team (for triage)

11.7 Do's and Don'ts

- Do capture the transaction ID, exact error message, and timestamp before escalating any issue.
- Do use only Valid Login credentials when inspecting server responses; never share login credentials outside the Team.
- Do log new or unknown issues for future SOP updates, even if resolved informally in the moment.
- Do not modify Partner Bank / External Bank Code mappings without first confirming the correct Location ID with the payout partner (IPAYHUB).
- Do not close an escalation until the transaction has actually moved forward in status - a fix applied is not the same as a confirmed resolution.

Security Note

Inspecting server responses and logging into the webpage with credentials is a sensitive action. Use Valid login credentials where available, avoid exposing customer data on screen during troubleshooting, and follow the organization's access-control policy at all times.