



WELCOME TO 10 DAYS WEB DEVELOPMENT WORKSHOP

#DAY4

COVERS HTML, CSS AND BASIC JS

 <https://tiny.cc/itsnpdiscord>

 info@itsnp.org



DAY 4

AGENDA

CSS

text formatting (color, text-align, text-decoration, text-transform, Text Spacing (text-indent, letter-spacing, line-height, word-spacing, white-space), text-shadow), box-shadow, fonts (font-family, web safe fonts, font fallbacks, font-style (normal, italic, oblique, font-size, font-weight), lists (list-style-type, list-style-image, list-style-position, {shorthand: list-style})).

DAY 4

10 DAYS WEB DEVELOPMENT WORKSHOP

text formatting

color

color property sets the color of text

syntax

```
h1 {  
  color: #121d3e;  
}
```





text-align

text-align property aligns the text
(left, right, center, justify)

syntax

```
h1 {  
    text-align: center;  
}
```

text-decoration

text-decoration property sets the decoration to the text
(underline, overline, line-through, none)

syntax

```
h1 {  
  text-decoration: underline;  
}
```



text-transform

text-transform property transform text
to uppercase, lowercase or capitalize

syntax

```
h1 {  
  text-transform: uppercase;  
}
```



text spacing

text-indent

text-indent property sets the indentation of an element

syntax

```
h1 {  
  text-indent: 30px;  
}
```





letter-spacing

letter-spacing property sets the space between each letter

syntax

```
h1 {  
  letter-spacing: 20px;  
}
```

line-height

line-height property sets the height of the line box

syntax

```
h1 {  
  line-height: .7em;  
}
```



word-spacing

word-spacing property sets the space between words

syntax

```
h1 {  
  word-spacing: 1em;  
}
```





white-space

white-space property specifies how white space inside an element is handled
(normal, nowrap, pre, pre-wrap, pre-line)

Syntax

```
h1 {  
  white-space: nowrap;  
}
```

text-shadow

`text-shadow` property gives shadow to the text

syntax

```
h1 {  
  text-shadow: 2px 2px 5px #0432df;  
}
```





DAY 3

10 DAYS WEB DEVELOPMENT
WORKSHOP

box-shadow

box-shadow property sets rectangular shadow of an element

syntax

```
div {  
  box-shadow: 10px 10px 10px #0005;  
}
```



fonts

font-family

font-family property sets the font of an element

syntax

```
h1 {  
  font-family: sans-serif;  
}
```



font fallbacks

font fallbacks are used to specify a font that is used by element when the font family specified is not installed

syntax

```
h1 {  
  font-family: arial, verdana, sans-serif;  
}
```



font-style

font-style property sets the style of a text
(normal, italic, oblique)

syntax

```
h1 {  
  font-style: italic;  
}
```



font-size

font-size property sets the font size of text

Syntax

```
h1 {  
  font-size: 15px;  
}
```




font-weight

font-weight property sets the boldness of a text
(bold, bolder, light, lighter, 100 to 900)

syntax

```
h1 {  
  font-weight: 500;  
}
```




lists

list-style-type

list-style-type property sets the type of the marker

syntax

```
ul {  
    list-style-type: circle;  
}
```



list-style-image

list-style-image property sets the image as the list item marker

syntax

```
div {  
    list-style-image: url("image.jpg");  
}
```



list-style-position

list-style-position property sets the position of the list item marker (inside, outside)

syntax

```
ul {  
    list-style-position: inside;  
}
```

list-style (shorthand)

list-style property allow us to set all the list style property at once

syntax

```
ul {  
    list-style: devanagari inside;  
}
```



THANK YOU!

DAY 4 WAS AWESOME HAVING YOU!
HOPE WE GAVE THE BEST

DAY 4 OVER

