

Analyte	eICU-CRD			CHS			INSPIRE		
	CV _{intra}	CV _{inter}	II	CV _{intra}	CV _{inter}	II	CV _{intra}	CV _{inter}	II
A1C	—	—	—	8.6 [8.5, 8.6]	16.5 [16.5, 16.6]	0.5 [0.5, 0.5]	4.8 [4.4, 5.3]	13.0 [11.8, 13.8]	0.4 [0.3, 0.4]
ALB	9.6 [9.5, 9.7]	22.4 [22.2, 22.6]	0.4 [0.4, 0.4]	6.7 [6.7, 6.8]	18.9 [18.3, 19.4]	0.4 [0.3, 0.4]	8.4 [8.3, 8.4]	13.4 [13.3, 13.5]	0.6 [0.6, 0.6]
ALP	11.6 [11.4, 11.8]	41.1 [40.7, 41.6]	0.3 [0.3, 0.3]	17.8 [17.7, 17.8]	30.1 [30.0, 30.2]	0.6 [0.6, 0.6]	10.9 [10.7, 11.0]	34.0 [33.7, 34.4]	0.3 [0.3, 0.3]
ALT	17.8 [17.5, 18.0]	62.5 [61.8, 63.3]	0.3 [0.3, 0.3]	34.2 [34.2, 34.3]	50.2 [50.0, 50.5]	0.7 [0.7, 0.7]	19.2 [19.0, 19.4]	49.8 [49.3, 50.3]	0.4 [0.4, 0.4]
AST	19.5 [19.3, 19.8]	61.4 [60.7, 62.1]	0.3 [0.3, 0.3]	24.7 [24.6, 24.7]	35.1 [34.9, 35.4]	0.7 [0.7, 0.7]	14.4 [14.3, 14.6]	32.6 [32.2, 32.9]	0.4 [0.4, 0.5]
BUN	18.6 [18.5, 18.7]	57.2 [56.9, 57.4]	0.3 [0.3, 0.3]	20.5 [20.4, 20.5]	36.2 [36.2, 36.3]	0.6 [0.6, 0.6]	15.4 [15.2, 15.5]	42.0 [41.5, 42.4]	0.4 [0.4, 0.4]
CA	4.0 [3.9, 4.0]	7.1 [7.0, 7.1]	0.6 [0.6, 0.6]	3.5 [3.5, 3.5]	3.7 [3.7, 3.7]	0.9 [0.9, 0.9]	4.4 [4.3, 4.4]	5.6 [5.5, 5.6]	0.8 [0.8, 0.8]
CL	2.2 [2.2, 2.2]	5.1 [5.1, 5.1]	0.4 [0.4, 0.4]	2.4 [2.3, 2.4]	2.3 [2.2, 2.3]	1.0 [1.0, 1.1]	1.9 [1.8, 1.9]	3.3 [3.3, 3.3]	0.6 [0.6, 0.6]
CO2	7.7 [7.7, 7.8]	15.8 [15.7, 15.9]	0.5 [0.5, 0.5]	17.7 [17.3, 18.2]	27.0 [25.9, 28.1]	0.7 [0.6, 0.7]	5.5 [5.4, 5.6]	10.2 [10.1, 10.4]	0.5 [0.5, 0.6]
CRE	15.2 [15.1, 15.3]	48.2 [47.9, 48.4]	0.3 [0.3, 0.3]	12.2 [12.2, 12.2]	34.7 [34.4, 34.9]	0.3 [0.3, 0.4]	11.0 [11.0, 11.1]	25.3 [25.2, 25.5]	0.4 [0.4, 0.4]
DBIL	—	77.0 [73.8, 79.7]	—	—	—	—	—	—	—
GLU	15.6 [15.5, 15.7]	24.5 [24.4, 24.6]	0.6 [0.6, 0.6]	13.7 [13.7, 13.7]	24.0 [23.9, 24.0]	0.6 [0.6, 0.6]	12.8 [12.7, 12.9]	23.7 [23.5, 23.9]	0.5 [0.5, 0.6]
HCT	6.9 [6.8, 6.9]	17.6 [17.5, 17.6]	0.4 [0.4, 0.4]	6.3 [6.3, 6.4]	9.6 [9.6, 9.6]	0.7 [0.7, 0.7]	6.8 [6.7, 6.8]	14.1 [14.0, 14.2]	0.5 [0.5, 0.5]
HDL	11.0 [6.1, 17.0]	46.5 [28.4, 61.2]	0.2 [0.1, 0.5]	24.4 [24.4, 24.5]	30.1 [30.1, 30.2]	0.8 [0.8, 0.8]	—	—	—
HGB	7.4 [7.4, 7.4]	18.0 [17.9, 18.0]	0.4 [0.4, 0.4]	6.3 [6.3, 6.3]	10.5 [10.5, 10.5]	0.6 [0.6, 0.6]	6.9 [6.8, 6.9]	14.6 [14.5, 14.7]	0.5 [0.5, 0.5]
K	8.3 [8.2, 8.3]	10.1 [10.0, 10.2]	0.8 [0.8, 0.8]	7.1 [7.1, 7.1]	6.5 [6.4, 6.5]	1.1 [1.1, 1.1]	7.5 [7.5, 7.6]	8.6 [8.6, 8.7]	0.9 [0.9, 0.9]
LDL	—	—	—	20.6 [20.5, 20.6]	23.7 [23.7, 23.8]	0.9 [0.9, 0.9]	—	—	—
MCH	1.2 [1.2, 1.2]	6.9 [6.8, 6.9]	0.2 [0.2, 0.2]	3.6 [3.6, 3.6]	7.1 [7.1, 7.1]	0.5 [0.5, 0.5]	—	—	—
MCHC	1.4 [1.4, 1.4]	3.5 [3.5, 3.5]	0.4 [0.4, 0.4]	2.9 [2.9, 2.9]	2.7 [2.7, 2.7]	1.1 [1.1, 1.1]	—	—	—
MCV	1.1 [1.1, 1.1]	6.2 [6.1, 6.2]	0.2 [0.2, 0.2]	3.2 [3.2, 3.2]	6.1 [6.1, 6.1]	0.5 [0.5, 0.5]	—	—	—
MPV	3.4 [3.4, 3.4]	13.2 [13.1, 13.3]	0.3 [0.2, 0.3]	10.3 [10.3, 10.3]	10.8 [10.8, 10.8]	0.9 [0.9, 1.0]	—	—	—
NA	1.4 [1.4, 1.4]	2.9 [2.9, 2.9]	0.5 [0.5, 0.5]	1.5 [1.5, 1.5]	1.2 [1.2, 1.2]	1.2 [1.2, 1.2]	1.0 [1.0, 1.0]	1.7 [1.7, 1.7]	0.6 [0.6, 0.6]
PLT	13.6 [13.5, 13.8]	43.1 [42.9, 43.4]	0.3 [0.3, 0.3]	14.1 [14.1, 14.1]	23.8 [23.7, 23.8]	0.6 [0.6, 0.6]	12.0 [11.9, 12.2]	33.5 [33.2, 33.8]	0.4 [0.3, 0.4]
RBC	8.0 [8.0, 8.1]	17.8 [17.7, 17.9]	0.5 [0.5, 0.5]	5.9 [5.9, 5.9]	10.1 [10.1, 10.1]	0.6 [0.6, 0.6]	—	—	—
RDW	2.5 [2.5, 2.5]	12.3 [12.2, 12.4]	0.2 [0.2, 0.2]	5.7 [5.7, 5.7]	7.1 [7.1, 7.1]	0.8 [0.8, 0.8]	—	—	—
TBIL	25.3 [25.1, 25.5]	56.2 [55.6, 56.8]	0.5 [0.4, 0.5]	26.0 [25.9, 26.0]	42.8 [42.6, 43.0]	0.6 [0.6, 0.6]	21.7 [21.6, 21.9]	44.6 [44.2, 45.0]	0.5 [0.5, 0.5]
TC	10.5 [7.7, 13.3]	36.0 [24.2, 44.1]	0.3 [0.2, 0.5]	13.9 [13.9, 14.0]	16.6 [16.6, 16.6]	0.8 [0.8, 0.8]	—	—	—
TGL	13.8 [12.6, 15.1]	41.5 [38.6, 44.4]	0.3 [0.3, 0.4]	26.1 [26.1, 26.1]	40.3 [40.2, 40.4]	0.7 [0.7, 0.7]	—	—	—
TP	6.4 [6.3, 6.5]	14.1 [13.9, 14.3]	0.5 [0.5, 0.5]	4.8 [4.8, 4.8]	5.6 [5.5, 5.6]	0.9 [0.9, 0.9]	7.5 [7.4, 7.5]	10.9 [10.8, 11.0]	0.7 [0.7, 0.7]
WBC	16.8 [16.7, 16.9]	37.1 [36.9, 37.3]	0.5 [0.5, 0.5]	19.2 [19.2, 19.3]	51.6 [28.8, 79.2]	0.4 [0.2, 0.7]	18.3 [18.2, 18.5]	31.8 [31.5, 32.0]	0.6 [0.6, 0.6]