

Analyte	NORMA-S			ARIMA		
	MAE	MAPE	R2	MAE	MAPE	R2
A1C	0.4	6.1	0.64	0.5	7.7	0.37
ALB	0.3	8.5	0.74	0.3	10.2	0.75
ALP	16.0	15.4	0.74	24.3	19.9	0.78
ALT	7.2	27.8	0.62	14.5	40.4	0.57
AST	7.0	23.5	0.58	20.4	44.5	0.41
BUN	3.3	18.4	0.83	4.4	23.2	0.82
CA	0.3	3.3	0.66	0.4	4.4	0.40
CL	1.9	1.8	0.69	2.4	2.3	0.55
CO2	1.5	6.3	0.70	2.1	8.3	0.48
CRE	0.1	10.6	0.88	0.2	12.9	0.87
DBIL	0.3	48.0	0.51	0.4	88.0	0.57
GLU	15.7	12.9	0.48	21.1	17.7	0.23
HCT	2.1	6.2	0.79	3.0	8.7	0.60
HDL	6.5	12.1	0.73	8.8	18.8	0.53
HGB	0.7	6.3	0.79	1.0	8.5	0.63
K	0.3	6.7	0.45	0.4	8.5	0.15
LDL	17.7	21.8	0.55	18.6	33.7	0.52
MCH	0.5	1.8	0.90	0.6	2.2	0.83
MCHC	0.6	1.8	0.72	0.6	1.9	0.58
MCV	1.6	1.8	0.88	1.7	1.9	0.82
MPV	0.6	6.5	0.59	0.9	9.9	0.21
NA	1.8	1.3	0.62	2.2	1.6	0.49
PLT	30.3	13.5	0.79	36.6	18.1	0.68
RBC	0.2	6.3	0.81	0.3	8.5	0.64
RDW	0.5	3.0	0.87	0.7	4.6	0.81
TBIL	0.2	28.0	0.71	0.3	32.1	0.85
TC	20.3	12.0	0.57	24.8	17.5	0.44
TGL	36.2	28.7	0.48	—	—	—
TP	0.4	5.7	0.54	0.5	6.9	0.57
WBC	1.5	24.2	0.62	2.1	26.0	0.69