

Sweep	Method	CI width (% of Pop _{RI} width), median [IQR]		
		At sweep start	At sweep end	Change
History Length (2 → 300 measurements)	Per _{RI}	21.8 [19.2, 25.1]	39.8 [39.4, 40.0]	+18.2 [14.4, 20.9]
	Gaussian	30.2 [26.6, 34.7]	39.1 [39.0, 39.4]	+9.1 [3.9, 12.9]
	Trunc. Gaussian	21.4 [18.8, 24.9]	39.0 [39.0, 39.3]	+17.8 [13.7, 20.5]
	Empirical Bayes	71.4 [51.4, 84.9]	40.0 [39.3, 41.6]	-31.6 [-42.3, -12.5]
	Cohen	87.3 [68.7, 118.0]	87.3 [68.7, 118.0]	+0.0 [0.0, 0.0]
	NORMA _{RI}	57.4 [50.7, 66.5]	38.7 [37.3, 41.2]	-18.2 [-24.9, -11.0]
	NORMA sex, age	50.2 [47.0, 58.7]	41.8 [39.6, 43.4]	-9.6 [-16.8, -4.6]
Prediction Horizon (7 → 3650 days)	Per _{RI}	31.5 [26.6, 34.5]	31.5 [26.6, 34.5]	+0.0 [0.0, 0.0]
	Gaussian	37.8 [36.7, 38.3]	37.8 [36.7, 38.3]	+0.0 [0.0, 0.0]
	Trunc. Gaussian	35.7 [34.7, 36.4]	35.7 [34.7, 36.4]	+0.0 [0.0, 0.0]
	Empirical Bayes	52.8 [42.5, 67.4]	52.8 [42.5, 67.4]	+0.0 [0.0, 0.0]
	Cohen	87.3 [68.7, 118.0]	87.3 [68.7, 118.0]	+0.0 [0.0, 0.0]
	NORMA _{RI}	49.2 [45.6, 51.8]	62.1 [57.4, 67.3]	+13.1 [7.4, 21.1]
	NORMA sex, age	49.4 [46.1, 51.2]	61.6 [58.7, 67.7]	+11.0 [8.1, 21.4]
Within-Person Variability (0 → 3 × width/10)	Per _{RI}	0.0 [0.0, 0.0]	87.0 [73.4, 94.6]	+87.0 [73.4, 94.6]
	Gaussian	0.0 [0.0, 0.0]	91.6 [89.0, 94.7]	+91.6 [89.0, 94.7]
	Trunc. Gaussian	0.0 [0.0, 0.0]	176.4 [145.3, 256.8]	+176.4 [145.3, 256.8]
	Empirical Bayes	43.3 [27.7, 62.7]	84.3 [82.1, 87.9]	+39.5 [23.2, 54.0]
	Cohen	87.3 [68.7, 118.0]	87.3 [68.7, 118.0]	+0.0 [0.0, 0.0]
	NORMA _{RI}	0.1 [0.0, 5.2]	105.8 [101.3, 107.6]	+101.8 [98.4, 106.9]
	NORMA sex, age	0.0 [0.0, 0.2]	105.2 [103.4, 109.9]	+105.0 [103.4, 109.8]