

Analyte	INSPIRE		
	CV _{intra}	CV _{inter}	II
A1C	4.8 [4.4, 5.3]	13.0 [11.8, 13.8]	0.4 [0.3, 0.4]
ALB	8.4 [8.3, 8.4]	13.4 [13.3, 13.5]	0.6 [0.6, 0.6]
ALP	10.9 [10.7, 11.0]	34.0 [33.7, 34.4]	0.3 [0.3, 0.3]
ALT	19.2 [19.0, 19.4]	49.8 [49.3, 50.3]	0.4 [0.4, 0.4]
AST	14.4 [14.3, 14.6]	32.6 [32.2, 32.9]	0.4 [0.4, 0.5]
BUN	15.4 [15.2, 15.5]	42.0 [41.5, 42.4]	0.4 [0.4, 0.4]
CA	4.4 [4.3, 4.4]	5.6 [5.5, 5.6]	0.8 [0.8, 0.8]
CL	1.9 [1.8, 1.9]	3.3 [3.3, 3.3]	0.6 [0.6, 0.6]
CO2	5.5 [5.4, 5.6]	10.2 [10.1, 10.4]	0.5 [0.5, 0.6]
CRE	11.0 [11.0, 11.1]	25.3 [25.2, 25.5]	0.4 [0.4, 0.4]
DBIL	—	—	—
GLU	12.8 [12.7, 12.9]	23.7 [23.5, 23.9]	0.5 [0.5, 0.6]
HCT	6.8 [6.7, 6.8]	14.1 [14.0, 14.2]	0.5 [0.5, 0.5]
HDL	—	—	—
HGB	6.9 [6.8, 6.9]	14.6 [14.5, 14.7]	0.5 [0.5, 0.5]
K	7.5 [7.5, 7.6]	8.6 [8.6, 8.7]	0.9 [0.9, 0.9]
LDL	—	—	—
MCH	—	—	—
MCHC	—	—	—
MCV	—	—	—
MPV	—	—	—
NA	1.0 [1.0, 1.0]	1.7 [1.7, 1.7]	0.6 [0.6, 0.6]
PLT	12.0 [11.9, 12.2]	33.5 [33.2, 33.8]	0.4 [0.3, 0.4]
RBC	—	—	—
RDW	—	—	—
TBIL	21.7 [21.6, 21.9]	44.6 [44.2, 45.0]	0.5 [0.5, 0.5]
TC	—	—	—
TGL	—	—	—
TP	7.5 [7.4, 7.5]	10.9 [10.8, 11.0]	0.7 [0.7, 0.7]
WBC	18.3 [18.2, 18.5]	31.8 [31.5, 32.0]	0.6 [0.6, 0.6]