Compiler Design Lab

Sai Aashrit Surapaneni
AP19110010361
CSE - C

Program 1:
Implement a language recogniser which accepts set of all strings over the alphabet

C Code

```
#include<stdio.h>
void main(){
int state=0,i=0;
char current,input[20];
printf("Enter input string \t :");
scanf("%s",input);
while((current=input[i++])!='\0'){
switch(state)
{
case 0: if(current=='a')
state=1;
else if(current=='b')
state=2;
else
{
printf("Invalid token");
exit(0);
}
break;
case 1: if(current=='a')
state=0;
else if(current=='b')
```

```
state=3;
else
{
printf("Invalid token");
exit(0);
}
break;
case 2: if(current=='a')
state=3;
else if(current=='b')
state=0;
else
{
printf("Invalid token");
exit(0);
}
break;
case 3: if(current=='a')
state=2;
else if(current=='b')
state=1;
else
{
printf("Invalid token");
exit(0);
}
break;
}} if(state==0)
printf("\n\nString accepted\n\n");
else
printf("\n\nString not accepted\n\n");
}
```

Σ={a,b} containing an even number of a’s and an even number of b’s.

Program 2:

CODE:

```
#include<stdio.h>
void main()
{
   int state=0,i=0;
   char token,input[20];
   printf("Enter input string:\t");
   scanf("%s",input);
   //printf("Given string is : %s");

   while((token=input[i++])!='\0')
   {
     // printf("current token : %c \n",token);
      switch(state)
      {
         case 0: if(token=='a')
                    state=1;
                 else if(token=='b')
                    state=3;
                 else
                 {
                    printf("Invalid token");
                    exit(0);
                 }
                 break;
         case 1: if(token=='a')
                    state=2;
                 else if(token=='b')
                    state=3;
                 else
```

```
        {
            printf("Invalid token");
            exit(0);
        }

        break;
case 2: if(token=='a')
            state=2;
        else if(token=='b')
            state=3;
        else
        {
            printf("Invalid token");
            exit(0);
        }
        break;
case 3: if(token=='a')
            state=1;
        else if(token=='b')
            state=4;
        else
        {
            printf("Invalid token");
            exit(0);
        }
case 4: if(token=='a')
            state=1;
        else if(token=='b')
            state=4;
        else
        {
            printf("Invalid token");
            exit(0);
        }
        break;
```

```
        }
       // printf("state = %d  ",state);
    }
    if(state==0||state==2||state==4)
        printf("\n\nString accepted\n\n");
    else
        printf("\n\nString not accepted\n\n");
}
```



DESCRIPTION:

The acceptable strings of the language are ε(Null string), aa, bb, aaaaabbbb, babbabb etc.
Non Acceptable String are aaaaaaaba bbbbbbbaba abababab etc.

Deterministic Finite Automata for the given language is given above:

DFA M=(Q,Σ,δ,Q0,F) Where
Q=Set of all states ={Q0,Q1,Q2,Q3,Q4}
Σ=Input Alphabet={a,b},
Start state is Q0
F=Set of all final States={ Q2,Q4}