GROWTH PM CASE STUDY · MYNTRA

Convert High-Intent Wishlisters by Resolving Size & Fit Uncertainty — Without Monetary Subsidies

Smart Wishlist + FitCheck turns passive saved items into decision-ready purchases for high-intent apparel shoppers.

EXECUTIVE SUMMARY & STRATEGIC THESIS: Wishlist items represent explicit purchase intent, yet conversion stalls because shoppers cannot predict cross-brand fit drape without physically trying on garments. By deploying FitCheck — a native decision-resolution engine that translates kept order measurements into personal fit confidence — Myntra bridges the gap from 'Saved' to 'Ready to Buy' without relying on discount subsidies or margin erosion.

51.3%
High-Intent / High-Friction

770 / 1,500 analyzed posts stall at checkout due to fit & size doubt.

23 / 25
Opportunity Rubric #1

Ranked #1 on purchase proximity, severity, and non-monetary addressability.

83% (5/6)
Surfaced Fit/Drape Doubt

5/6 interviewees surfaced fit uncertainty; 3/6 (50%) cited it as #1 blocker.

6 / 6 (100%)
Outside-App Workarounds

All 6 participants left Myntra or relied on past orders/friends to resolve fit.

TESTABLE ARTEFACTS & LIVE PROTOTYPES

Publicly accessible tools built specifically for this case study submission:

Open Discovery Engine 🔗

Open Live Deployed MVP 🚀

END-TO-END CONVERSION FLOW

1. **DISCOVERY:** 1,500 public conversations classified into Intent × Friction quadrants.
2. **RESEARCH:** 6 qualitative walkthroughs isolate cross-brand size distrust.
3. **FITCHECK ENGINE:** Garment measurements matched with user's kept anchor profile.
4. **READY TO BUY:** Wishlist item flips to action-ready state upon confidence signal.
5. **30D CONVERSION:** User moves item to Bag & purchases without any discount nudge.

BUSINESS METRIC DECOMPOSITION

Wishlist-to-Bag Progression Is the Primary Growth Lever for 30-Day Conversion

Decomposing the business North Star into controllable product outcomes, user drop-off stages, and non-goals.

30-Day Wishlist Buyer Conversion = (Unique users purchasing ≥1 item they wishlisted in ≤30 days of adding it) ÷ (Unique cohort users with ≥1 eligible wishlist add)

METRIC TREE: 30D Conversion = Wishlist Revisit × Intent Persistence × Decision Confidence × Wishlist → Bag × Bag → Purchase

1. Wishlist Revisit
Return to saved item ≤7 days
Drop-off: 25%*
Passive retention

2. Decision Resolution
Fit / drape uncertainty resolved
Drop-off: 48%*
LARGEST BLOCKER

3. Wishlist → Bag
Commit shortlisted SKU to Bag
Target Lift: +14%*
Primary Outcome

4. Bag → Purchase
Complete checkout transaction
Drop-off: 12%*
Standard friction

5. 30-Day Cohort
Complete purchase within window
Cohort Lifetime
Intent retention

STRATEGIC INTERVENTION FOCUS: WISHLIST → BAG

- Wishlist → Bag is the stage with the largest, most addressable drop-off (48% of high-intent saved items are never added to Bag).
- High-intent users already like the product aesthetic and price. FitCheck targets the two adjacent, controllable friction steps: resolve fit doubt → accelerate Wishlist-to-Bag conversion without monetary discounts.

EXPLICIT NON-GOALS & BOUNDARIES (*HYPOTHESIZED FUNNEL)

- We do NOT optimize generic wishlist additions or total app time. More bookmarking is not business success unless intent converts within 30 days.
- We do NOT issue price cuts, coupons, or cashback incentives. The strategic constraint requires solving user decision uncertainty natively.
- *Note: Funnel percentages represent PM baseline hypotheses; production validation requires internal Myntra event tracking.

AI-POWERED DISCOVERY ENGINE

An Automated NLP Pipeline Classifying 1,500 Public Conversations into Intent × Friction Evidence

Ingesting unstructured posts from Reddit, Play Store, and fashion forums into structured, decision-ready evidence objects.

1. INGESTION
1,500 public posts from Reddit, App/Play Store, YouTube reviews.

2. STRUCTURE
14-field multi-label schema (Intent, Friction, Workaround, Need).

3. SEGMENT
Vector clustering into 4 Intent × Friction behavioral quadrants.

4. PRIORITIZE
Opportunity scoring: Prevalence + Intent + Severity + Addressability /25.

5. AUDIT
300 record manual verification; 90% AI–human label agreement.

STRUCTURED EVIDENCE OBJECT SAMPLE (RECORD #842)

Intent: HIGH **Friction: SIZE / FIT** **Workaround: PAST ORDERS** **Source: REDDIT**

- Verbatim Post Snippet: "I love these Roadster slim jeans on Myntra, but size 30 is too tight around waist and 32 slips down. I've left them saved for 2 weeks while comparing waist measurements against 3 previous orders."
- Model Inference: Intent Proximity = 0.94 (Near-term purchase); Friction Severity = High; Solvability = Non-Monetary Fit Anchor.
- Value to PM: Enables systematic quantitative comparison across friction categories while maintaining strict provenance back to raw user feedback.

QUALITY CONTROL & MODEL AUDIT

300 Records Manually Audited

270 / 300 Label Agreement = 90%

- Measured: 90% AI–Human label agreement.
- Stack: Python + GPT-4o API + GitHub Pages Explorer
- Provenance links maintained for full auditability.

Test Discovery Engine Live 🔗

DISCOVERY ENGINE FINDINGS

Size & Fit Uncertainty Ranks #1 — High Purchase Proximity and Non-Monetary Solvability

Segmenting 1,500 conversations by Intent × Friction and scoring opportunity areas on a 25-point PM rubric.

INTENT × FRICTION SEGMENTATION (n = 1,500)

51.3%
HIGH INTENT / HIGH FRICTION
51.3% fall into High Intent / High Friction — the primary target segment (n=770).

22.0%
LOW INTENT / HIGH FRICTION
Passive Browsing (n=330): Casual window shopping & price watching.

16.7%
HIGH INTENT / LOW FRICTION
Waiting to Execute (n=250): High desire, awaiting payday/event date.

10.0%
LOW INTENT / LOW FRICTION
Mood-Board Archive (n=150): Long-term outfit bookmarking.

OPPORTUNITY PRIORITIZATION RUBRIC (/25 TOTAL)

Opportunity Area	Breakdown (P I S A C)	Score & Status
1. Size & Fit Uncertainty	P:4 I:5 S:5 A:5 C:4	**23 / 25 — #1 (PRIMARY WEDGE)**
2. Comparison Paralysis	P:5 I:5 S:4 A:5 C:3	22 / 25 — #2 (Backlog)
3. Product Quality / Real Photo Void	P:5 I:4 S:3 A:4 C:3	19 / 25 — #3 (Backlog)
4. Price Volatility & Context	P:4 I:4 S:4 A:2 C:3	17 / 25 — #4 (Monetary Boundary)
5. Styling & Wardrobe Match	P:3 I:4 S:3 A:3 C:3	16 / 25 — #5 (Low Priority)

KEY TAKEAWAY: FREQUENCY ≠ PRIORITY FOR GROWTH INTERVENTION
Comparison friction appears slightly more often across browsing, but Size & Fit Uncertainty ranks #1 overall because affected users are closest to purchase, their friction is severe, and the problem is addressable without monetary discounts.

PRIMARY RESEARCH

6 Wishlist Walkthroughs Reveal an Outside-App Triangulation Loop Driven by Fit Doubt

Reconstructing user decision paths from 'Saved' to 'Researched' to 'Stalled / Purchased' for near-term purchase intent.

5 / 6 (83%)
surfaced size/drape uncertainty in decision journey

3 / 6 (50%)
named cross-brand fit as their primary #1 blocker

6 / 6 (100%)
abandoned Myntra to use outside-app workarounds

USER DECISION JOURNEY: Wishlist Add → 'Will this fit me?' → Reddit / YouTube / Past Orders → Still Uncertain → Purchase Delayed

P#	Profile	Saved SKU	Stated Blocker	Outside Workaround	Required Purchase Trigger
P1	Male (24)	Roadster Jeans	**Fit / size (30 vs 32)**	Compared 3 past orders	Reliable fit comparison tool
P2	Female (26)	Anouk Kurta Set	**Bust/shoulder drape**	YouTube try-on hauls	Real model height/body photos
P3	Male (22)	HRX Running Shoes	Foot width / sizing	Reddit sizing threads	Side-by-side spec comparison
P4	Female (29)	Libas Kurti Set	**Post-wash shrinkage**	Read negative reviews	Shrinkage rating guarantee
P5	Male (27)	Allen Solly Blazer	Arm length / shoulder	Ordered 2 sizes to return 1	Precise shoulder measurement anchor
P6	Male (23)	Highlander Cargos	Waist fit / length	Asked friends on WhatsApp	Virtual outfit drape preview

OBSERVED OUTSIDE-APP WORKAROUND LOOP

1. **SAVE ITEM:** User saves specific SKU & size in wishlist.
2. **EXIT MYNTRA:** Leaves app to search Reddit, YouTube, Instagram.
3. **TRIANGULATE:** Compares past kept orders & customer reviews.
4. **STALL CHECKOUT:** Remains uncertain, delays purchase, intent decays.

"I love this pair of Roadster jeans, but my waist size is 31 — Roadster 30 is too tight and 32 slips off. I left it saved for 2 weeks while comparing waist measurements from 3 previous kept orders." — P1 (Walkthrough Interview)

PROBLEM DEFINITION

High-Intent Shoppers Stall at Commitment Because Cross-Brand Size Labels Are Untrusted

Synthesizing findings across Business Metric → Product Outcome → AI Discovery → Primary Research → Problem Statement.

EVIDENCE CHAIN: 30D Buyer Conversion → Wishlist to Bag → AI Discovery (Fit #1 23/25) → Interviews (5/6 Surface Fit) → Root Cause (Cross-Brand Size Distrust)

CORE PROBLEM STATEMENT: High-intent apparel shoppers with a near-term purchase goal delay moving wishlisted items to Bag because they cannot confidently predict how their selected size will fit across different brands — forcing them to leave Myntra to triangulate fit from external reviews, past purchases, and try-on content before committing.

TARGET USER SEGMENT

High-intent Myntra apparel shoppers who have shortlisted specific SKUs with near-term purchase intent.

DECISION TRIGGER

Revisiting saved items to evaluate checkout readiness for an upcoming event, season change, or wardrobe update.

CORE ROOT OBSTACLE

Inability to translate standard size labels (S/M/L or 30/32) into personalized cross-brand fit drape evidence.

EXISTING WORKAROUND

Leaving Myntra to browse Reddit sizing threads, Instagram try-ons, YouTube hauls, or measuring past orders.

USER VALUE CREATED

Confidently resolve fit & size decisions in <30 seconds without leaving Myntra or ordering multiple sizes to return.

BUSINESS VALUE UNLOCKED

Increases Wishlist-to-Bag conversion rate, shortens decision latency, and reduces fit-related returns downstream.

SOLUTION RATIONALE

Smart Wishlist + FitCheck Resolves Declared Blocker Inside the Wishlist — No Discounts Required

Designing a native decision-confidence loop that empowers shoppers to declare obstacles and receive personalized fit recommendations.

1. FIT ANCHOR
User confirms 1 kept item profile (e.g., Roadster M).

2. DECLARE BLOCKER
User tags SKU: 'Waiting on Fit'.

3. FITCHECK ENGINE
AI matches garment specs with user's anchor profile.

4. READY TO BUY
Wishlist state transitions upon confidence signal.

5. MOVE TO BAG
User commits to purchase without any discount nudge.

WHY THIS FITS THE NON-MONETARY STRATEGIC BRIEF

• Zero Subsidy & Zero Margin Erosion: The solution does not rely on price slashes, coupons, or cashback nudges.
• Pure Informational Value: Converts raw product reviews and kept order data into personal size confidence, solving the exact friction that stalls high-intent shoppers.
• Handing Control to User: Users explicitly state what they are waiting for, transforming wishlist from passive storage into an active decision dashboard.

SCOPE DISCIPLINE & EXPERIMENTAL CONTROL

• Isolated Causal Experiment: The FitCheck MVP isolates Fit-only to measure pure decision confidence uplift.
• Architecture Extensibility: Architecture can later support other declared blockers such as organic price events; excluded from the Fit MVP experiment.
• Testable Artefact: Prototype deployed and accessible live.

Launch Live MVP Prototype 🚀

DEPLOYED MVP PROTOTYPE

A Publicly Accessible Live Prototype Validating the Decision-Resolution & State-Transition Mechanism

Proving the non-monetary decision confidence loop before investing engineering in real-time fit ML models.

FUNCTIONAL IN THE LIVE PROTOTYPE

✓ Set & Save Fit Anchor Profile (Brand, Size, Height, Body fit preference)
✓ Declare Blocker Tag on Wishlist SKUs (Waiting on Fit / Price / Both)
✓ Trigger FitCheck Decision Event & Generate Confidence Rating
✓ Transition Wishlist Item State from 'Waiting on Fit' to 'Ready to Buy'
✓ Execute One-Tap 'Move to Bag' Action for Resolved Items
✓ Interactive Prototype Deployed on GitHub Pages for Testing

Test Live Deployed MVP 🚀

SIMULATED / PRODUCTION BACKLOG (EXPLICIT PM TRANSPARENCY)

- Real-time kept order & return history API ingestion
- Multi-category production ML garment measurement calibration model
- Live inventory warehouse & price drop event webhooks
- User notification caps & frequency throttling rules
- Learned confidence threshold algorithms with abstention logic

MVP validates the core decision loop and state transition; production ML accuracy remains an explicit validation step.

60-SECOND EVALUATOR TESTING PATH: [1] Set Fit Anchor → [2] Select Item & Tag 'Waiting on Fit' → [3] Click FitCheck → [4] See 'Ready to Buy' State → [5] Move to Bag

DEFINE SUCCESS

Causal Lift in 30-Day Wishlist Buyer Conversion Paired with Strict Return-Rate Guardrails

Structuring metrics into business impact, mechanism validation, leading indicators, and guardrails.

BUSINESS NORTH STAR METRIC

30-Day Wishlist Buyer Conversion Rate (% unique wishlist users purchasing ≥1 saved SKU)

PRIMARY MECHANISM METRIC

Condition-Resolved to Bag Rate (% of fit-tagged items moved to Bag within 72h)

KEY GUARDRAIL METRIC

Fit-Related Return Rate (Must remain flat or drop; ensures fit accuracy)

CAUSAL A/B TEST EXPERIMENT DESIGN

- Population: High-intent apparel wishlisters with ≥1 eligible fit-sensitive SKU
- Control: Existing Wishlist
- Treatment: Wishlist + FitCheck
- Randomization: User-level A/B split
- Evaluation Window: 30 days
- Decision Rule: Launch only if 30-Day Conversion rises without inflating returns.

Category	Metric Name	Exact Definition / Formula	Target / PM Rationale
Leading Indicator	**Fit Anchor Adoption Rate**	% fit-tagged users with a saved anchor profile	Target: >35% adoption in 30d cohort
Leading Indicator	**Blocker Declaration Rate**	% saved items tagged with specific blocker	Target: >45% of active wishlists
Leading Indicator	**Fit Resolution Accuracy**	% FitChecks returning decisive recommendation	Target: >80% decisive recommendations
Leading Indicator	**Median Wishlist → Bag Time**	Hours elapsed from wishlist add to Bag addition	Target: Reduce from 144h to <48h
Guardrail Metric	**Wishlist Add Suppression**	Total wishlist additions per user cohort	Must not decrease (no added friction)
Guardrail Metric	**Notification Opt-Out Rate**	% users disabling FitCheck reminders	Target: <2.5% opt-out rate

RISKS & MITIGATION

Mitigating False Fit Confidence, Setup Friction, and Cold Start Through Phased Rollout

Evaluating potential failure modes, business risks, and defining strict rollout gating principles.

CRITICAL RISK: False fit confidence can turn a stalled wishlist into a costly return — worse than doing nothing.

Risk Area	Impact	Likelihood	Root Cause	Mitigation Strategy & Rollout Gate
False Fit Confidence → High Returns	HIGH	MED	AI overconfident without garment specs	Show 3-tier confidence bands ('High', 'Moderate', 'Uncertain'); abstain if data <80%; gate rollout on return rate.
Fit Anchor Setup Friction	MED	HIGH	Manual multi-field input deters users	Auto-infer anchor from kept orders; ask contextually when user adds item to wishlist.
Cold Start / Sparse Brand Data	HIGH	MED	New brands or niche categories lack fit evidence	Blend size charts + material elasticity; output 'Not Enough Evidence' state instead of guessing.
Research Sample Generalization	MED	MED	6 qualitative interviews are directional	Run user-level A/B test across 50,000 users segmented by category (Jeans, Ethnicwear) before 100% rollout.
Notification Fatigue / Nudge Erosion	MED	MED	Repeated 'Ready to Buy' alerts feel spammy	Cap reminders to 1 per week per user; digest updates into weekly wishlist recap; 1-tap opt-out.

ROLLOUT PRINCIPLE: EARN TRUST BEFORE REACH

Offline data calibration → Pilot in stable categories (Jeans & Ethnicwear) → Validate return guardrails → Category expansion. 'A wishlist should actively resolve decisions, not just store products.'