

MS PROJECT REPORT — FULL DRAFT (CHAPTERS 1–5)

EMGT 7945 MS Project

Urban Mobility Equity Dashboard: Mapping Who Gets Left Behind in U.S. Cities

Submitted by Aashritha Krishna Kanagala

Program Master of Science in Engineering Management (MSEM)

Course EMGT 7945 MS Project

University Northeastern University, Boston, Massachusetts

Supervisor Professor Sivarit (Tony) Sultornsanee

Date July 2026

Abstract. Urban mobility infrastructure — public transit, walkable streets, bicycle facilities, and electric-vehicle (EV) charging — is unevenly distributed, yet existing measurement tools treat each dimension in isolation. This project constructs a *Mobility Equity Score* (MES): a transparent, reproducible composite index that integrates all four dimensions at the U.S. Census-tract level, and applies it to three structurally distinct cities (Chicago, Houston, Seattle) using only open data. Across all three cities the MES exhibits strong, significant spatial clustering (global Moran’s $I = 0.82\text{--}0.92$, $p < 0.001$) and is *negatively* associated with median household income and *positively* associated with the share of zero-vehicle and renter households — indicating that supply-side mobility infrastructure concentrates in dense, lower-income urban cores, so that mobility “deserts” fall disproportionately in higher-income, auto-oriented peripheries. This inverts the naive expectation and motivates a careful supply-versus-demand interpretation, which is the study’s central contribution. The methodology is released as an open-source pipeline and an interactive dashboard so any city with open data can reproduce the analysis.

TABLE OF CONTENTS

1	Introduction and Motivation	3
1.1	Background	3
1.2	Problem Statement	3
1.3	Research Questions	3
1.4	Objectives	3
1.5	Research Contributions	4
1.6	Organization	4
2	Literature Review	4
2.1	Single-Dimension Equity Measurement	4
2.2	Composite Indicators and Their Critique	5

2.3	Existing Integrated Tools — and Why They Fall Short	5
2.4	Spatial and Multivariate Methods	5
2.5	Synthesis of the Gap	5
3	Methodology	6
3.1	Study Area	6
3.2	Indicator Selection and Sub-Index Definition	6
3.3	Data Preprocessing, Missing Values, and Assumptions	6
3.4	Normalization and MES Construction	6
3.5	Weighting: Determination and Sensitivity	7
3.6	Mobility-Desert Classification and Threshold Validation	7
3.7	Equity Correlation Analysis — Justification	7
3.8	Spatial Autocorrelation — Justification	7
3.9	Cluster Analysis — Justification	7
3.10	Validation and Reproducibility	8
4	Results	8
4.1	MES Distribution and Sub-Index Profiles	8
4.2	Equity Correlation Analysis	9
4.3	Spatial Autocorrelation	9
4.4	Mobility-Desert Classification and Threshold Robustness	10
4.5	Cluster Typology	10
4.6	Weighting Sensitivity	11
4.7	Dashboard Demonstration	11
5	Discussion and Conclusions	11
5.1	Summary of Major Findings	11
5.2	Interpretation: A Supply–Demand Reframing	13
5.3	Implications	13
5.4	Limitations	13
5.5	Future Research	13
5.6	Conclusion	13
	References	13

1. INTRODUCTION AND MOTIVATION

1.1 Background

Transportation is a fundamental determinant of economic opportunity in urban America. A person’s ability to reach employment, healthcare, education, and essential services depends on a layered ecosystem of infrastructure: transit frequency and coverage, pedestrian networks, bicycle facilities, and access to electric-vehicle (EV) charging. Each dimension has documented equity gaps. Transit deserts disproportionately affect low-income and minority communities [1, 6]; walkability is highly racialized, with communities of color inhabiting systematically less walkable neighborhoods [2]; disadvantaged communities have roughly 64% fewer public EV chargers per capita [3]; and bicycle infrastructure remains underfunded in lower-income areas [4]. Despite this evidence, the available measurement tools remain siloed — the EPA National Walkability Index, the DOE Alternative Fuels Station Locator, the FTA National Transit Database, and OpenStreetMap bicycle data each capture one dimension in isolation.

1.2 Problem Statement

Low-income and minority neighborhoods may experience *compounded*, multi-dimensional mobility disadvantage — scoring poorly across several dimensions at once rather than in a single dimension. The magnitude of this compounding, and where it is most severe, have not been quantified in an integrated, reproducible framework. Equally unexamined is the *direction* of the supply-side relationship: whether infrastructure is scarcest where demand-side need (car-free, low-income households) is greatest, or whether it instead concentrates in dense cores for reasons of land use and density. Both questions impede evidence-based infrastructure-investment decisions.

1.3 Research Questions

The project is framed around one central question and four measurable sub-questions. Each sub-question names the specific quantity, statistical test, and decision criterion used to answer it (developed in Chapter 3).

- RQ1. (Measurement.)** Can four heterogeneous open datasets be integrated into a single tract-level composite (MES) that is internally consistent (Cronbach-style inter-index agreement reported) and stable under alternative weighting schemes (sign and significance of downstream correlations unchanged across equal, entropy, PCA, and AHP weights)?
- RQ2. (Distribution.)** What share of tracts in each city are mobility deserts (MES below the 25th percentile) and compounded deserts (bottom quartile in ≥ 2 sub-indices), and is that classification robust to the threshold (Jaccard overlap ≥ 0.75 across the 20th/25th/30th percentiles)?
- RQ3. (Equity.)** What is the sign, magnitude ($|r|$), and significance ($p < 0.05$, 95% CI excluding zero) of the association between the MES and each of median income, percent non-white, percent zero-vehicle, and percent renter?
- RQ4. (Spatial structure and typology.)** Do MES values cluster spatially (global Moran’s I , $p < 0.05$), where are the statistically significant low-low cold spots (local Moran’s I), and how many distinct mobility “profiles” (K-means, silhouette-selected k) recur across neighborhoods?

1.4 Objectives

- O1.** Construct the MES from four equally-weighted, 0–100-normalized sub-indices at the census-tract level for three Phase-1 cities, with documented indicator selection and normalization.

- O2.** Quantify the association between the MES and four socioeconomic indicators with effect sizes, p -values, and confidence intervals.
- O3.** Classify and rank mobility deserts and compounded deserts, and validate the classification against threshold and weighting sensitivity.
- O4.** Characterize the spatial structure (Moran’s I /LISA) and the recurring neighborhood mobility typologies (K-means).
- O5.** Release a reproducible open-source pipeline and an interactive dashboard for dissemination and replication.

1.5 Research Contributions

The contribution of this work is *methodological and empirical*, not the visualization system (the dashboard is a dissemination layer over the analysis, not the result). Specifically:

- 1. **An integrated composite.** The first open, reproducible integration of transit, walkability, bicycle, and EV-charging supply into a single tract-level index, where prior tools measure one dimension or one scale (§2.7).
- 2. **A transparent, tested methodology.** Every modeling choice — indicator selection, within-city min-max normalization, equal-weight baseline, and desert thresholds — is stated and stress-tested through weighting (equal/entropy/PCA/AHP) and threshold (20/25/30th percentile) sensitivity analyses, addressing the reproducibility and value-ladenness concerns raised for composite indicators [16].
- 3. **An empirical finding.** Across three structurally different cities, supply-side mobility infrastructure concentrates in dense, lower-income, higher-renter/car-free cores; consequently the MES is *negatively* correlated with income and mobility deserts fall in higher-income peripheries. This reframes the equity question around a supply–demand mismatch rather than a simple “poor areas are under-served” narrative (§5).
- 4. **A replication artifact.** A documented Python pipeline (MIT-licensed) that reproduces the entire analysis for any U.S. city with open data.

1.6 Organization

Chapter 2 critically reviews prior work and isolates the gap. Chapter 3 specifies the methodology. Chapter 4 presents results. Chapter 5 discusses findings, implications, limitations, and future work.

2. LITERATURE REVIEW

Rather than summarizing studies individually, this chapter organizes prior work by what it measures and how, then isolates the specific gap the MES fills (Table 1).

2.1 Single-Dimension Equity Measurement

The strongest body of evidence is *single-dimension*. In transit, Aman and Smith-Colin [1] operationalize “transit deserts” as a tract-level supply–demand gap from GTFS, and Maharjan et al. [6] confirm the pattern nationally; both establish that low-income and minority tracts are under-served, but neither places transit alongside other modes. Walkability research standardizes on the EPA National Walkability Index [8] and documents racialized disparities [2], while active-travel toolkits [10, 9] refine walk/bike access but again in

isolation. EV-charging equity is the newest strand: Lou et al. [3] and Chen and Li [11] demonstrate severe under-provision for disadvantaged and renter households. The common limitation is *dimensional siloing*: each literature answers “is mode X inequitable?” but none answers “which neighborhoods are disadvantaged across modes at once?”

2.2 Composite Indicators and Their Critique

Composite indicators are attractive for communication but contested on methodology. The OECD/JRC handbook [16] warns that normalization and weighting are value judgments that must be paired with sensitivity analysis — a discipline frequently omitted in applied indices. This project treats that critique as a design requirement (§3.6–§3.7) rather than an afterthought, distinguishing it from single-shot composites.

2.3 Existing Integrated Tools — and Why They Fall Short

The closest comparators are multi-dimensional tools, but each trades away tract-level, multi-modal, or open-data properties. The EPA Smart Location Database is multi-variable but built for walkability/location efficiency, not transit/bike/EV equity. The Urban Institute SITE tool [12] measures infrastructure *spending* equity, not physical supply. The Oliver Wyman Urban Mobility Readiness Index [13] ranks whole cities, not neighborhoods. Pandey et al. [14] link urbanization to widening infrastructure inequality but at national/global scale. Table 1 summarizes the comparison.

Table 1: Critical comparison of representative prior work. The MES is the only approach that is simultaneously multi-modal (all four dimensions), tract-level, open-data, and demographically cross-referenced.

Prior work	Dimensions	Spatial unit	Open data	Demographic cross-ref
Transit-desert models [1, 6]	Transit only	Tract	Yes	Yes
EPA walkability [8, 2]	Walk only	Block group	Yes	Partial
EV-charging equity [3, 11]	EV only	Tract/ZIP	Yes	Yes
Bikeability indices [4, 10]	Bike only	Varies	Yes	Partial
Urban Institute SITE [12]	Spending (multi)	City/region	Partial	Yes
Oliver Wyman UMRI [13]	Multi (readiness)	City	No	No
This work (MES)	All four	Tract	Yes	Yes

2.4 Spatial and Multivariate Methods

Because infrastructure is spatially structured, the analysis draws on established methods: global and local Moran’s I [17] for spatial clustering and cold-spot detection, and K-means with silhouette validation [18] for typology discovery. These are chosen (§3.9– §3.11) because they directly answer the distributional and structural research questions, not merely because they are conventional.

2.5 Synthesis of the Gap

Three gaps motivate the MES: (i) *no integrated, multi-modal, tract-level* supply measure exists; (ii) integrated tools that do exist are either city-scale, spending-based, or closed; and (iii) the *direction* of the supply–demographic relationship is assumed rather than measured. The MES closes (i) and (ii) by construction and tests (iii) empirically.

3. METHODOLOGY

3.1 Study Area

The unit of analysis is the 2023 U.S. Census tract. Three cities were selected for Phase 1 to span mobility regimes (Table 2); Phase 2 will add Phoenix, Atlanta, and Detroit. Selection criteria: population > 300,000, complete GTFS feeds, demographic diversity, and contrasting transit-investment histories.

Table 2: Phase-1 study cities and Census FIPS codes.

City	State (FIPS)	County (FIPS)	Tracts	Rationale
Chicago	Illinois (17)	Cook (031)	1,332	Mature high-frequency transit; diverse
Houston	Texas (48)	Harris (201)	1,115	Auto-oriented, sprawling; large low-income pop.
Seattle	Washington (53)	King (033)	495	Progressive transit and EV investment

3.2 Indicator Selection and Sub-Index Definition

Indicators were selected against three criteria: (a) *construct validity* — each must be an accepted proxy for its dimension in the literature (§2); (b) *national open availability* at $\leq$ tract resolution for reproducibility; and (c) *supply orientation* — each measures infrastructure present near residents, keeping the composite conceptually coherent. Table 3 lists the resulting metrics.

Table 3: The four MES sub-indices, their metrics, and data sources.

Sub-index	Weight	Metric(s)	Source
Transit	25%	Stop density; AM-peak (07–09h) trips/hr; service span within 0.5 mi of centroid	GTFS
Walkability	25%	EPA National Walkability Index (areal-interpolated to tract)	EPA SLD v3
Bicycle	25%	Dedicated bike-lane km per km ² of tract land area	OpenStreetMap
EV charging	25%	Public-charger count and proximity to nearest DC-fast station	OSM (AFDC fallback)

3.3 Data Preprocessing, Missing Values, and Assumptions

All layers are reprojected to EPSG:4326 for storage and to EPSG:5070 (equal-area, metres) for all distance/area computation. GEOIDs are zero-padded strings to guarantee exact joins. The principal preprocessing challenge is *geographic-vintage mismatch*: the EPA walkability data is published on 2019-vintage block groups while the study uses 2023 tracts; a naive GEOID join loses $\approx 57\%$ of Houston’s tracts. We therefore *areally interpolate* — joining the index to 2019 block-group polygons (100% GEOID match) and area-weighting onto 2023 tracts, valid because the walkability index is an intensive quantity. **Missing values** are preserved, not imputed, so gaps remain visible; a tract missing any sub-index is excluded pairwise from that statistic rather than zero-filled, and normalization propagates NaN. Key **assumptions**: (i) supply near the tract centroid proxies residents’ access; (ii) the 0.5-mile transit buffer approximates walk-access to stops; (iii) OSM bike/EV coverage, though community-maintained, is spatially unbiased enough for within-city comparison (revisited as a limitation in §5.4).

3.4 Normalization and MES Construction

Each raw metric is placed on a common 0–100 scale by *within-city* min–max normalization,

$$s^{\text{norm}} = \frac{x - x_{\min}}{x_{\max} - x_{\min}} \times 100,$$

chosen over z -scores so scores are bounded, interpretable as “percent of the best-served tract in this city,” and comparable across sub-indices. Because normalization is within-city, the MES is a *relative* measure; cross-city *levels* are therefore interpreted with caution (§5.4), while within-city patterns and correlations are directly valid. The composite is the weighted sum

$$\text{MES} = \sum_k w_k s_k^{\text{norm}}, \quad \sum_k w_k = 1,$$

with an equal-weight baseline ($w_k = 0.25$), the neutral default recommended absent strong prior information [16].

3.5 Weighting: Determination and Sensitivity

The equal-weight baseline is a deliberate, stated choice, but its influence is tested against three alternatives (§4.6): *entropy* weights (from each sub-index’s dispersion), *PCA* weights (first-component loadings), and *AHP* weights (expert pairwise judgment: transit 0.40, walk 0.30, bike 0.15, EV 0.15). If the sign, magnitude, and significance of the equity correlations are stable across all four schemes, the substantive conclusions do not depend on the weighting choice — the criterion for RQ1.

3.6 Mobility-Desert Classification and Threshold Validation

A *mobility desert* is a tract below its city’s 25th MES percentile; a *compounded desert* is below the 25th percentile in ≥ 2 sub-indices. Because the 25th-percentile cut is arbitrary, it is validated by recomputing the desert set at the 20th and 30th percentiles and reporting the Jaccard overlap with the baseline and the demographic profile at each threshold (RQ2).

3.7 Equity Correlation Analysis — Justification

Pearson correlation is used because the research question (RQ3) concerns the *linear direction and strength* of association between the continuous MES and continuous demographic variables; it yields an interpretable effect size (r), a significance test, and (via the Fisher z -transform) a confidence interval,

$$z = \text{arctanh}(r), \quad \text{SE} = \frac{1}{\sqrt{n-3}}, \quad \text{CI}_{95\%} = \tanh(z \pm 1.96 \text{SE}).$$

Spearman rank correlation was checked as a monotonic robustness variant and agreed in sign and significance.

3.8 Spatial Autocorrelation — Justification

Ordinary correlation ignores that tracts are spatially embedded. Global Moran’s I (queen contiguity, row-standardized, 999 permutations) tests whether the MES is spatially clustered rather than random — necessary because a clustered pattern implies systematic, place-based (not idiosyncratic) inequity. Local Moran’s I (LISA) then locates statistically significant low-low “cold spots” for targeting (RQ4).

3.9 Cluster Analysis — Justification

To move beyond a single score to actionable *profiles*, K-means clusters tracts on the four standardized sub-indices; k is selected by maximizing the mean silhouette over $k \in \{2, \dots, 7\}$ (with the inertia elbow reported), which serves as internal validation of cluster quality. The resulting typology answers “what *kinds* of mobility disadvantage exist?” — directly supporting differentiated policy (RQ4).

3.10 Validation and Reproducibility

Validation is multi-pronged: permutation inference for Moran’s I ; silhouette scores for clustering; weighting and threshold sensitivity for the composite; and a `pytest` suite covering normalization, MES construction, and the correlation statistics. The full pipeline (Python 3.11; `pandas`, `geopandas`, `scikit-learn`, `PySAL`) is modular, cached, and released open-source so results are independently reproducible.

4. RESULTS

4.1 MES Distribution and Sub-Index Profiles

Table 4 summarizes the MES per city. Each city’s tracts span the full 0–100 range on each sub-index (a consequence of within-city normalization), so the informative comparisons are distribution *shape* and sub-index balance, not raw cross-city means. Walkability is the strongest dimension everywhere (means 51–68), bicycle infrastructure is uniformly scarce and highly right-skewed (means 5–7; most tracts near zero with a few high-provision corridors), and transit and EV sit in between. Houston shows the lowest walkability (51.0), consistent with its auto-oriented form.

Table 4: MES summary statistics and mean sub-index scores (0–100) by city. “Desert” and “compounded” are the percent of tracts flagged.

City	Tracts	Mean MES	SD	IQR	Transit	Walk	Bike	EV
Chicago	1,332	37.5	13.3	21.4	34.9	68.4	5.4	41.3
Houston	1,115	31.7	15.0	26.6	30.7	51.0	4.8	40.4
Seattle	495	36.2	14.1	18.9	33.5	63.8	7.3	40.3

By construction, $\approx 25\%$ of tracts are mobility deserts in each city. Compounded deserts (low in ≥ 2 dimensions) are more common in Seattle (23.4%) and Chicago (15.6%) than Houston (12.7%), indicating that in Houston under-provision is more often single-dimension. Figure 1 maps the MES and its four sub-indices; the tract-level maps show the strong center-to-periphery gradient quantified below.




Figure 1: MES and sub-index choropleths (Chicago, Houston, Seattle). Green = better served, red = worse. Walkability and transit concentrate centrally; dedicated bicycle infrastructure is sparse citywide.

4.2 Equity Correlation Analysis

Table 5 reports the Pearson correlations. Three patterns hold across all cities and are all statistically significant ($p < 0.05$, 95% CIs excluding zero): the MES is (i) *negatively* associated with median income ($r = -0.08$ to -0.27), (ii) *positively* and strongly associated with the share of zero-vehicle households ($r = 0.41$ to 0.69), and (iii) positively associated with renter share ($r = 0.53$ to 0.69). The association with percent non-white is positive but weak ($r = 0.10$ to 0.14). In short, supply-side mobility infrastructure is greatest where residents are lower-income, car-free, and renting — the dense urban core — and lowest in higher-income auto-oriented peripheries. Figure 2 visualizes the full correlation structure for Chicago.

Table 5: Pearson correlation of the MES with demographic variables (r [95% CI], all $p < 0.05$).

Variable	Chicago	Houston	Seattle
Median income	-0.085 [-0.14, -0.03]	-0.144 [-0.20, -0.09]	-0.272 [-0.35, -0.19]
% non-white	+0.140 [0.09, 0.19]	+0.097 [0.04, 0.16]	+0.102 [0.01, 0.19]
% zero-vehicle	+0.562 [0.52, 0.60]	+0.408 [0.36, 0.46]	+0.691 [0.64, 0.73]
% renter	+0.576 [0.54, 0.61]	+0.535 [0.49, 0.58]	+0.686 [0.64, 0.73]





Figure 2: Chicago correlation matrix among the MES, its sub-indices, and demographic variables.

4.3 Spatial Autocorrelation

The MES is strongly spatially clustered in every city (Table 6): global Moran's I ranges from 0.82 (Seattle) to 0.92 (Chicago), all with $p = 0.001$ and large z -scores. Well-served and under-served tracts thus form contiguous patches, not a random scatter — confirming systematic, place-based inequity. Local Moran's I (Figure 3) locates the significant low-low cold spots (peripheral, lower-supply clusters) that are the natural targets for investment.

Table 6: Global Moran’s I for the MES (queen contiguity, 999 permutations).

City	Moran’s I	z -score	p -value	n
Chicago	0.916	60.9	0.001	1,332
Houston	0.834	48.2	0.001	1,115
Seattle	0.820	31.0	0.001	495

**Figure 3:** Local Moran’s I (LISA) clusters. Red = high-high (well-served cores), blue = low-low (under-served cold spots).

4.4 Mobility-Desert Classification and Threshold Robustness

Table 7 shows the desert classification is robust to the percentile threshold: moving from the 25th to the 20th or 30th percentile yields Jaccard overlaps of 0.80–0.83 with the baseline set (well above the 0.75 criterion), and the demographic profile of flagged tracts is stable. Notably, the mean median income of desert tracts is *high* in every city (Chicago \$96.8k, Houston \$94.1k, Seattle \$157.4k), and their mean non-white share is substantial (Chicago 52%, Houston 64%, Seattle 39%) — the deserts are higher-income peripheries that nonetheless include large minority populations.

Table 7: Desert-threshold sensitivity: Jaccard overlap with the 25th-percentile baseline, and demographic profile of flagged tracts.


City	Threshold	Jaccard vs. 25th	Mean income (\$)	Mean % non-white
Chicago	20th / 30th	0.80 / 0.83	97.1k / 98.2k	51.4 / 51.2
Houston	20th / 30th	0.80 / 0.83	95.6k / 94.2k	63.0 / 64.9
Seattle	20th / 30th	0.80 / 0.83	158.4k / 153.9k	38.7 / 40.9

4.5 Cluster Typology

Silhouette-selected K-means (Figure 4) yields interpretable profiles (Table 8). Chicago and Seattle resolve into two groups — a well-served multimodal core and a uniformly under-served periphery — while Houston resolves into three, adding a distinctive “walk-rich, bike-poor” class (537 tracts) that has moderate walkability and transit but almost no cycling infrastructure. Across all cities the near-zero bicycle centroid confirms that cycling is the systematically weakest dimension.

Table 8: K-means mobility typologies (centroid sub-index scores, 0–100).

City	Profile	Transit	Walk	Bike	EV
Chicago	Well-served / multimodal (868)	53.3	73.5	8.2	49.7
Chicago	Uniformly under-served (464)	0.5	58.9	0.1	25.8
Houston	Walk-rich, bike-poor (537)	53.1	67.0	2.5	44.6
Houston	Uniformly under-served (484)	1.1	29.2	0.7	34.5
Houston	Well-served / multimodal (94)	55.0	71.5	38.5	46.7
Seattle	Well-served / multimodal (170)	52.4	82.4	20.6	50.4
Seattle	Uniformly under-served (325)	23.6	54.0	0.3	34.9

**Figure 4:** Elbow (inertia) and silhouette curves for Chicago; silhouette is maximized at $k = 2$.

4.6 Weighting Sensitivity

Re-computing the MES under entropy, PCA, and AHP weights leaves the equity conclusions unchanged in sign and significance (Chicago shown): the MES–renter correlation stays $r \approx 0.57$ – 0.59 and MES–income stays negative (-0.085 to -0.145) across all four schemes. The entropy scheme up-weights bicycle (0.68) because that sub-index has the highest dispersion, yet even this extreme reweighting does not flip any sign — satisfying the RQ1 stability criterion.

4.7 Dashboard Demonstration

The interactive dashboard (Figure 5) renders the tract-level MES and any sub-index, supports click-through inspection (score, city percentile, sub-index bars versus the city median, and demographics), and compares the equity gap across cities. It is the dissemination layer for the results above, not a separate analysis.

5. DISCUSSION AND CONCLUSIONS

5.1 Summary of Major Findings

Three findings are robust across all three cities. First, mobility supply is *highly spatially clustered* (Moran’s $I = 0.82$ – 0.92): inequity is structural and place-based. Second, the MES is *negatively* associated with income and *positively* with car-free and renter shares: supply concentrates in dense, lower-income cores. Third, the resulting mobility deserts are therefore predominantly *higher-income, auto-oriented peripheries*, though they still contain substantial minority populations (52–64% non-white in Chicago/Houston). Bicycle infrastructure is the weakest dimension everywhere, and its scarcity defines a recurring “walk-rich, bike-poor” neighborhood type.




Figure 5: Dashboard: Chicago MES choropleth (top) and the city equity-gap panel (median MES of the poorest versus richest income quintile, bottom).

5.2 Interpretation: A Supply–Demand Reframing

The negative MES–income relationship inverts the naive “poor neighborhoods are under-served” expectation, but it is not a claim that low-income residents are well served in every sense. It is a *supply-side* result: infrastructure follows density and land-use mix, which correlate with lower incomes and higher renter/car-free shares in these three cities. The equity implication is a *mismatch* framing. Where dense low-income cores are well supplied, the concern shifts to service *quality* and *affordability* (not captured by supply counts); where higher-income peripheries score low, their residents are largely car-dependent by means, so low supply is less acute — *except* for the car-free and minority households embedded in those peripheries, who face the sharpest supply–demand gap. Compounded deserts and LISA cold spots identify precisely those tracts, which is where the framework adds the most policy value.

5.3 Implications

For practitioners, the MES operationalizes the Justice40 mandate [7] at neighborhood resolution: it ranks tracts, distinguishes single- from multi-dimension deficits, and — via the typology — prescribes *differentiated* interventions (e.g., cycling investment for the “walk-rich, bike-poor” class; first/last-mile transit for uniformly under-served peripheries). Because the pipeline is open and reproducible, any city with GTFS and open data can generate the same diagnostics.

5.4 Limitations

Four limitations bound the conclusions. (1) *Supply-side only*: the MES measures infrastructure present, not realized accessibility, service quality, affordability, or travel behavior. (2) *EV data*: the EV sub-index uses community-maintained OpenStreetMap charging points — a reachable but *lower-bound* proxy for the authoritative DOE/NREL AFDC inventory, which was unavailable on the development network; EV results should be read as conservative and are the least certain of the four dimensions. (3) *Within-city normalization*: the MES is relative to each city, so cross-city *levels* are not directly comparable (within-city patterns and correlations are valid). (4) *Cross-sectional, three cities*: the analysis is a single snapshot for three metros and is not yet generalizable nationally.

5.5 Future Research

Priorities are: extending to the Phase-2 cities (Phoenix, Atlanta, Detroit) and beyond for national generalizability; substituting authoritative AFDC EV data and adding transit *service quality* (headway reliability); incorporating demand-side accessibility (jobs reachable within a travel-time budget) to test the supply–demand mismatch directly; and a longitudinal extension to measure whether targeted investment narrows the gaps the MES identifies.

5.6 Conclusion

This project delivers an integrated, transparent, and reproducible measure of multi-modal mobility supply at the neighborhood scale, and uses it to show that mobility infrastructure in three major U.S. cities is spatially concentrated in dense, lower-income cores — reframing the equity question as a supply–demand mismatch best examined through compounded deserts and cold spots. The open pipeline and dashboard make the method immediately transferable to other cities.

REFERENCES

- [1] J. J. Aman and J. Smith-Colin, “Transit deserts: Equity analysis of public transit accessibility,” *Journal of Transport Geography*, vol. 89, p. 102869, 2020.
- [2] Urban Institute, “Redefining Walkability: A Neighborhood-Level Analysis,” Urban Institute, Washington, DC, 2022.
- [3] J. Lou, A. Chandra, and M. Gordon, “Equity and reliability of public electric vehicle charging stations in the United States,” *Nature Communications*, vol. 16, p. 4201, 2025.
- [4] S. Ahmed, Z. Sultana, and M. Rahman, “A systematic review of bicycle infrastructure design principles within urban bikeability indices,” *Sustainability*, vol. 17, no. 14, p. 6409, 2024.
- [5] A. Ermagun and N. Tilahun, “Transit equity and job accessibility,” *Transportation Research Part A*, vol. 134, pp. 191–204, 2020.
- [6] S. Maharjan, F. Janatabadi, and A. Ermagun, “Spatial inequity of transit and automobile access gap across America for underserved populations,” *Transportation Research Record*, vol. 2678, no. 1, pp. 674–690, 2024.
- [7] Argonne National Laboratory, “Electric Vehicle Charging Equity Considerations,” U.S. Department of Energy, 2022.
- [8] U.S. EPA, “Smart Location Mapping and National Walkability Index,” EPA, 2024.
- [9] Sustrans, “Cycling and Walking Investment Strategy: Equity in Active Travel Infrastructure,” Sustrans, Bristol, UK, 2023.
- [10] A. Albashir et al., “15min City Score Toolkit: Urban Walkability Analytics,” Transform Transport Working Papers, Zenodo, 2024.
- [11] X. Chen and Y. Li, “Electric vehicle charging equity and accessibility: A U.S. policy analysis,” *Transportation Research Part D*, vol. 118, p. 103748, 2024.
- [12] Urban Institute, “Spending on Infrastructure toward Equity (SITE) Tool,” 2025.
- [13] Oliver Wyman Forum, “2024 Urban Mobility Readiness Index,” 2024.
- [14] B. Pandey, C. Brelsford, and K. C. Seto, “Rising infrastructure inequalities accompany urbanization and economic development,” *Nature Communications*, vol. 16, p. 1082, 2025.
- [15] G. Boeing, “OSMnx: New methods for acquiring, constructing, analyzing, and visualizing complex street networks,” *Computers, Environment and Urban Systems*, vol. 65, pp. 126–139, 2017.
- [16] M. Nardo, M. Saisana, A. Saltelli, et al., *Handbook on Constructing Composite Indicators: Methodology and User Guide*. OECD/JRC, 2008.
- [17] L. Anselin, “Local Indicators of Spatial Association—LISA,” *Geographical Analysis*, vol. 27, no. 2, pp. 93–115, 1995.
- [18] P. J. Rousseeuw, “Silhouettes: A graphical aid to the interpretation and validation of cluster analysis,” *Journal of Computational and Applied Mathematics*, vol. 20, pp. 53–65, 1987.