BLOCKTRACE

FORENSIC INVESTIGATION REPORT

GENERATED: 2026-10-29 13:47 UTC | **NETWORK:** Ethereum (EVM)

STARTING WALLET: `0x098B716B8Aaf21512996dC57EB0615e2383E2f96`

DATA WINDOW: 2022-09-05 to 2025-09-10 (UTC)

SANCTIONED MATCH OVERALL STATUS	120 WALLETS TRACED	259 TRANSACTIONS	16 FLAGGED WALLETS

What This Trail Shows

- This investigation traced `0x098B71…3E2f96` across **120 wallets** and **259 transactions**, following the flow of funds outward through the network.
- Wallet `0x9e40b3…9eb8dc` matched **3 independent detection signals** (Hub Activity, Fan-Out, Peel Chain) — placing it in the **High confidence** tier, the strongest overlap of indicators found in this trace so far.
- The most active wallet in this network, `0xe54648…58d101`, was involved in **31 transactions** — a level of activity that often marks either an exchange, a service, or a key point where funds converge or get redistributed.
- Wallet `0xe54648…58d101` sent funds to **12 distinct wallets**. Splitting funds across many recipients like this is a pattern commonly associated with attempts to obscure a money trail — though it can also reflect ordinary exchange or payroll-style activity, so it is flagged as a signal, not a conclusion.
- Wallet `0x36b4ed…b1de7a` forwarded **49.6800 ETH** while retaining only **0.0064 ETH** (about 0.0%). This "peel chain" shape — passing on the bulk of funds while keeping a small remainder — matches a technique documented in known money-laundering cases.
- A transfer of exactly **40 ETH** was sent from `0x36b4ed…b1de7a` to `0x059a2b…8d1fe6`. Round, whole-number amounts like this are statistically uncommon in organic activity and can indicate scripted or automated movement of funds.
- Wallet `0xfc3ff9…082f43` shows a circular flow — funds sent from this wallet eventually return to it after 2 hops. This pattern can indicate wash trading or an attempt to simulate legitimate circulation of funds.

These patterns are heuristic indicators derived from public blockchain data, not proof of wrongdoing. Review by a qualified investigator is recommended before drawing conclusions.

Sanctions Screening

Cross-referencing against the built-in sanctions list.

Wallet Address	Sanctions Match Details
`0x098b716b8aaf21512996dc57eb0615e2383e2f96`	**Ronin Bridge Hacker (Lazarus Group)** — U.S. Treasury OFAC

Wallet Risk Overview

Composite risk classification based on aggregated behavioral heuristic signals.

Wallet & Detected Behaviors	Risk Assessment
`0x9e40b3ecec1be687053326c0c3fe51aca69eb8dc` Hub Activity • Fan-Out • Peel Chain	● **HIGH** (3 signals)
`0x09564ac9288ed66bd32e793e76ce4336c1a9ed00` Hub Activity • Circular Flow	● **MEDIUM** (2 signals)
`0x098b716b8aaf21512996dc57eb0615e2383e2f96` OFAC Sanctioned • Hub Activity	● **SANCTIONED** (2 signals)
`0x36b4ed9dcdc9bc05c712a0b4d9b904dc9fb1de7a` Peel Chain • Round-Number Sender	● **MEDIUM** (2 signals)

Wallet & Detected Behaviors	Risk Assessment
0x4293b5dc11b250078da7359d7d57c15eecfcf70a Hub Activity • Fan-Out	● MEDIUM (2 signals)
0x46eb5bee5db0c565f5fa4e83ed8dc0fb6de3cd92 Hub Activity • Fan-Out	● MEDIUM (2 signals)
0x4e5b2e1dc63f6b91cb6cd759936495434c7e972f Hub Activity • Fan-Out	● MEDIUM (2 signals)
0x60dc5bb048310224b8732d732f4a32d16690e470 Hub Activity • Fan-Out	● MEDIUM (2 signals)
0xe546480138d50bb841b204691c39cc514858d101 Hub Activity • Fan-Out	● MEDIUM (2 signals)
0xfc3ff9d9abd3abadda68821e443779beb1082f43 Fan-Out • Circular Flow	● MEDIUM (2 signals)
0x19b243d002175167c616de17066ec3e114f20568 Circular Flow	● LOW (1 signal)
0x290ca4da2c963dea5ae736469a5b8a53d64d4e6a Hub Activity	● LOW (1 signal)
0x4621e0cd8c91ecf1b0efcbf07f0838a5ee25c5dd Hub Activity	● LOW (1 signal)
0x8c75ad518dce956b488ab65e36ab229d8664bf29 Fan-Out	● LOW (1 signal)
0xe129927cfc61ce2f0b2a0ca6d8f9482d4ee60c64 Round-Number Sender	● LOW (1 signal)
0xf5beaf588a50336037b6f11ef84bfff91cfc45e5 Fan-Out	● LOW (1 signal)

Hub Wallets (High Activity)

Addresses exhibiting high transaction frequency and counterparty concentration.

Wallet Address	Total Transactions
0xe546480138d50bb841b204691c39cc514858d101	31
0x46eb5bee5db0c565f5fa4e83ed8dc0fb6de3cd92	30
0x09564ac9288ed66bd32e793e76ce4336c1a9ed00	30
0x290ca4da2c963dea5ae736469a5b8a53d64d4e6a	28
0x4621e0cd8c91ecf1b0efcbf07f0838a5ee25c5dd	26
0x4e5b2e1dc63f6b91cb6cd759936495434c7e972f	18
0x098b716b8aaf21512996dc57eb0615e2383e2f96	17
0x60dc5bb048310224b8732d732f4a32d16690e470	16
0x9e40b3ecec1be687053326c0c3fe51aca69eb8dc	16
0x4293b5dc11b250078da7359d7d57c15eecfcf70a	16

High Fan-Out Wallets (Possible Fund Splitting)

Addresses distributing funds rapidly to multiple distinct recipient wallets.

Wallet Address	Distinct Recipients
0xe546480138d50bb841b204691c39cc514858d101	12
0x9e40b3ecec1be687053326c0c3fe51aca69eb8dc	12
0x46eb5bee5db0c565f5fa4e83ed8dc0fb6de3cd92	11

Wallet Address	Distinct Recipients
0x4e5b2e1dc63f6b91cb6cd759936495434c7e972f	10
0xf5beaf588a50336037b6f11ef84bfff91cfc45e5	8
0x8c75ad518dce956b488ab65e36ab229d8664bf29	7
0xfc3ff9d9abd3abadda68821e443779beb1082f43	7
0x4293b5dc11b250078da7359d7d57c15eecfcf70a	6
0x60dc5bb048310224b8732d732f4a32d16690e470	5

Possible Peel Chains (Laundering Pattern)

Asymmetric transfers where small amounts are peeled off while bulk funds continue.

Wallet Address	Main Amount	Peel Amount
0x36b4ed9dcdc9bc05c712a0b4d9b904dc9fb1de7a	49.6800 ETH	0.0064 ETH
0x9e40b3ecec1be687053326c0c3fe51aca69eb8dc	2.3416 ETH	0.0117 ETH

Round-Number Transactions

Transfers of whole-integer token amounts, indicative of manual or OTC transactions.

Transaction (From → To)	Amount
0x36b4ed…b1de7a → 0x059a2b…8d1fe6	40 ETH
0xe12992…e60c64 → 0x098b71…3e2f96	2 ETH

Circular Flows (Possible Wash Trading)

Closed loops where funds cycle back to the originating address through intermediate hops.

Wallet Address	Loop Length
0xfc3ff9d9abd3abadda68821e443779beb1082f43	2 hops
0x09564ac9288ed66bd32e793e76ce4336c1a9ed00	2 hops
0x19b243d002175167c616de17066ec3e114f20568	2 hops

How to Verify This Report

After publishing, navigate to the **Verify Report** page in BlockTrace, upload this exact PDF dossier, and enter the corresponding investigation hash. The platform confirms byte-for-byte cryptographic authenticity against the immutable record anchored on the Ethereum Sepolia testnet.

This report was generated using automated graph-based heuristics (hub detection, fan-out detection, peel-chain detection, round-number detection, circular-flow detection) and sanctions-list screening applied to public blockchain transaction data. Findings should be reviewed by a qualified investigator before use in any formal proceeding.