BLOCKTRACE

FORENSIC INVESTIGATION REPORT

GENERATED: 2026-10-24 18:36 UTC	**NETWORK:** Ethereum (EVM)
STARTING WALLET: `0x098B716B8Aaf21512996dC57EB0615e2383E2f96`	**TARGET:** Subject Entity

MEDIUM RISK	19	47	3
OVERALL STATUS	WALLETS TRACED	TRANSACTIONS	FLAGGED WALLETS

What This Trail Shows

- This investigation traced `0x098B71…3E2f96` across **19 wallets** and **47 transactions**, following the flow of funds outward through the network.
- Wallet `0xf5beaf…fc45e5` matched **2 independent detection signals** (Hub Activity, Fan-Out) — placing it in the **Medium confidence** tier, the strongest overlap of indicators found in this trace so far.
- The most active wallet in this network, `0x290ca4…4d4e6a`, was involved in **28 transactions** — a level of activity that often marks either an exchange, a service, or a key point where funds converge or get redistributed.
- Wallet `0xf5beaf…fc45e5` sent funds to **8 distinct wallets**. Splitting funds across many recipients like this is a pattern commonly associated with attempts to obscure a money trail — though it can also reflect ordinary exchange or payroll-style activity, so it is flagged as a signal, not a conclusion.

These patterns are heuristic indicators derived from public blockchain data, not proof of wrongdoing. Review by a qualified investigator is recommended before drawing conclusions.

Sanctions Screening

Cross-referencing against verified OFAC SDN lists and designated threat actors.

No wallets in this trace matched the verified sanctions list on file.

Wallet Risk Overview

Composite risk classification based on aggregated behavioral heuristic signals.

Wallet & Detected Behaviors	Risk Assessment
`0xf5beaf588a50336037b6f11ef84bfff91cfc45e5` Hub Activity • Fan-Out	● MEDIUM (2 signals)
`0x290ca4da2c963dea5ae736469a5b8a53d64d4e6a` Hub Activity	● LOW (1 signal)
`0x629e7da20197a5429d30da36e77d06cdf796b71a` Hub Activity	● LOW (1 signal)

Hub Wallets (High Activity)

Addresses exhibiting high transaction frequency and counterparty concentration.

Wallet Address	Total Transactions
0x290ca4da2c963dea5ae736469a5b8a53d64d4e6a	28
0xf5beaf588a50336037b6f11ef84bfff91cfc45e5	15
0x629e7da20197a5429d30da36e77d06cdf796b71a	15
0x0fe41fe8786329fb6bd8f2baa73aa55e770f0951	6
0xa041feb3a8297c5689fee180083164a061a17fd6	6
0xde0b7674fdd2d6a852976040568baaee4d847bae	4
0xb3764761e297d6f121e79c32a65829cd1ddb4d32	3
0x663dc15d3c1ac63ff12e45ab68fea3f0a883c251	2
0x111111125421ca6dc452d289314280a0f8842a65	2
0xdac17f958d2ee523a2206206994597c13d831ec7	2

High Fan-Out Wallets (Possible Fund Splitting)

Addresses distributing funds rapidly to multiple distinct recipient wallets.

Wallet Address	Distinct Recipients
0xf5beaf588a50336037b6f11ef84bfff91cfc45e5	8

Possible Peel Chains (Laundering Pattern)

Asymmetric transfers where small amounts are peeled off while bulk funds continue.

No peel chain patterns detected.

Round-Number Transactions

Transfers of whole-integer token amounts, indicative of manual or OTC transactions.

No round-number transactions detected.

Circular Flows (Possible Wash Trading)

Closed loops where funds cycle back to the originating address through intermediate hops.

No circular flows detected.

How to Verify This Report

After publishing, navigate to the **Verify Report** page in BlockTrace, upload this exact PDF dossier, and enter the corresponding investigation hash. The platform confirms byte-for-byte cryptographic authenticity against the immutable record anchored on the Ethereum Sepolia testnet.

This report was generated using automated graph-based heuristics (hub detection, fan-out detection, peel-chain detection, round-number detection, circular-flow detection) and sanctions-list screening applied to public blockchain transaction data. Findings should be reviewed by a qualified investigator before use in any formal proceeding.