

Navigator

SCHEMAS

Filter objects

- bca
- superstore_analysis
- sys

Administration Schemas

Information

No object selected

Query 1

1 • CREATE database superstore_analysis;

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	17:28:59	show databases	5 row(s) returned	0.000 sec / 0.015 sec
2	17:32:43	CREATE database superstore_analysis	1 row(s) affected	0.016 sec

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- bca
- superstore_analysis
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys

Administration Schemas

Information

No object selected

Query 1

1 • use superstore_analysis;

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	17:28:59	show databases	5 row(s) returned	0.000 sec / 0.015 sec
2	17:32:43	CREATE database superstore_analysis	1 row(s) affected	0.016 sec
3	17:33:20	CREATE database superstore_analysis	Error Code: 1007. Can't create database 'superstore_analysis'; database exists	0.016 sec
4	17:35:28	use superstore_analysis	0 row(s) affected	0.000 sec

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

bca

superstore_analysis

Tables

Views

Stored Procedures

Functions

sys

Query 1 x

show tables;

Limit to 1000 rows

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid

Filter Rows:

Exports

Wrap Cell Contents

Result Grid

Form Editor

Field Types

Output

Action Output

#	Time	Action	Message	Duration / Fetch
7	17:40:41	SHOW SESSION VARIABLES LIKE lower_case_table_names	OK	0.000 sec
8	17:40:41	SHOW TABLES FROM 'superstore_analysis' like 'superstore_sales'	OK	0.000 sec
9	17:41:04	CREATE TABLE 'superstore_analysis'.'superstore_sales' ('Row ID' int, 'Order ID' text, 'Order Date' text, 'Ship...	OK	0.000 sec
10	17:41:04	PREPARE stmt FROM 'INSERT INTO 'superstore_analysis'.'superstore_sales' ('Row ID','Order ID','Order Dat...	OK	0.000 sec
11	17:41:04	DEALLOCATE PREPARE stmt	OK	0.000 sec
12	17:41:47	show tables	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

bca

superstore_analysis

Tables

Views

Stored Procedures

Functions

sys

Query 1 x

show tables;

desc superstore_sales;

Limit to 1000 rows

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid

Filter Rows:

Exports

Wrap Cell Contents

Result Grid

Form Editor

Field Types

Query Stats

Output

Action Output

#	Time	Action	Message	Duration / Fetch
11	17:41:04	DEALLOCATE PREPARE stmt	OK	0.000 sec
12	17:41:47	show tables	1 row(s) returned	0.000 sec / 0.000 sec
13	17:43:25	show tables	1 row(s) returned	0.000 sec / 0.000 sec
14	17:43:25	desc superstore_analysis	Error Code: 1146: Table 'superstore_analysis.superstore_analysis' doesn't exist	0.000 sec
15	17:43:34	show tables	1 row(s) returned	0.015 sec / 0.000 sec
16	17:43:35	desc superstore_sales	10 row(s) returned	0.015 sec / 0.000 sec

Object Info Session

Field	Type	Null	Key	Default	Extra
Row ID	int	YES			
Order ID	text	YES			
Order Date	text	YES			
Ship Date	text	YES			
Ship Mode	text	YES			
Customer ID	text	YES			
Customer Name	text	YES			
Segment	text	YES			
Country	text	YES			
City	text	YES			
State	text	YES			
Postal Code	int	YES			
Region	text	YES			
Product ID	text	YES			
Category	text	YES			

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

bca

superstore_analysis

Tables

Views

Stored Procedures

Functions

sys

Query 1

1 select * from superstore_sales;

Limit to 1000 rows

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid

Row ID	Order ID	Order Date	Ship Date	Ship Mode	Customer ID	Customer Name	Segment
1	CA-2017-152156	08/11/2017	11/11/2017	Second Class	CG-12520	Claire Gute	Consumer
2	CA-2017-152156	08/11/2017	11/11/2017	Second Class	CG-12520	Claire Gute	Consumer
3	CA-2017-136688	12/06/2017	16/06/2017	Second Class	DI-13045	Darin Van Huff	Corporate
4	US-2016-108966	11/10/2016	18/10/2016	Standard Class	SO-20335	Sean O'Donnell	Consumer
5	US-2016-108966	11/10/2016	18/10/2016	Standard Class	SO-20335	Sean O'Donnell	Consumer
6	CA-2015-115812	09/06/2015	14/06/2015	Standard Class	BH-11710	Brosina Hoffman	Consumer
7	CA-2015-115812	09/06/2015	14/06/2015	Standard Class	BH-11710	Brosina Hoffman	Consumer
8	CA-2015-115812	09/06/2015	14/06/2015	Standard Class	BH-11710	Brosina Hoffman	Consumer
9	CA-2015-115812	09/06/2015	14/06/2015	Standard Class	BH-11710	Brosina Hoffman	Consumer

superstore_sales 6

Read Only Context Help Snippets

Output

#	Time	Action	Message	Duration / Fetch
13	17:43:25	show tables	1 row(s) returned	0.000 sec / 0.000 sec
14	17:43:25	desc superstore_analysis	Error Code: 1146. Table 'superstore_analysis.superstore_analysis' doesn't exist	0.000 sec
15	17:43:34	show tables	1 row(s) returned	0.015 sec / 0.000 sec
16	17:43:35	desc superstore_sales	18 row(s) returned	0.015 sec / 0.000 sec
17	17:48:25	select * from superstore_analysis LIMIT 0, 1000	Error Code: 1146. Table 'superstore_analysis.superstore_analysis' doesn't exist	0.000 sec
18	17:48:47	select * from superstore_sales LIMIT 0, 1000	145 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Query 1

1 select distinct category from superstore_sales;

Limit to 1000 rows

Result Grid

category
Furniture
Office Supplies
Technology

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

bcn

superstore_analysis

Tables

Views

Stored Procedures

Functions

sys

Query 1

```
1
2
3 ALTER TABLE superstore_sales
4 RENAME COLUMN "Order Date" TO order_date,
5 RENAME COLUMN "Ship Date" TO ship_date,
6 RENAME COLUMN "Customer ID" TO customer_id,
7 RENAME COLUMN "Customer Name" TO customer_name;
```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Administration Schemas

Information

No object selected

Output

Action Output

#	Time	Action	Message	Duration / Fetch
29	17:57:12	desc superstore_sales	18 row(s) returned	0.000 sec / 0.000 sec
30	17:57:12	select Customer ID from superstore_sales LIMIT 0, 1000	Error Code: 1054. Unknown column 'Customer' in field list	0.000 sec
31	17:59:38	desc superstore_sales	18 row(s) returned	0.015 sec / 0.000 sec
32	17:59:38	select Customer ID from superstore_sales LIMIT 0, 1000	Error Code: 1054. Unknown column 'Customer' in field list	0.000 sec
33	18:00:03	ALTER TABLE superstore_sales RENAME COLUMN "Order ID" TO order_id	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.031 sec
34	18:01:54	ALTER TABLE superstore_sales RENAME COLUMN "Order Date" TO order_date, RENAME COLUMN "Ship ...	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.031 sec

Object Info Session

Limit to 1000 rows

```
1 • select distinct region from superstore_sales;
```

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

	region
▶	South
	West
	Central
	East

Navigator

SCHEMAS

Filter objects

bca

superstore_analysis

Tables

Views

Stored Procedures

Functions

sys

Administration

Schemas

Information

No object selected

Object Info

Session

Query 1

Limit to 1000 rows

1 • select distinct customer_name from superstore_sales;

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

customer_name

Clare Gule

Darrin Van Huff

Sean O'Donnell

Brosina Hoffman

Andrew Allen

Irene Meddow

Harold Pawlan

Pete Kriz

Alejandro Grove

Zuschuss Donatelli

Ken Black

superstore_sales 14

Read Only

Context Help

Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
31	17:59:38	desc superstore_sales	18 row(s) returned	0.015 sec / 0.000 sec
32	17:59:38	select Customer ID from superstore_sales LIMIT 0, 1000	Error Code: 1054. Unknown column 'Customer' in field list	0.000 sec
33	18:00:03	ALTER TABLE superstore_sales RENAME COLUMN 'Order ID' TO order_id	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.031 sec
34	18:01:54	ALTER TABLE superstore_sales RENAME COLUMN 'Order Date' TO order_date, RENAME COLUMN 'Ship ...	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.031 sec
35	18:04:22	select distinct customer_name from superstore_sales LIMIT 0, 1000	Error Code: 1054. Unknown column 'distinct' in field list	0.016 sec
36	18:04:38	select distinct customer_name from superstore_sales LIMIT 0, 1000	69 row(s) returned	0.000 sec / 0.000 sec

Query 1

Limit to 1000 rows

1 • select sum(sales), min(sales), max(sales) from superstore_sales;

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

	sum(sales)	min(sales)	max(sales)
▶	28609.939700000003	1.248	3083.43

Query 1 x

Limit to 1000 rows

```
1 • select sum(sales), min(sales), max(sales) , avg(sales) from superstore_sales;
```

Result Grid

	sum(sales)	min(sales)	max(sales)	avg(sales)
▶	28609.939700000003	1.248	3083.43	197.30992896551726

Query 1 x

Limit to 1000 rows

```
1 select count(*) as Total_Records from superstore_sales;
```

Result Grid

	Total_Records
▶	145

Query 1 x

Limit to 1000 rows

```
1 • select sum(sales), category from superstore_sales group by category;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: [IA](#)

	sum(sales)	category
▶	13811.011700000003	Furniture
	8322.774	Office Supplies
	6476.1539999999995	Technology

Limit to 1000 rows

```
1 • select sum(sales), region from superstore_sales group by region;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: [IA](#)

	sum(sales)	region
▶	4153.6995000000001	South
	10189.2780000000002	West
	7939.6341999999999	Central
	6327.3280000000001	East

Query 1 x

Limit to 1000 rows

```
1 • select sum(sales), segment from superstore_sales group by segment;
```

Result Grid

Filter Rows:

Export: Wrap Cell Content:

	sum(sales)	segment
▶	19343.591499999999	Consumer
	5715.7199999999999	Corporate
	3550.6281999999997	Home Office

Query 1 x

Limit to 1000 rows

```
1 • select count(customer_name), segment from superstore_sales group by segment;
```

Result Grid

Filter Rows:

Export: Wrap Cell Content:

	count(customer_name)	segment
▶	92	Consumer
	33	Corporate
	20	Home Office

Query 1 x

Limit to 1000 rows

```
1 • select count(order_id), region from superstore_sales group by region;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

	count(order_id)	region
▶	18	South
	48	West
	44	Central
	35	East

Query 1 x

SQLA

Limit to 1000 rows

```
1 • SELECT customer_name,  
2       SUM(sales) AS total_sales  
3 FROM superstore_sales  
4 GROUP BY customer_name  
5 ORDER BY total_sales DESC  
6 LIMIT 10;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

	customer_name	total_sales
▶	Brosina Hoffman	3714.304
	Tracy Blumstein	3341.626
	Gene Hale	1288.4640000000002
	Brendan Sweed	1280.992
	Steve Nguyen	1228.9532
	Janet Molinari	1045.21
	Emily Burns	1044.63
	Joel Eaton	1021.06
	Claire Gute	993.9000000000001
	Sean O'Donnell	979.9455

Result Grid

Form Editor

Field Types

Autodiscover my current

Query 1

Limit to 1000 rows

```
1 • SELECT product_name,
2       SUM(sales) AS total_sales
3 FROM superstore_sales
4 GROUP BY product_name
5 ORDER BY total_sales DESC
6 LIMIT 10;
```

Result Grid

product_name	total_sales
Riverside Palais Royal Lawyers Bookcase, Royal...	3083.43
Bretford CR4500 Series Slim Rectangular Table	2002.2075
Chromcraft Rectangular Conference Tables	1706.184
Hunt BOSTON Model 1606 High-Volume Electric ...	1113.024
GE 30524EE4	1097.544
AT&T CL83451 4-Handset Telephone	1029.95
Konftel 250 Conference phone - Charcoal black	911.424
Mitel 5320 IP Phone VoIP phone	907.152
Safco Industrial Wire Shelving	902.3059999999999
Sanyo 2.5 Cubic Foot Mid-Size Office Refrigerat...	839.43

Result Grid

Form Editor

Field Types

Query 1

Limit to 1000 rows

```
1 • SELECT state,
2       SUM(sales) AS total_sales
3 FROM superstore_sales
4 GROUP BY state
5 ORDER BY total_sales DESC
6 LIMIT 5;
```

Result Grid

state	total_sales
California	6019.331999999999
Pennsylvania	3476.748
Texas	3424.9572000000003
New York	1843.4060000000002
Illinois	1710.707

Query 1 ×

          Limit to 1000 rows

```
1 • SELECT state,
2       SUM(sales) AS total_sales
3 FROM superstore_sales
4 GROUP BY state
5 ORDER BY total_sales ASC
6 LIMIT 5 ;
```

Result Grid   Filter Rows: Export:  Wrap Cells

	state	total_sales
▶	Oregon	5.682
	Virginia	75.88
	Nebraska	79.80000000000001
	Iowa	103.19999999999999
	Indiana	209.55

Query 1 ×

          Limit to 1000

```
1 • SELECT `sub-category`,
2       SUM(sales) AS total_sales
3 FROM superstore_sales
4 GROUP BY `sub-category`
5 ORDER BY total_sales desc
6 LIMIT 1 ;
```

Result Grid   Filter Rows: Export: 

	sub-category	total_sales
▶	Phones	5481.6900000000005

Query 1 x

Limit to 1000 rows

```
1 SELECT
2     monthname(STR_TO_DATE(order_date, '%d/%m/%Y')) AS month_name,
3     SUM(sales) AS total_sales
4 FROM superstore_sales
5 GROUP BY month_name
6 ORDER BY total_sales DESC;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

month_name	total_sales
December	7250.2011999999995
September	6548.494
June	5290.406000000001
November	3465.544000000001
October	1973.8615
April	1756.1390000000001
March	850.97
August	606.404
May	357.46
January	201.478
February	159.73
July	149.252

Query 1 x

Limit to 1000 rows

```
1 SELECT
2     monthname(STR_TO_DATE(order_date, '%d/%m/%Y')) AS month_name,
3     SUM(sales) AS total_sales
4 FROM superstore_sales
5 GROUP BY month_name
6 ORDER BY total_sales asc limit 1;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

month_name	total_sales
July	149.252

Result Grid

Query 1 x

Limit to 1000 rows

```
1 SELECT
2     year(STR_TO_DATE(order_date, '%d/%m/%Y')) as year_sales,
3     SUM(sales) AS total_sales
4 FROM superstore_sales
5 GROUP BY year_sales
6 ORDER BY total_sales;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

year_sales	total_sales
2018	2675.016
2017	7257.644000000002
2015	7740.387999999999
2016	10936.8917

Result Grid
Form Editor
Field Types

Query 1 x

Limit to 1000 rows

```
1 SELECT
2     year(STR_TO_DATE(order_date, '%d/%m/%Y')) as year_orders,
3     count(distinct order_id) AS count_id
4 FROM superstore_sales
5 GROUP BY year_orders
6 ORDER BY count_id asc;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

year_orders	count_id
2015	12
2016	16
2018	19
2017	25

Result Grid
Form Editor

Limit to 1000 rows

```
1 select customer_name , sum(sales) as highest_sales
2 from superstore_sales
3 group by customer_name
4 order by highest_sales desc
5 limit 1;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

	customer_name	highest_sales
▶	Brosina Hoffman	3714.304

Limit to 1000 rows

```
1 select region, sum(sales) as highest_sales
2 from superstore_sales
3 group by region
4 order by highest_sales desc
5 limit 1;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

	region	highest_sales
▶	West	10189.278000000002

Query 1 x

Limit to 1000 rows

```
1 select category, avg(sales) as highest_average_sales
2 from superstore_sales
3 group by category
4 order by highest_average_sales desc
5 limit 1;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

	category	highest_average_sales
▶	Furniture	406.2062264705883

Query 1

Limit to 10

```
1 select product_name, sales
2 from superstore_sales
3 where sales <= 0;
```

Result Grid | Filter Rows: | Export:

product_name	sales
--------------	-------

Query 1

Limit to 1000 rows

```
1 SELECT
2   customer_name,
3   sales,
4   CASE
5     WHEN sales > 1000 THEN 'High'
6     WHEN sales BETWEEN 500 AND 1000 THEN 'Medium'
7     ELSE 'Low'
8   END AS sales_tier
9 FROM superstore_sales;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

	customer_name	sales	sales_tier
▶	Claire Gute	261.96	Low
	Claire Gute	731.94	Medium
	Darrin Van Huff	14.62	Low
	Sean O'Donnell	957.5775	Medium
	Sean O'Donnell	22.368	Low
	Brosina Hoffman	48.86	Low
	Brosina Hoffman	7.28	Low
	Brosina Hoffman	907.152	Medium
	Brosina Hoffman	18.504	Low

Result 21 | Read Only

Limit to 1000 rows

```
1 • Select product_name, sum(sales) as highest_selling_product
2   from superstore_sales
3   group by product_name
4   order by highest_selling_product desc
5   limit 1 offset 1;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

	product_name	highest_selling_product
▶	Bretford CR4500 Series Slim Rectangular Table	2002.2075

Query 1 x

Limit to 1000 rows

```
1 • Select state, sum(sales) as highest_generating_state
2   from superstore_sales
3   group by state
4   order by highest_generating_state desc
5   limit 1 offset 2;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

	state	highest_generating_state
▶	Texas	3424.9572000000003

Query 1 x

Limit to 1000 rows

```
1 • SELECT category, SUM(sales) AS total_sales
2 FROM superstore_sales
3 GROUP BY category
4 HAVING total_sales > 1000;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

	category	total_sales
▶	Furniture	13811.011700000003
	Office Supplies	8322.774
	Technology	6476.1539999999995

Query 1 x

Limit to 1000 rows

```
1 • SELECT state, SUM(sales) AS total_sales
2 FROM superstore_sales
3 GROUP BY state
4 ORDER BY total_sales ASC;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

	state	total_sales
▶	Oregon	5.682
	Virginia	75.88
	Nebraska	79.80000000000001
	Iowa	103.19999999999999
	Indiana	209.55
	Alabama	224.9
	Michigan	231.01000000000002
	Minnesota	290.65000000000003
	South Carolina	301.96
	North Carolina	321.944
	Colorado	341.256
	Ohio	452.874
	Delaware	554.3
	Missouri	839.43
	Kentucky	993.9999999999999

Result Grid
Form Editor
Field Types
Query Stats

