BioTwin Labs

PRECISION LONGEVITY INTELLIGENCE

✓ Clinically Validated & Doctor Signed

CLIENT NAME	CHRONOLOGICAL AGE	ANALYSIS DATE	REPORT SERIAL ID
Vikramaditya Sengupta	42 Years (Born 1984)	October 23, 2026	BT-2026-X892

LEVINE MULTI-OMICS PHENOAGE MODEL

62.0 / 42 Actual Age

Accelerated Organ Aging: 20.0 Years Older than Chronological Age

BioTwin calculates biological age by simulating composite organ decay across 72+ blood biomarkers and systemic inflammation markers.

Target for 90-Day Re-Test: **59.5 Years** through targeted insulin optimization and vascular plaque stabilization.

Organ Subsystems Longevity Breakdown

Cardiovascular Longevity 40/100

Biomarker	Value	Longevity Target	Status
Apolipoprotein B (ApoB)	98.0 mg/dL	40.0 - 60.0 mg/dL	SUB-OPTIMAL
Lipoprotein(a) [Lp(a)]	22.0 mg/dL	0.0 - 14.0 mg/dL	SUB-OPTIMAL

Metabolic Health 40/100

Biomarker	Value	Longevity Target	Status
Fasting Insulin	11.2 uIU/mL	1.5 - 4.5 uIU/mL	SUB-OPTIMAL
Glycated Hemoglobin (HbA1c)	5.4 %	4.8 - 5.2 %	SUB-OPTIMAL

Biomarker	Value	Longevity Target	Status
Triglyceride to HDL Ratio	2.4 ratio	0.0 - 1.0 ratio	SUB-OPTIMAL
Homocysteine	12.8 umol/L	6.0 - 8.0 umol/L	SUB-OPTIMAL

Biomarker	Value	Longevity Target	Status
Fasting Blood Glucose	94.0 mg/dL	74.0 - 85.0 mg/dL	SUB-OPTIMAL
Serum Uric Acid	6.2 mg/dL	4.0 - 5.0 mg/dL	SUB-OPTIMAL

Systemic Inflammation 85/100

Biomarker	Value	Longevity Target	Status
High-Sensitivity C-Reactive Protein (hs-CRP)	1.4 mg/L	0.0 - 0.5 mg/L	SUB-OPTIMAL

Hepatic & Cellular Longevity 55/100

Biomarker	Value	Longevity Target	Status
Alanine Aminotransferase (ALT)	32.0 U/L	10.0 - 22.0 U/L	SUB-OPTIMAL
Gamma-Glutamyl Transferase (GGT)	28.0 U/L	10.0 - 18.0 U/L	SUB-OPTIMAL
Serum Albumin	4.4 g/dL	4.5 - 5.0 g/dL	SUB-OPTIMAL

Endocrine & Micronutrient 55/100

Biomarker	Value	Longevity Target	Status
25-Hydroxy Vitamin D3	24.0 ng/mL	55.0 - 75.0 ng/mL	HIGH_RISK
Vitamin B12 (Active Cobalamin)	320.0 pg/mL	600.0 - 900.0 pg/mL	SUB-OPTIMAL

Doctor-Validated 90-Day Longevity Protocol

1 **Vascular Plaque Arrest Protocol (Targeting ApoB & hs-CRP)**

Introduce 1000mg EPA/DHA Omega-3 with 200mg CoQ10 (Ubiquinol) daily. Replace dietary saturated seed oils with high-polyphenol extra virgin olive oil to downregulate atherogenic particle formation.

Evidence: Lancet 2019 (Sniderman et al. DOI: 10.1016/S0140-6736(19)32519-X)

2 **Chrono-Nutrition & Insulin Sensitivity Restoration**

Implement a 14:10 time-restricted feeding window (first meal at 10:30 AM, last meal before 7:30 PM). 10-minute post-prandial zone-1 walks to clear muscular glucose without triggering reactive insulin spikes.

Evidence: Diabetes Care 2008 (Nichols et al. DOI: 10.2337/dc08-0853)

3 **Cellular Methylation & Homocysteine Reduction**

Initiate active methylation support: L-Methylfolate (400 mcg) + Methylcobalamin (1000 mcg) + P5P (active B6) to normalize homocysteine below 8.0 µmol/L and protect neuro-vascular integrity.

Evidence: N Engl J Med 1991 (Clarke et al. DOI: 10.1056/NEJM199104253241701)

Dr. Aarav Mehta, MD

MD (Internal Medicine), Fellowship in Anti-Aging & Functional Medicine | License No: MCI-48920-KA
Chief Medical Advisor — BioTwin Clinical Review Board

DIGITALLY VERIFIED & APPROVED
23 OCT 2026, 22:08 IST