

Продвинутое использование git

Алина Тарасова¹

2 марта, 2024, Москва, Россия

¹Российский Университет Дружбы Народов

Цели и задачи работы


Цель лабораторной работы

Получение навыков правильной работы с репозиториями git.

Задачи лабораторной работы

- 1 Выполнить работу для тестового репозитория.
- 2 Преобразовать рабочий репозиторий в репозиторий с git-flow и conventional commits.

Процесс выполнения лабораторной работы

A terminal window with a dark background. The title bar shows a window icon and the text 'aatarasova@aatarasova:~'. The terminal content shows the execution of 'pnpm setup', which appends lines to the '.bashrc' file. It then displays the configuration changes made, including setting 'PNPM_HOME' and updating the 'PATH' variable. Finally, it instructs the user to source the '.bashrc' file to start using pnpm.

```
aatarasova@aatarasova:~$ pnpm setup
Appended new lines to /home/aatarasova/.bashrc

Next configuration changes were made:
export PNPM_HOME="/home/aatarasova/.local/share/pnpm"
case ":$PATH:" in
  *):$PNPM_HOME:*) ;;
  *) export PATH="$PNPM_HOME:$PATH" ;;
esac

To start using pnpm, run:
source /home/aatarasova/.bashrc
aatarasova@aatarasova:~$ source ~/.bashrc
aatarasova@aatarasova:~$
```

Рис. 1: Node.js

```
aatarasova@aatarasova:~$ source ~/.bashrc
aatarasova@aatarasova:~$ pnpm add -g commitizen
```

Update available! 8.12.0 → 8.15.4.
Changelog: <https://github.com/pnpm/pnpm/releases/tag/v8.15.4>
Run "pnpm add -g pnpm" to update.

Follow @pnpmjs for updates: <https://twitter.com/pnpmjs>

```
Packages: +152
+-----+
W Downloading registry.npmjs.org/typescript/5.3.3: 5,76 MB/5,76 MB, done
d Progress: resolved 152, reused 0, downloaded 152, added 152, done

/home/aatarasova/.local/share/pnpm/global/5:
+ commitizen 4.3.0

Done in 8.5s
aatarasova@aatarasova:~$
```

Рис. 2: установка commitizen

standard-changelog

```
Done in 0.5s
aatarasova@aatarasova:~$ pnpm add -g standard-changelog
Packages: +56
Progress: resolved 208, reused 152, downloaded 56, added 56, done
Done in 4.2s
aatarasova@aatarasova:~$
```

Рис. 3: установка standard-changelog




Рис. 4: package.json

Использование commitizen

```
aatarasova@aatarasova:~/git-extended$ git add .
aatarasova@aatarasova:~/git-extended$ git cz
cz-cli@4.3.0, cz-conventional-changelog@3.3.0

? Select the type of change you're committing: chore:  Other changes that don't modify src or test files
? What is the scope of this change (e.g. component or file name): (press enter to skip)
? Write a short, imperative tense description of the change (max 93 chars):
  (1) >
? Provide a longer description of the change: (press enter to skip)

? Are there any breaking changes? No
? Does this change affect any open issues? No
W[master d525464] chore: y
1 file changed, 14 insertions(+)
d create mode 108644 package.json
aatarasova@aatarasova:~/git-extended$ git push
Перечисление объектов: 4, готово.
Подсчет объектов: 100% (4/4), готово.
При сжатии изменений используется до 6 потоков
Сжатие объектов: 100% (3/3), готово.
Запись объектов: 100% (3/3), 1.12 KiB | 572.00 KiB/c, готово.
Всего 3 (изменений 0), повторно использовано 0 (изменений 0), повторно использовано пакетов 0
To github.com:aatarasovarudn/git-extended.git
 858ac63..d525464 master -> master
aatarasova@aatarasova:~/git-extended$
```

Рис. 5: Отправка

```
aatarasova@aatarasova:~/git-extended$ git flow init
aatarasova@aatarasova:~/git-extended$ git flow init

Which branch should be used for bringing forth production releases?
  - master
Branch name for production releases: [master] git branch
Fatal: Local branch 'git branch' does not exist.
aatarasova@aatarasova:~/git-extended$ git flow init

Which branch should be used for bringing forth production releases?
  - master
Branch name for production releases: [master]
Branch name for "next release" development: [develop]

How to name your supporting branch prefixes?
Feature branches? [feature/]
Bugfix branches? [bugfix/]
Release branches? [release/]
Hotfix branches? [hotfix/]
Support branches? [support/]
Version tag prefix? []
Hooks and filters directory? [/home/aatarasova/git-extended/.git/hooks]
aatarasova@aatarasova:~/git-extended$ git branch
* develop
  master
aatarasova@aatarasova:~/git-extended$ git push --all
Всего 0 (изменений 0), повторно использовано 0 (изменений 0), повторно использовано пакетов 0
remote:
remote: Create a pull request for 'develop' on GitHub by visiting:
remote:   https://github.com/aatarasovarudn/git-extended/pull/new/develop
remote:
To github.com:aatarasovarudn/git-extended.git
 * [new branch]      develop -> develop
aatarasova@aatarasova:~/git-extended$
```

Рис. 6: Инициализация и загрузка изменений

```
aatarasova@aatarasova:~/git-extended

- Bump the version number now!
- Start committing last-minute fixes in preparing your release
- When done, run:

    git flow release finish '1.0.0'

aatarasova@aatarasova:~/git-extended$ standard-changelog --first-release
✓ created CHANGELOG.md
✓ output changes to CHANGELOG.md
aatarasova@aatarasova:~/git-extended$ git add CHANGELOG.md
aatarasova@aatarasova:~/git-extended$ git commit -am 'chore(site): add changelog'
[release/1.0.0 e48355d] chore(site): add changelog
1 file changed, 4 insertions(+)
create mode 100644 CHANGELOG.md
aatarasova@aatarasova:~/git-extended$ git flow release finish 1.0.0
Переключились на ветку «master».
Эта ветка соответствует «origin/master».
Merge made by the 'ort' strategy.
CHANGELOG.md | 4 ++++
1 file changed, 4 insertions(+)
create mode 100644 CHANGELOG.md
Уже на «master»
Ваша ветка опережает «origin/master» на 2 коммита.
(используйте «git push», чтобы опубликовать ваши локальные коммиты)
Переключились на ветку «develop»
Эта ветка соответствует «origin/develop».
Merge made by the 'ort' strategy.
CHANGELOG.md | 4 ++++
1 file changed, 4 insertions(+)
create mode 100644 CHANGELOG.md
Ветка release/1.0.0 удалена (була e48355d).

Summary of actions:
- Release branch 'release/1.0.0' has been merged into 'master'
- The release was tagged '1.0.0'
- Release tag '1.0.0' has been back-merged into 'develop'
- Release branch 'release/1.0.0' has been locally deleted
- You are now on branch 'develop'

aatarasova@aatarasova:~/git-extended$
```

Рис. 7: Завершение релиза

Отправим данные на github

```
aatarasova@aatarasova:~/git-extended$ git push --all
Перечисление объектов: 6, готово.
Подсчет объектов: 100% (6/6), готово.
При сжатии изменений используется до 6 потоков
Сжатие объектов: 100% (4/4), готово.
Запись объектов: 100% (5/5), 2.68 КиБ | 1.34 МиБ/с, готово.
Всего 5 (изменений 0), повторно использовано 0 (изменений 0), повторно использовано пакетов 0
To github.com:aatarasovarudn/git-extended.git
   d525464..120b79d develop -> develop
   d525464..a165937 master -> master
aatarasova@aatarasova:~/git-extended$ git push --tags
Перечисление объектов: 1, готово.
Подсчет объектов: 100% (1/1), готово.
Запись объектов: 100% (1/1), 158 байтов | 158.00 КиБ/с, готово.
Всего 1 (изменений 0), повторно использовано 0 (изменений 0), повторно использовано пакетов 0
To github.com:aatarasovarudn/git-extended.git
   + [new tag]         1.0.0 -> 1.0.0
aatarasova@aatarasova:~/git-extended$ gh release create v1.0.0 -F CHANGELOG.md
https://github.com/aatarasovarudn/git-extended/releases/tag/v1.0.0
aatarasova@aatarasova:~/git-extended$
```

Рис. 8: Отправка

Объединение веток

```
aatarasova@aatarasova:~/git-extended$ git flow feature start feature_branch
Переключились на новую ветку «feature/feature_branch»

Summary of actions:
- A new branch 'feature/feature_branch' was created, based on 'develop'
- You are now on branch 'feature/feature_branch'

Now, start committing on your feature. When done, use:

    git flow feature finish feature_branch

aatarasova@aatarasova:~/git-extended$ touch test2
aatarasova@aatarasova:~/git-extended$ git flow feature finish feature_branch
Переключились на ветку «develop»
Эта ветка соответствует «origin/develop».
Уже актуально.
Ветка feature/feature_branch удалена (была 120b79d).

Summary of actions:
- The feature branch 'feature/feature_branch' was merged into 'develop'
- Feature branch 'feature/feature_branch' has been locally deleted
- You are now on branch 'develop'

aatarasova@aatarasova:~/git-extended$
```

Рис. 9: Объединение веток

```

aatarasova@aatarasova:~/git-extended
git flow release finish '1.2.3'

aatarasova@aatarasova:~/git-extended$ pedit package.json
aatarasova@aatarasova:~/git-extended$ standard-changelog
✓ output changes to CHANGELOG.md
aatarasova@aatarasova:~/git-extended$ git add CHANGELOG.md
aatarasova@aatarasova:~/git-extended$ git commit -am 'chore(site): update changelog'
[release/1.2.3 968563a] chore(site): update changelog
2 files changed, 5 insertions(+), 1 deletion(-)
aatarasova@aatarasova:~/git-extended$ git flow release finish 1.2.3

Переклинулись на ветку «master»
$ git ветка соответствует «origin/master».
Merge made by the 'ort' strategy.
CHANGELOG.md | 4 +---
package.json | 2 +-
2 files changed, 5 insertions(+), 1 deletion(-)
Вы на «master».
Ваша ветка опережает «origin/master» на 3 коммита.
(используйте «git push», чтобы опубликовать ваши локальные коммиты)
Переклинулись на ветку «develop»
$ git ветка соответствует «origin/develop».
Merge made by the 'ort' strategy.
CHANGELOG.md | 4 +---
package.json | 2 +-
2 files changed, 5 insertions(+), 1 deletion(-)
Ветка release/1.2.3 удалена (была 968563a).

Summary of actions:
- Release branch 'release/1.2.3' has been merged into 'master'
- The release was tagged '1.2.3'
- Release tag '1.2.3' has been back-merged into 'develop'
- Release branch 'release/1.2.3' has been locally deleted
- You are now on branch 'develop'

aatarasova@aatarasova:~/git-extended$ git push --all
Перечисление объектов: 9, готово.
Подсчет объектов: 100% (9/9), готово.
При сжатии изменений используется до 6 потоков
Сжатие объектов: 100% (6/6), готово.

```

Рис. 10: Завершение релиза

Подготовка рабочего репозитория

```
aatarasova@aatarasova: /work/study/2023-2024/Операционные системы/os-intro$ gedit package.json
aatarasova@aatarasova: /work/study/2023-2024/Операционные системы/os-intro$ git add .
aatarasova@aatarasova: /work/study/2023-2024/Операционные системы/os-intro$ git cz
cz-cli@4.3.0, cz-conventional-changelog@3.3.0


? Select the type of change that you're committing: chore: Other changes that don't modify src or test files
? What is the scope of this change (e.g. component or file name): (press enter to skip)
? Write a short, imperative tense description of the change (max 93 chars):
  (v)
? Provide a longer description of the change: (press enter to skip)

? Are there any breaking changes? No
? Does this change affect any open issues? No

[master 265d323] chore: y
5 files changed, 14 insertions(+), 329 deletions(-)
delete mode 100644 labs/lab04/presentation/image/kulyabov.jpg
delete mode 100644 labs/lab04/presentation/presentation.md
delete mode 100644 labs/lab04/report/image/placeimg_800_600_tech.jpg
delete mode 100644 labs/lab04/report/report.md
create mode 100644 package.json
aatarasova@aatarasova: /work/study/2023-2024/Операционные системы/os-intro$
aatarasova@aatarasova: /work/study/2023-2024/Операционные системы/os-intro$ git push
Перечисление объектов: 12, готово.
Подсчет объектов: 100% (12/12), готово.
При сжатии изменений используется до 6 потоков
Сжатие объектов: 100% (6/6), готово.
Запись объектов: 100% (7/7), 1.43 КиБ | 365.00 КиБ/с, готово.
Всего 7 (изменений 2), повторно использовано 0 (изменений 0), повторно использовано пакетов 0
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To github.com:aatarasovarudn/os-intro.git
  008f6c5..265d323 master -> master
aatarasova@aatarasova: /work/study/2023-2024/Операционные системы/os-intro$
```

Рис. 11: package.json и коммит

Подготовка рабочего репозитория



```
aatarasova@aatarasova:~/work/study/2023-2024/Операционные системы/os-intro$ git flow release finish '1.0.0'

Follow-up actions:
- Bump the version number now!
- Start committing last-minute fixes in preparing your release
- When done, run:

    git flow release finish '1.0.0'

aatarasova@aatarasova:~/work/study/2023-2024/Операционные системы/os-intro$ standard-changelog --first-release
✓ output changes to CHANGELOG.md
aatarasova@aatarasova:~/work/study/2023-2024/Операционные системы/os-intro$ git add CHANGELOG.md
aatarasova@aatarasova:~/work/study/2023-2024/Операционные системы/os-intro$ git commit -am 'chore(site): add changelog'
[release/1.0.0 4d29653] chore(site): add changelog
 1 file changed, 2 insertions(+), 91 deletions(-)
aatarasova@aatarasova:~/work/study/2023-2024/Операционные системы/os-intro$ git flow release finish 1.0.0
Переключились на ветку «master»
Эта ветка соответствует «origin/master».
Merge made by the 'ort' strategy.
  CHANGELOG.md | 93 +-----
 1 file changed, 2 insertions(+), 91 deletions(-)
Вы на «master».
Ваша ветка опережает «origin/master» на 2 коммита.
(используйте «git push», чтобы опубликовать ваши локальные коммиты)
Переключились на ветку «develop»
Эта ветка соответствует «origin/develop».
Merge made by the 'ort' strategy.
  CHANGELOG.md | 93 +-----
 1 file changed, 2 insertions(+), 91 deletions(-)
Ветка release/1.0.0 удалена (6bna 4d29653).
Summary of actions:
- Release branch 'release/1.0.0' has been merged into 'master'
- The release was tagged '1.0.0'
- Release tag '1.0.0' has been back-merged into 'develop'
- Release branch 'release/1.0.0' has been locally deleted
- You are now on branch 'develop'

aatarasova@aatarasova:~/work/study/2023-2024/Операционные системы/os-intro$ git push --all
```

Рис. 12: Завершение релиза

Выводы по проделанной работе

Мы приобрели практические навыки взаимодействия с дополнительными функциями гитхаб.