

Course COMP-8567
Assignment 02
Summer 2023
Due Date: Jun/27/2023
50 Marks
PART A: 25 Marks
PART B: 25 Marks

Note: The assignment consists of two parts. Read the instructions thoroughly.

Part A

Write a C program that searches for processes in the process tree (rooted at a specified process) and outputs the requested information based on the input parameters.

Synopsis :

prcinfo [*root_process*] [*process_id1*] [*process_id2*]... [*process_id(n)*] [*OPTION*]

- 1 >= n <= 5
- Lists the PID and PPID of each *process_id(n)* if *process_id(n)* belongs to the process tree rooted at *root_process*
 - *root_process* is the PID of a process that is a descendant of the current bash process.
 - *process_id(n)* is the PID of a process that is a descendant of the current bash process.

OPTION

- nd** additionally lists the PIDs of all the **non-direct** descendants of *process_id1* (*only*)
- dd** additionally lists the PIDs of all the **immediate** descendants of *process_id1*
- sb** additionally lists the PIDs of all the **sibling processes** of *process_id1*
- sz** additionally Lists the PIDs of all **sibling** processes of *process_id1* that are **defunct**
- gc** additionally lists the PIDs of all the **grandchildren** of *process_id1*

- **zz** additionally prints the status of *process_id1* (Defunct/ Not Defunct)
- **zc** additionally lists the PIDs of all the direct descendants of *process_id1* that are currently in the defunct state

Part B

Write a C program that searches for defunct processes in a process tree(rooted at a specified process) and forcefully terminates their parent processes based on the input parameters

Synopsis:

deftreeminus [*root_process*] [*OPTION1*] [*OPTION2*] [-*processid*]

- Forcefully terminates all the parent processes (as long as it is not the current BASH process) of all the defunct processes that belongs to the process tree rooted at *root_process*.
- *root_process* is the PID of a process that is a descendant of the current bash process.
- *-processid*: if **specified**, the process with *PID= processid* will **not be terminated** even if it happens to be the parent of a defunct process that that belongs to the process tree rooted at *root_process*.
 - *-processid* can be specified **without** the options:
 \$ **deftreeminus 1004 -1010** (Terminates 1005 only in the process tree shown in sample runs below) whereas,
 \$ **deftreeminus 1004** (Terminates both 1005 and 1010)

OPTION1

- - **t** forcefully terminates parent processes (whose elapsed time is greater than ***PROC_ELTIME***) of all the defunct processes in the process tree rooted at *root_process*


- - **b** forcefully terminates all the processes in the process tree rooted at root_process that have \geq **NO_OF_DFCS** defunct child processes.

OPTION2

- **PROC_ELTIME** The elapsed time of the process in minutes since it was created (≥ 1)
- **NO_OF_DFCS** The number of default child processes (≥ 1)

(Continued on Page 4)

Sample Runs



Note: In the above example, [PID=1006], [PID=1009], [PID=1029] and [PID=1090] are defunct (zombie) processes at the time of execution of the following programs

<pre>\$ prcinfo 1004 1009 1009 1005 \$ prcinfo 1004 1008 1007 1008 1005 1007 1004 \$ prcinfo 1005 1062 1010 1090 1010 1008 \$ prcinfo 1005 1020 //No output \$ prcinfo 1005 1010 -zz 1010 1008 NOT DEFUNCT</pre>	<pre>\$ prcinfo 1004 1005 1071 -zc 1005 1004 1071 1007 1009 1029 \$ prcinfo 1004 1008 1071 -sz 1008 1005 1071 1007 1009 1029 \$ prcinfo 1004 1030 -sb 1030 1010 1090</pre>	<pre>\$ deftreeminus 1007 //No processes are forcefully terminated \$ deftreeminus 1005 -b 2 //1005 is forcefully terminated, 1010 is not \$ deftreeminus 1004 -t 400 // 1010 is forcefully terminated, 1005 is not \$ deftreeminus 1004 -b 1 -1005 // 1010 is forcefully terminated, 1005 is not</pre>
--	--	--

<pre>\$ prcinfo 1004 1005 1007 -nd 1005 1004 1007 1004 1010 1030 1090 \$ prcinfo 1004 1005 1007 -dd 1005 1004 1007 1004 1008 1009 1029</pre>	<pre>\$ prcinfo 1005 1008 -gc 1008 1005 1030 1090 \$ prcinfo 1004 1005 -zc 1005 1004 1009 1029</pre>	<pre>\$ deftreeminus 1005 //Forcefully terminates 1005 and 1010 \$ deftreeminus 1005 //Forcefully terminates 1005 and 1010</pre>
---	---	---

Comments and explanation of the program

- You are required to include adequate and appropriate comments to explain the working of the program.
- Please see the assignment rubrics for more information

Submission:

You need to submit four files:

- prcinfo.c
- deftreeminus.c
- prcinfo.pdf
- deftreeminus.pdf