

HackerRank | Prepare SQL Basic Select Japanese Cities' Names

Query the names of all the Japanese cities in the CITY table. The COUNTRYCODE for Japan is JPN.

The CITY table is described as follows:

Field	Type
ID	NUMBER
NAME	VARCHAR2(17)
COUNTRYCODE	VARCHAR2(3)
DISTRICT	VARCHAR2(20)
POPULATION	NUMBER

Change Theme Language DB2

```
1 SELECT NAME
2 FROM CITY
3 WHERE COUNTRYCODE = 'JPN';
```

Line: 3 Col: 27

UploadCode as File Test against custom input Run Code Submit Code

HackerRank | Prepare SQL Basic Select Japanese Cities' Names

Query the names of all the Japanese cities in the CITY table. The COUNTRYCODE for Japan is JPN.

The CITY table is described as follows:

Field	Type
ID	NUMBER
NAME	VARCHAR2(17)
COUNTRYCODE	VARCHAR2(3)
DISTRICT	VARCHAR2(20)
POPULATION	NUMBER

Change Theme Language DB2

Congratulations!

You have passed the sample test cases. Click the submit button to run your code against all the test cases.

Sample Test case Your Output (stdout)

```
1 Neyagawa
2 Ago
3 Sayama
4 Omuta
5 Tokuyama
```

Line: 3 Col: 27

UploadCode as File Test against custom input Run Code Submit Code

HackerRank | Prepare SQL Basic Select Japanese Cities' Names

Query the names of all the Japanese cities in the CITY table. The COUNTRYCODE for Japan is JPN.

The CITY table is described as follows:

Field	Type
ID	NUMBER
NAME	VARCHAR2(17)
COUNTRYCODE	VARCHAR2(3)
DISTRICT	VARCHAR2(20)
POPULATION	NUMBER

Change Theme Language DB2

You have earned 10.00 points!

You are now 30 points away from the 1st star for your sql badge.

63% 50/50

Congratulations

You solved this challenge. Would you like to challenge your friends? [Facebook](#) [Twitter](#) [LinkedIn](#)

Test case 0 Compiler Message Success

Input (stdin) Download

Expected Output Download

```
1 Neyagawa
2 Ago
3 Sayama
4 Omuta
5 Tokuyama
```