

1           **Transverse energy analysis of**  
2           **relativistic heavy ion collisions**  
3   **through the use of identified particles**  
4           **spectra**

5                   A Thesis Presented for the  
6                   Master of Science  
7                   Degree  
8           The University of Tennessee, Knoxville

9                   Biswas Sharma  
10                  May 2018

11

© by Biswas Sharma, 2018

12

All Rights Reserved.

# 13 Table of Contents

14	<b>1 Introduction</b>	<b>1</b>
15	<b>2 Theoretical Background</b>	<b>3</b>
16	2.1 Quantum Chromodynamics . . . . .	3
17	2.2 Phase Transitions . . . . .	4
18	2.3 Quark-Gluon Plasma . . . . .	5
19	<b>3 Relativistic Heavy Ion Collisions</b>	<b>7</b>
20	3.1 RHIC and LHC . . . . .	7
21	3.2 Collision Energy and Geometry . . . . .	9
22	3.3 QGP Evolution . . . . .	11
23	3.4 Detection of Collision Products . . . . .	12
24	3.5 Detection of QGP Signatures . . . . .	12
25	3.5.1 Bjorken Energy Density . . . . .	13
26	3.5.2 Elliptic Flow . . . . .	14
27	3.5.3 Prompt and Thermal Photons . . . . .	15
28	3.5.4 Strangeness Enhancement . . . . .	16
29	3.5.5 Jet Quenching . . . . .	17
30	3.6 The Beam Energy Scan Program . . . . .	19
31	<b>4 Measurement of Transverse Energy</b>	<b>21</b>
32	4.1 Definition of Transverse Energy . . . . .	21
33	4.2 $E_T$ Measurement with Calorimeters . . . . .	22

34	4.2.1	Calorimeter . . . . .	22
35	4.2.2	$E_T$ from PHENIX Calorimetry . . . . .	23
36	4.3	$E_T$ Measurement with Tracking Detectors . . . . .	24
37	4.3.1	Tracking and Particle Identification . . . . .	24
38	4.3.2	Calculation of $\frac{dE_T}{d\eta}$ from $p_T$ spectra . . . . .	25
39	4.3.3	Tracking Detectors in STAR . . . . .	26
40	<b>5</b>	<b>Data Analysis</b>	<b>28</b>
41	5.1	STAR $p_T$ Spectra . . . . .	28
42	5.1.1	Corrections and Systematic Uncertainties . . . . .	29
43	5.2	Extrapolation of Spectra . . . . .	30
44	5.2.1	Boltzmann-Gibbs Blast Wave . . . . .	31
45	5.2.2	Fitting Spectra to BGBW . . . . .	31
46	5.3	Calculations from the Spectra . . . . .	32
47	5.3.1	Calculation of $\frac{dE_T}{dy}$ , $\frac{dE_T}{d\eta}$ , $\frac{dN_{ch}}{dy}$ , and $\frac{dN_{ch}}{d\eta}$ . . . . .	32
48	5.3.2	Assumptions, Estimation of Total $E_T$ , and Uncertainties . . . . .	33
49	5.3.3	Lambdas Centrality Adjustments and $E_T$ Interpolations . . . . .	34
50	<b>6</b>	<b>Results</b>	<b>35</b>
51	<b>7</b>	<b>Conclusion</b>	<b>42</b>
52	<b>8</b>	<b>Future Work</b>	<b>43</b>
53	8.1	Goodness of Fit . . . . .	43
54	8.2	Bjorken Energy Density Estimate . . . . .	43
55	8.3	Asymmetric beams . . . . .	44
56		<b>Bibliography</b>	<b>45</b>
57		<b>Appendices</b>	<b>82</b>
58	A	Kinematic Variables . . . . .	83
59	B	Results from BGBW Fits . . . . .	85

# 60 List of Tables

<small>61</small>	3.1 Colliding species and associated collision energies at RHIC [41]. . . . .	10
<small>62</small>	5.1 Isospin states of different identified particles. . . . .	33

# List of Figures

64	2.1	Schematic of the QCD phase diagram [18]. . . . .	6
65	3.1	Initial layout of the RHIC [43]. . . . .	8
66	3.2	An illustration of a mid-central collision of two nuclei traveling in the z	
67		direction. The X-axis is parallel to the line joining the centers of the two	
68		nuclei at the time of collision [27]. . . . .	11
69	3.3	An illustration of a collision consisting of participants (solid red) and	
70		spectators (open blue) within the colliding nuclei labeled A and B. $t_c$ denotes	
71		the time of maximum overlap of the two nuclei. The apparent narrowing of	
72		the volumes of the nuclei in the z-direction is due to Lorentz contraction [61].	12
73	3.4	Evolution of the QGP represented in a lightcone diagram. $\tau_0$ denotes the	
74		formation time of the QGP. $T_c$ is the critical temperature of the transition	
75		from the QGP to the hadron gas phase. $T_{ch}$ and $T_{fo}$ stand for the temperatures	
76		at, respectively, chemical freeze-out and thermal freeze-out [27]. . . . .	13
77	3.5	Minimum-bias Au+Au ( $\sqrt{s_{NN}} = 200\text{GeV}$ ) elliptic flow spectra for identified	
78		particles: (a) $v_2$ vs $p_T$ and (b) $v_2$ vs $KE_T$ [5]. . . . .	15
79	3.6	Minimum-bias Au+Au ( $\sqrt{s_{NN}} = 200\text{GeV}$ ) elliptic flow spectra for identified	
80		particles: (a) $\frac{v_2}{n_q}$ vs $\frac{p_T}{n_q}$ and (b) $\frac{v_2}{n_q}$ vs $\frac{KE_T}{n_q}$ [5]. . . . .	16
81	3.7	Feynman diagram representing the production of photons from quarks and	
82		gluons. (a) and (b) represent annihilation processes, whereas (c) and (d)	
83		represent Compton processes [63]. . . . .	17

84	3.8	Illustration of jet quenching. Two jets are produced from each of the hard	
85		scatterings occuring at the locations of the solid dots. Jets originating closer	
86		to the initial surface are more probable to propagate outside the medium, as	
87		shown. Jets opposite to them interact with the medium, losing their energy	
88		and resulting in bow front shock waves [58]. . . . .	18
89	3.9	$R_{AA}$ from PHENIX for direct photons [15], $\pi^0$ [7], $\eta$ [8], $\phi$ [12], $p$ [11], $J/\psi$ [6],	
90		$\omega$ [10], $e^\pm$ from heavy flavor decays [9], and $K^\pm$ [11]. This demonstrates that	
91		colored probes (high- $p_T$ final state hadrons) are suppressed while electroweak	
92		probes (direct photons) are not at RHIC. . . . .	19
93	4.1	Energy loss distribution in the STAR TPC for primary and secondary particles	
94		[17]. . . . .	27
95	5.1	Transverse momentum spectra for $\pi^+$ , $\pi^-$ , $K^+$ , $K^-$ , $p$ , and $\bar{p}$ at midrapidity	
96		( $ y  < 0.1$ ) from 39 GeV Au+Au collisions at RHIC. The fitting curves	
97		on the 0-5% central collision spectra for pions, kaons, and protons/anti-	
98		protons represent, respectively, the Bose-Einstein, $m_T$ -exponential, and	
99		double-exponential functions [2]. . . . .	29
100	5.2	Midrapidity efficiency $\times$ acceptance as a function of $p_T$ calculated from STAR	
101		TPC Monte Carlo simulation of reconstructing (a) pions, (b) kaons, and (c)	
102		protons for 0-5% central 7.7 GeV Au+Au collisions. The curves represent	
103		functional fits of the form $y \propto \exp -\frac{1}{x}$ [2]. . . . .	30
104	5.3	Red curve shows the Boltzmann-Gibbs blast wave functional fit on the	
105		preliminary transverse momentum spectrum for lambda particles identified	
106		by the STAR detector for 19.6 GeV Au+Au collisions (10-15% central).	
107		Parameters extracted from the chi-square goodness-of-fit test, as well as other	
108		statistics, are shown in the box on the top right. . . . .	32
109	6.1	$(dE_T/d\eta)/0.5N_{part}$ at midrapidity as a function of $N_{part}$ for different collision	
110		energies. . . . .	36

111	6.2	$(dE_T/dy)/0.5N_{part}$ at midrapidity as a function of $N_{part}$ for different collision	
112		energies. . . . .	37
113	6.3	$(dE_T/d\eta)/(dN_{ch}/d\eta)$ at midrapidity as a function of $N_{part}$ for different collision	
114		energies. . . . .	37
115	6.4	$(dE_T/dy)/(dN_{ch}/dy)$ at midrapidity as a function of $N_{part}$ for different collision	
116		energies. . . . .	38
117	6.5	$(dE_T/d\eta)/0.5N_{part}$ at midrapidity as a function of $\sqrt{s_{NN}}$ in logarithmic scale	
118		for different centralities. The dashed line represents a power-law fit to the	
119		0-5% central data in the form $y = ax^{2b}$ , where $x$ and $y$ are the placeholders	
120		for the quantities in the plot axes. $\chi^2/n.d.f$ for the fit was 1.806, and the	
121		good-fit parameters were $a = 0.4838 \pm 0.0429$ and $b = 0.2005 \pm 0.01466$ . The	
122		shaded area represents the uncertainty bounds for the 0-5% central PHENIX	
123		data from [4]. . . . .	39
124	6.6	$(dE_T/dy)/0.5N_{part}$ at midrapidity as a function of $\sqrt{s_{NN}}$ for different centralities.	40
125	6.7	$(dE_T/d\eta)/(dN_{ch}/d\eta)$ at midrapidity as a function of $\sqrt{s_{NN}}$ for different	
126		centralities. . . . .	40
127	6.8	$(dE_T/dy)/(dN_{ch}/dy)$ at midrapidity as a function of $\sqrt{s_{NN}}$ for different	
128		centralities. . . . .	41
129	6.9	$\frac{dE_T}{d\eta}/0.5N_{part}$ for 0-5% central collisions at midrapidity as a function of $\sqrt{s_{NN}}$ .	
130		The PHENIX data are from [4]. The error bars represent the total statistical	
131		and systematic uncertainties. . . . .	41



# Chapter 1

## Introduction

The Big Bang model is based on observational evidence, such as the cosmic microwave background radiation and the cosmological expansion [52, 46], and suggests that at the beginning the universe must have been at a state of extremely high density and temperature. As the universe expanded, it went through several stages of cooling characterized by the formation of matter with different compositions.

The Large Hadron Collider (LHC) at CERN and the Relativistic Heavy Ion Collider (RHIC) at the Brookhaven National Laboratory have the ability to collide heavy nuclei, such as those of gold and uranium, at nearly the speed of light, reaching temperatures of trillions of degrees Celcius. These laboratories have provided evidence of the formation of an exotic state of matter, called the quark-gluon plasma (QGP) [31, 32]. It only exists for a brief amount of time after such collisions and instantly freezes out into a plethora of new particles, which carry the signatures we can use to deduct QGP properties. Its properties suggest that it should be similar to the matter that existed within microseconds of the genesis of the universe, about 13.8 billion years ago [3, 21, 47].

One of the methods to probe the properties of this matter is by analyzing the conversion of the beam-direction energy at the time of collision into transverse energy after the collision. These measurements can be used to estimate the energy density of the QGP. This analysis is generally done by using data from the calorimeters (section 4.2.1) placed around the collision site. In this thesis, I use the data collected by tracking detectors (section 4.3.1), instead of the conventional calorimeters, to calculate the transverse energy.

154 This thesis is structured as follows. Chapter 2 touches on the theoretial background  
155 associated with the concept of the quark-gluon plasma. In chapter 3, I summarize the  
156 experimental concepts pertaining to relativistic heavy-ion collisions and the production and  
157 detection of QGP. Chapter 4 consists of the formalism of the measurement of transverse  
158 energy using calorimeters as well as tracking detectors. It also describes what has been done  
159 using calorimeters. Chapter 5 describes the data used to perform the analysis in this thesis  
160 and notes the relevant details of the analysis. In chapter 6, I present the results and compare  
161 them to the ones in literature obtained using a different method. Chapter 7 concludes the  
162 thesis and discusses its implications. Finally, in chapter 8, I present arguments on what can  
163 be done in the future using the results of and the software developed for this analysis.

# Chapter 2

## Theoretical Background

### 2.1 Quantum Chromodynamics

The strong force is one of the four fundamental interactions in physics. At large scales, it is also known as the residual strong force, and it is responsible for binding the nucleons together to give the nucleus its structure. At smaller scales, it is called the fundamental nuclear force, and it binds the fundamental units of subnuclear matter, the quarks, together to form the nucleons. The force carriers of the interaction are the mesons at the former scale and the gluons at the latter. The electrodynamic interaction between charged particles such as protons and electrons is described by quantum electrodynamics (QED) as mediated by photons; the strong interaction, albeit more complicated, is explained under the framework of quantum chromodynamics (QCD) [37, 54]. The quarks and gluons of QCD are collectively known as partons. Gluons are the gauge bosons of the Yang-Mills theory.

The Yang-Mills theory is a non-Abelian gauge theory. It has a Lagrangian with several degrees of freedom, some of which are redundant and need to be gauged. This is done by a mathematical treatment as prescribed under a gauge theory [16]. The gauge theory associated with the Yang-Mills theory is based on the  $SU(N)$  group. It is non-Abelian as represented by the non-commutative transformations. QCD is a gauge theory that describes the application of the  $SU(3)$  symmetry transformations on color charges, namely red, blue, and green. The electroweak theory, which describes the electromagnetic as well as nuclear

184 weak interactions, can be formalized under the gauge group  $SU(2) \times U(1)$ . Together, they  
 185 form the  $SU(3) \times SU(2) \times (U(1))$  gauge theory called the standard model.

186 One of the ways QCD is different from QED is the confinement of partons. In QED, the  
 187 fundamental particles are bound together by the Coulomb potential, which diminishes with  
 188 distance between the charge-carrying particles, as demonstrated by the relation 2.1:

$$V_C \propto \frac{1}{r} \tag{2.1}$$

189 where  $V_C$  is the Coulomb potential, and  $r$  is the spatial separation between the particles.  
 190 This means that bound QED particles can be isolated by increasing their spatial separation.  
 191 The QCD potential, on the other hand, has an extra linear term in it, which means that  
 192 the potential increases linearly with distance at large distances, and so an infinite amount of  
 193 energy is required to separate quarks [19]. Hence, we never observe isolated quarks and they  
 194 are said to be confined, not just bound, to form composite structures called hadrons [49].  
 195 A quark and an anti-quark forms a meson and three quarks forms a baryon. In addition to  
 196 having a color charge, a quark also carries a flavor. There are six different quarks based on  
 197 the flavors they carry: up, down, top, bottom, beauty, and strange.

## 198 2.2 Phase Transitions

199 In everyday life, we observe matter existing in four distinct phases: solid, liquid, gas, and  
 200 plasma. Changes in physical conditions can lead to a transition from one of these phases  
 201 to another, exemplified by the commonly observed conversion of ice to water. Distinctions  
 202 among the various phases can be represented in a chart called the phase diagram.

203 The phase diagram consists of thermodynamic observables such as temperature and  
 204 density on its axes. Curves in the phase diagram represent boundaries of physical conditions  
 205 separating one phase from another: crossing a boundary represents an abrupt transition from  
 206 one phase to another. This abruptness is mathematically characterized by the discontinuity  
 207 in the change of the derivative of the free energy – a thermodynamic variable – with respect  
 208 to the physical quantities in the axes. Such an abrupt transition is called a first-order phase


209 transition. Along the boundary represented by the curve, there can be a point beyond which  
 210 the phase transition is continuous instead of being abrupt, and the distinction between two  
 211 phases is not clear. This point is called a critical point, and the phase transition that takes  
 212 place beyond this point is called a crossover.

213 One of the main focuses of current experimental and theoretical nuclear physics research  
 214 is the study of the phase diagram of strongly interacting matter at a range of temperatures  
 215 and baryon chemical potentials. In experiments involving the collisions of heavy ions at  
 216 high and low energies, different regions of the phase diagram can be probed by varying the  
 217 collision energy [4]. For instance, the high-baryon chemical potential regime corresponds  
 218 to lower beam energies and higher temperatures correspond to higher beam energies. The  
 219 results of these experiments and model calculations can be used to study the possibilities  
 220 and signatures of transitions in the QCD phase diagram.

221 A schematic representing the QCD phase diagram as a function of the temperature ( $T$ )  
 222 and quark chemical potential ( $\mu$ ) is shown in Figure 2.1 [18]. A crossover is predicted at low  
 223 baryon chemical potentials (close to baryon-antibaryon symmetry) and high temperatures  
 224 reminiscent of the early universe. Methods to study this region of the phase space will  
 225 be explored in this thesis. At low temperatures and high net baryon densities, loose  
 226 predictions have been made regarding the existence of exotic phases of high density matter,  
 227 and programs, such as the Compressed Baryonic Matter experiment at the Facility for  
 228 Antiproton and Ion Research in Germany, are being designed to study this region of the  
 229 phase diagram [33].

## 230 **2.3 Quark-Gluon Plasma**

231 The confinement of quarks into the hadronic phase of QCD matter, as described in section  
 232 2.1, has its limitations. At very high densities, when the wave function of a single hadron  
 233 overlaps with the spatial regions covered by multiple such hadrons, it is impossible to classify  
 234 which pair or triplet of quarks belongs to which meson or baryon. As long as a particular  
 235 quark is close enough to the other quarks in the volume, it is deconfined in such a way that  
 236 it can freely move anywhere in the volume [49]. QCD predicts such phase transition, at



**Figure 2.1:** Schematic of the QCD phase diagram [18].

237 energy densities above  $0.2\text{--}1 \text{ GeV/fm}^3$  [1] and around a critical temperature of about 160  
 238 MeV [30], of strongly interacting matter to a phase with quarks and gluons in thermal and  
 239 chemical equilibrium representing the relevant degrees of freedom. This deconfined state  
 240 of quarks and gluons is termed the quark-gluon plasma (QGP) in analogy to the quantum  
 241 electrodynamical plasma phase of matter. The QGP has been found to behave like an almost  
 242 perfect fluid [25]

## Chapter 3


# Relativistic Heavy Ion Collisions

The experimental evidence for the QGP comes from the collisions of heavy nuclei. Some of its signatures are described in section 3.5. Physicists proposed the existence of such matter since as far back as 1984, when nuclei were accelerated and collided with stationary targets [32]. They were able to agree on a conclusive discovery of this matter during the 2000s, after colliding accelerated nuclei with other such nuclei or smaller species (protons, deuterons) at unprecedented energies and with improved detection schemes [56]. With further increases in collision energies and enhancements in detector technology, modern accelerator facilities provided additional evidence and estimates of some of the properties as well as the dynamics of the evolution of the QGP. The following sections describe two such facilities, the physics of the collisions, and what happens after the collisions.

### 3.1 RHIC and LHC

The Relativistic Heavy Ion Collider (RHIC) is located in Upton, New York in the premises of the Brookhaven National Laboratory (BNL). Its construction started in 1991 and was completed in 1999. Figure 3.1 shows the layout, at the time of construction, of the collider along with the Alternating Gradient Synchrotron (AGS) complex and the locations of the original four detectors: Solenoidal Tracker At RHIC (STAR), Pioneering High Energy Nuclear Interaction eXperiment (PHENIX), Phobos, and BRAHMS (Broad Range Hadron Magnetic Spectrometers). Phobos, BRAHMS, and PHENIX were decommissioned after the

completion of their science objectives, but STAR is still operational. The AGS was part of BNL before the construction of the RHIC, and its capabilities were augmented with the construction of the AGS Booster in 1991.



**Figure 3.1:** Initial layout of the RHIC [43].

Heavy ion beams in RHIC are created in a series of steps before collision. In case of gold ions, a pulsed sputter source produces negatively charged ions, which are stripped of some of their electrons with a foil on the positive end of the high-voltage Tandem Van de Graaff. The ions are now positively charged and are accelerated to 1MeV/u toward the negative terminal of the Tandem. Upon exiting it, some more stripping takes place. The bending magnets then selectively deliver +32 charge states of the ions to the Booster Synchrotron, which accelerates them to 95MeV/u and strips them to a +77 charge state before injecting them to the AGS. The AGS accelerates them to 10.8 GeV/u and strips them of the remaining two electrons at the exit. The gold ions are then injected through the AGS-to-RHIC Beam Transfer Line to



the two RHIC rings. These rings carry beams moving in opposite directions and intersect at six symmetric locations in the 3.8 km circumference. The original four detectors are located in four of these six locations where the beams undergo head-on collisions.

The Large Hadron Collider (LHC) is located underground (between 45m and 170m) beneath the France-Switzerland border near the city of Geneva. The two rings of the collider were constructed between 1998 and 2008 by the European Organization for Nuclear Research (CERN) in the 26.7 km circular tunnel originally housing CERN's Large Electron-Positron collider. Analogous to the RHIC, the LHC gets its beams prepared by a series of machines in the CERN accelerator complex. The collisions occur at the locations of the four big LHC experiments: Compact Muon Solenoid (CMS), A Toroidal LHC ApparatuS (ATLAS), Large Hadron Collider beauty (LHCb) experiment, and A Large Ion Collider Experiment (ALICE). ALICE is dedicated to the study of heavy-ion collisions [29].

## 3.2 Collision Energy and Geometry

What happens in the aftermath of a collision depends on how much energy is available at the time of the collision as well as the geometry of the collision. The collision energy is determined by the collider configuration. The geometry of the collision is deduced as the collision *centrality*, as described later in this section, through the estimation of the charged particle multiplicities ( $N_{ch}$ ) resulting from the collisions.

In collision experiments, it is convenient to use a reference frame in which the net momentum of the pair of colliding species is zero. This frame is called the center-of-mass frame. In this frame, the total energy of the species in the two beams is a function of the number of nucleons and the center-of-mass energy per nucleon. The collision energy is reported as the center-of-mass energy per nucleon pair,  $\sqrt{s_{NN}}$ .

RHIC has the unique capability of colliding species at a range of energies spanning almost two orders of magnitude. Table 3.1 lists the collision energies produced so far at RHIC for various collision systems. The LHC boasts the highest amount of collision energy for any collider on earth. It collided species (p+p, p+A, Pb+Pb) at a center of mass energy up to

302 2.76 TeV per nucleon pair at the end of 2010. At the end of 2015, 5.02 TeV Pb+Pb and 13  
303 TeV p+p collisions were successfully completed [31].

Collision system	$\sqrt{s_{NN}}(GeV)$
p+p	200, 510
d+Au	19.6, 39, 62.4, 200
Cu+Cu	62.4
Cu+Au	200
p+Au	200
$^3\text{He}+\text{Au}$	200
Au+Au	7, 7.7, 9, 20, 62, 130, 200


**Table 3.1:** Colliding species and associated collision energies at RHIC [41].

304 In general, any collision between two nuclei is not perfectly head-on. Some collisions are  
305 close to being head-on and are called central collisions. Some are glancing and are called  
306 peripheral collisions. By convention, 0% is the centrality of a perfectly head-on collision and  
307 100% is that of the least head-on, i.e., the most peripheral collision. More central collisions  
308 generally produce more particles [27].

309 The centrality is estimated through a model-based correlation between  $N_{ch}$  and the  
310 impact parameter, defined as the distance between the centers of the two nuclei at the  
311 time of their maximum overlap. The Monte Carlo based model, for instance, assumes that  
312 all nucleons travel in straight lines along the beam direction [38] and that they collide if they  
313 overlap [40].  $N_{ch}$  is assumed to scale with the number of participants and the number of  
314 binary collisions. The distribution of this quantity is then fit to the data and the fraction of  
315 the overlap is estimated from the observed  $N_{ch}$  value. 5% of all collisions with the highest  
316  $N_{ch}$  values, for example, are then referred to as being 0-5% central [27].

317 Figure 3.2 illustrates the aftermath of a mid-central collision, i.e, a collision in which  
318 about half of the volume of each of the nuclei intersects the other.


319 The collision of two nuclei can be modeled as collisions of the constituents that make  
320 up the nuclei. The nucleons that take part in the collisions and are called participants.  
321 The rest of the nucleons are known as spectators. Figure 3.3 illustrates the distribution of  
322 participants and spectators in two colliding nuclei.



**Figure 3.2:** An illustration of a mid-central collision of two nuclei traveling in the  $z$  direction. The  $X$ -axis is parallel to the line joining the centers of the two nuclei at the time of collision [27].

### 3.3 QGP Evolution

The evolution of the QGP is shown in a lightcone diagram in figure 3.4 [27]. The initial state of the colliding nuclei is not precisely known and is the topic of research for upcoming experiments. During the collision, the participants scatter off of each other while the spectators keep traveling almost unperturbed in their original direction. The immediate aftermath of a central collision of heavy ions at RHIC and LHC energies is the formation of a hot fireball. This fireball evolves in time to form a liquid-like medium of quarks and gluons. This medium attains a local equilibrium and remains in such a state, depending on the collision energy, for about 1-10 fm/c. This equilibrium is broken as the liquid QGP evolves by expanding and cooling to attain a density and temperature at which the medium undergoes hadronization followed by a chemical freeze-out to form a hadron gas. The particle ratios are fixed after the chemical freeze-out. Collisions between the constituents of this gas become scant as it evolves with further expansion and cooling, and the hadrons undergo a thermal freeze-out to attain their final energies and momenta [27].



**Figure 3.3:** An illustration of a collision consisting of participants (solid red) and spectators (open blue) within the colliding nuclei labeled A and B.  $t_c$  denotes the time of maximum overlap of the two nuclei. The apparent narrowing of the volumes of the nuclei in the  $z$ -direction is due to Lorentz contraction [61].

### 3.4 Detection of Collision Products

Detectors are placed around the collision site to perform measurements on the final state particles emitting from the thermal freeze-out of the medium. These measurements typically include the reconstruction of the particle tracks, estimation of the types of particles, and the momenta and energies they carry.


Generally, a tracking detector surrounds the collision site, and there are particle identifiers followed by calorimeters around it. A magnetic field is applied parallel to the beam direction around the collision site. Due to this orientation of the magnetic field, the spectators traveling parallel to it move roughly undeflected and the final state charged particles with components of velocity transverse to the beam axis get deflected around the beam axis with radius given by

$$r = \frac{p_T}{qB}, \quad (3.1)$$

where  $p_T$  is the transverse momentum of the particle,  $q$  is its electric charge, and  $B$  is the applied magnetic field. Two kinds of detectors most relevant to this thesis, tracking detectors and calorimeters, are described in chapter 4.

### 3.5 Detection of QGP Signatures

The existence and properties of the QGP in the aftermath of high-energy heavy-ion collisions can be probed using different techniques relevant to several theoretical characteristics of the



**Figure 3.4:** Evolution of the QGP represented in a lightcone diagram.  $\tau_0$  denotes the formation time of the QGP.  $T_c$  is the critical temperature of the transition from the QGP to the hadron gas phase.  $T_{ch}$  and  $T_{fo}$  stand for the temperatures at, respectively, chemical freeze-out and thermal freeze-out [27].

medium. No signature can alone be used to claim the production of the QGP, and some of the probes, which should be interpreted together, are described below.

### 3.5.1 Bjorken Energy Density

In 1983, J.D. Bjorken[23] prescribed a formula to use the final state particles to estimate the initial energy density,  $\epsilon_0$ , in a nucleus-nucleus collision. With slight changes in the original formula, the energy density is estimated by:


$$\epsilon_0 = \frac{1}{\tau_0 A_T} \left\langle \frac{dE_T}{dy} \right\rangle, \quad (3.2)$$

360 where  $\tau_0$  is the formation time of the QGP,  $A_T$  is the transverse area of the intersection  
 361 of the two nuclei, and  $\langle \frac{dE_T}{dy} \rangle$  is the mean transverse energy per unit rapidity.  $\tau_0$  is model-  
 362 dependent and is normally estimated to be  $1fm/c$ .  $A_T$  depends on the centrality of the  
 363 collision and can be estimated using the Glauber model discussed earlier.  $\langle \frac{dE_T}{dy} \rangle$  is found  
 364 from the measurement of the transverse energy carried by the final state particles from the  
 365 collision and is the central theme of this thesis. Details about it are in the following chapters.  
 366 The estimate of the initial energy density from the Bjorken formula is an underestimate of  
 367 the maximum energy density because the measured  $dE_T/dy$  is an average over the system  
 368 as it undergoes expansion and cooling. It can be compared with the QCD prediction of the  
 369 critical energy density [1] to check if the results from a collision imply the achievement of  
 370 the critical physical condition required for the phase transition [36]. Experiments show that  
 371 ultra-relativistic heavy ion collisions are capable of producing energy densities comfortably  
 372 higher than those predicted by QCD [1].

### 373 **3.5.2 Elliptic Flow**

374 The evolution of the medium produced in relativistic heavy ion collisions can be well  
 375 described under the framework of relativistic hydrodynamics [51, 57]. This description  
 376 indicates the presence of a collective flow of a locally thermalized liquid. The angular  
 377 distribution of the momenta of the final state particles emitted out of the collectively flowing  
 378 system can be decomposed into a Fourier expansion in its azimuthal components. The  
 379 second harmonic coefficient,  $\nu_2(y, p_T)$ , of this decomposition characterizes what is known as  
 380 the elliptic flow [35]. The magnitude of the elliptic flow from a non-central collision represents  
 381 the anisotropy in azimuthal momentum space of the thermalized post-collision system [55].  
 382 The elliptic flow of the medium, as a function of the momentum or the kinetic energy in the  
 383 transverse direction, points towards quarks, rather than hadrons, being the relevant degrees  
 384 of freedom in the QGP. Figure 3.5 shows  $v_2$  as a function of the transverse momentum  
 385 and the transverse kinetic energy for identified particles. The spectra scale consistently at  
 386 lower values of both  $p_T$  and  $KE_T$ . However, they branch out as mesons and baryons at  
 387 higher values:  $p_T \gtrsim 2GeV/c$  and  $KE_T \gtrsim 1GeV$ . Figure 3.6, on the other hand, is similar to  
 388 figure 3.5, with the exception that both the axes have quantities that are normalized by the

number of quarks,  $n_q$ . In this case, the  $KE_T$  spectra strongly exhibits a scaling which is more comprehensively consistent with the number of quarks than in case of figure 3.5. This universal quark-number scaling can be interpreted as the degrees of freedom of the system being quark-like [5].




**Figure 3.5:** Minimum-bias Au+Au ( $\sqrt{s_{NN}} = 200\text{GeV}$ ) elliptic flow spectra for identified particles: (a)  $v_2$  vs  $p_T$  and (b)  $v_2$  vs  $KE_T$  [5].

### 3.5.3 Prompt and Thermal Photons

Most of the photons observed after relativistic heavy ion collisions are the results of the decay of the neutral pion into two gammas. When these photons are subtracted from the observations, the remaining photons are called direct photons [44]. These direct photons are produced within the fireball via different mechanisms as discussed below.

In the QGP, a quark and an antiquark can annihilate to produce a photon and a gluon. It is also possible for the pair to annihilate and produce two photons, but the probability of this process is smaller than the former by about two orders of magnitude. Furthermore, a quark (or an antiquark) can interact with a gluon to produce an antiquark (or a quark) and a photon, a process analogous to Compton scattering in QED. The photons produced from the hard scattering processes between the partons are called prompt photons, and




**Figure 3.6:** Minimum-bias Au+Au ( $\sqrt{s_{NN}} = 200\text{GeV}$ ) elliptic flow spectra for identified particles: (a)  $\frac{v_2}{n_q}$  vs  $\frac{p_T}{n_q}$  and (b)  $\frac{v_2}{n_q}$  vs  $\frac{KE_T}{n_q}$  [5].

404 their multiplicity scales with the number of binary collisions. Photons can also be produced  
 405 due to scatterings of partons within the thermalized medium, and these photons are called  
 406 thermal photons. The nature of the  $p_T$  distribution is different in this case as the emission  
 407 process mimics blackbody radiation. This difference helps distinguish these photons from  
 408 the direct photons produced by partonic interactions. Just like the leptons described in  
 409 the previous section, the photons produced in the QGP can only interact with the medium  
 410 electromagnetically. Therefore, they undergo minimal scattering before being detected, and  
 411 hence can be used to probe the thermodynamical state of the medium at the time of their  
 412 creation [63, 44, 62].

### 413 3.5.4 Strangeness Enhancement

414 The interacting nuclei carry no net strangeness before colliding, and so an observation of  
 415 strange and multi-strange particles after the collision can be used to probe the properties of  
 416 the post-collision medium [28]. Strangeness can also be produced in hadron-hadron collisions.  
 417 However, it is enhanced in nucleus-nucleus collisions [20]. This is interesting because it  
 418 possibly indicates a restoration of chiral symmetry, which is a topic of ongoing research:






**Figure 3.7:** Feynman diagram representing the production of photons from quarks and gluons. (a) and (b) represent annihilation processes, whereas (c) and (d) represent Compton processes [63].

in the zero baryon chemical potential limit, lattice QCD calculations reveal a transition of QCD matter between a phase with broken and one with restored chiral symmetry [24]. Chiral symmetry restoration has the implication of all the flavors of quarks losing their masses [50]. Hence, when chiral symmetry is restored, it is more feasible to produce strange quarks, for instance, which have higher masses than the light quarks, up and down, in a state of broken chiral symmetry. Chiral symmetry restoration is not the only possible reason for the production of many strange quarks. It is also feasible to produce strange quarks as long as the temperature of the system is above the strange flavor mass scale, and so it carries effects of the system temperature. This is exemplified by the ratio of the production of the strange kaons to that of the non-strange pions, which are the most abundant hadrons produced from nucleus-nucleus collisions: kaon yield increases more rapidly than pion yield does as the temperature increases [63].

### 3.5.5 Jet Quenching

A scattering event in which the participants transfer a large amount of their original momenta is called hard scattering. The products of the scatterings are called jets. In heavy-ion collisions, most hard scatterings are the results of two partons from the opposite nuclei


435 scattering off each other. These partons can lose their momenta by strongly interacting  
 436 with the enhanced gluon fields in a QGP medium. Therefore, the properties of the jets, as  
 437 carried by the final state hadrons, should be different for collisions that produce the QGP  
 438 as compared to those that do not, and hence they can be used as signatures and probes of  
 439 QGP. Figure 3.8 illustrates the quenching of jets that have to travel long distances in the  
 medium.



**Figure 3.8:** Illustration of jet quenching. Two jets are produced from each of the hard scatterings occurring at the locations of the solid dots. Jets originating closer to the initial surface are more probable to propagate outside the medium, as shown. Jets opposite to them interact with the medium, losing their energy and resulting in bow front shock waves [58].

440

441 The nuclear modification factor,  $R_{AA}$ , is the ratio of the cross section for particle  
 442 production in nucleus-nucleus collisions scaled by the number of binary nucleon-nucleon  
 443 collisions divided by the cross section in proton-proton collisions. It is shown in Fig. 3.9 for  
 444 several different particle species, demonstrating substantial suppression of high momentum  
 445 particles. This shows that the medium is nearly opaque to colored probes.



**Figure 3.9:**  $R_{AA}$  from PHENIX for direct photons [15],  $\pi^0$  [7],  $\eta$  [8],  $\phi$  [12],  $p$  [11],  $J/\psi$  [6],  $\omega$  [10],  $e^\pm$  from heavy flavor decays [9], and  $K^\pm$  [11]. This demonstrates that colored probes (high- $p_T$  final state hadrons) are suppressed while electroweak probes (direct photons) are not at RHIC.

### 3.6 The Beam Energy Scan Program

The RHIC, in 2010, started a multi-phase Beam Energy Scan (BES) program to study the QCD phase diagram. Between 2010 and 2011, during the exploratory phase I of the BES program, the collider provided Au+Au collisions at 7.7, 11.5 (not completed in PHENIX), 19.6, 27, and 39 GeV. Together with the data formerly collected by the RHIC at higher collision energies, BES phase I data can scan the interval from 450 MeV to 20 MeV in  $\mu_B$  space [42, 39]. One of the things that can be studied with the data associated with this region of the phase space is the possibility of a “turn-off of new phenomena already established at higher RHIC energies” [42]. Results corresponding to the high- $\mu_B$  region might provide evidence of a first order phase transition, and possibly the critical point [39].

456 The manifestation of such phenomena might be in terms of the fluctuations or other  
457 properties of the post-collision system. One can, for instance, study the scaling of the energy  
458 density after the collision with the longitudinal energy at the time of the collision,  $\sqrt{s_{NN}}$ ,  
459 for which one needs to measure the transverse energy. This can be done in multiple ways  
460 using a detector like STAR or PHENIX that is made up of sub-systems such as the Time  
461 Of Flight (TOF) detectors, Time Projection Chambers (TPCs)/Time Expansion Chambers,  
462 and calorimeters. The next chapter describes the measurement of transverse energy using  
463 BES data from PHENIX calorimeters. Also, the next chapter and the ones after it contain  
464 the procedures and the results of the analysis of the BES data from STAR using the identified  
465 particle spectra.

## Chapter 4

# Measurement of Transverse Energy

This chapter introduces the definitions of transverse energy, ways to measure it using different detectors, and particular examples for the detectors at the RHIC.

### 4.1 Definition of Transverse Energy

The transverse energy,  $E_T$ , from a collision can be defined as the sum of the transverse masses,  $m_T$ , of all the particles produced in the collision, i.e.,

$$E_T \equiv \sum_i m_{T,i} \quad (4.1)$$

with

$$m_T \equiv \sqrt{p_T^2 + m^2} \quad (4.2)$$

where  $m$  is the rest mass of the particle and  $p_T$  is its transverse momentum. Using this definition to calculate the  $E_T$  requires perfect identification of all the particles. It has not been possible to do so in experiments, and so a more feasible, operational definition of  $E_T$  is used. A commonly accepted definition in the case of calorimetric measurements is [13, 25]:

$$E_T = \sum_i E_i \sin \theta_i, \quad (4.3)$$

478

$$\frac{dE_T}{d\eta} = \sin\theta \frac{dE}{d\eta}, \quad (4.4)$$

479 where the index  $i$  runs over all the particles going into a fixed solid angle for each event,  
 480  $\theta$  is the polar angle, i.e, the angle with respect to the beam axis,  $\eta$  is the pseudorapidity  
 481 defined as

$$\eta \equiv -\ln \tan \frac{\theta}{2}, \quad (4.5)$$

482 and  $E_i$  is the energy deposited in the calorimeter by the  $i^{th}$  particle.  $E_i$  is considered to be,  
 483 by convention [14], the following

$$E_i = \begin{cases} E_i^{tot} - m_0 & \text{for baryons} \\ E_i^{tot} + m_0 & \text{for anti-baryons} \\ E_i^{tot} & \text{otherwise} \end{cases} \quad (4.6)$$

484 where  $E_i^{tot}$  is the total energy of the  $i^{th}$  particle defined canonically as

$$E^{tot} \equiv \sqrt{p^2 + m_0^2} \quad (4.7)$$

485 and  $m_0$  is the particle's rest mass.

486  $E_i$  given by equation 4.6 is what would be observed by a calorimeter. In order to  
 487 account for the portion of the emitted transverse energy not detected or overestimated by  
 488 the calorimeters, corrections are made based on simulations.

## 489 **4.2 $E_T$ Measurement with Calorimeters**

### 490 **4.2.1 Calorimeter**

491 A calorimeter in a particle or nuclear physics experiment is a device used to measure the  
 492 energy carried by a particle by analyzing the signal generated by the shower of particles  
 493 produced by the interaction of the incoming particle with the material of the device [45].  
 494 In theory, a single calorimeter can be made to measure the energy deposited by different

kinds of particles. However, it makes more sense to have two different kinds of calorimeters:  
 one optimized to measure the energy deposited by particles like electrons (or positrons)  
 and photons, called an electromagnetic calorimeter (EMCal), and the other optimized to  
 measure the energy deposited by hadronic particles, called a hadronic calorimeter (HCal).  
 This is because of the difference in the particle showers that these two categories of particles  
 generate. Electrons and photons mostly lose their energies in the calorimeter material via  
 bremsstrahlung, Compton scattering and pair production. They generate particle showers  
 made of electrons and photons which cannot travel much farther into the medium before  
 losing all their energies in a series of interactions producing an avalanche of sequential  
 showers. However, hadrons can interact inelastically with the nucleus generating a shower of  
 hadrons. These secondary hadrons have much larger masses than the secondary electrons in  
 the shower generated by the electrons and photons. This means they are not deflected nearly  
 as much by the electric forces in the material and travel much farther into the calorimeter.  
 For this reason, EMCals are comparably smaller in depth and are placed before the HCals  
 in a detector assembly.

## 4.2.2 $E_T$ from PHENIX Calorimetry

Adare et al. [4] uses electromagnetic calorimetry in PHENIX to analyze the transverse energy  
 corresponding to several different pairs of species colliding at a range of energies. It uses the  
 raw transverse energy measured by the EMCAL,  $E_{TEMC}$ , to obtain the total  $E_T$  by making  
 corrections in three different steps.

They first scale the data by a constant factor, 4.188, calculated to account for the fiducial  
 acceptance in azimuth and pseudorapidity. The second factor is calculated to adjust for the  
 effects of the calorimeter towers that are disabled. The third factor,  $k$ , is the ratio of  $E_T$   
 and  $E_{TEMC}$  and is computed as follows:

$$k = k_{response} \times k_{inflow} \times k_{losses} \quad (4.8)$$

where  $k_{response}$  corresponds to hadronic particles only depositing a fraction of their total  
 energy while passing through the EMCAL,  $k_{inflow}$  is attributable to the energy deposited

by particles coming from outside the EMCal's fiducial aperture, and  $k_{losses}$  accounts for the energy not registered in the EMCal due to energy thresholds, edge effects, and more importantly due to the particles that make it into the fiducial aperture but decay into products outside the aperture.

$k_{response}$  is estimated using simulations of event generation and particle detection. With 75% of the incident energy measured by the EMCal in the simulation,  $k_{response} = 1/(0.75) = 1.33$ . 24% of the energy measured by the EMCal is found to be associated with the 'inflow' particles, and so  $k_{inflow} = 1 - 0.24 = 0.76$ . 22% of the energy is lost due to aforementioned reasons (10% + 6% + 6%), and so  $k_{losses} = 1/(1 - 0.22) = 1.282$ . From equation 4.8, then,  $k = 1.30$ , and this factor was found to vary for all the data sets by less than 1%.

The systematic uncertainties due to several contributions (listed in Table II in [4]) are added in quadrature to obtain the total systematic uncertainties in  $dE_T/d\eta$ . The uncertainty is low for the correction related to the acceptance (2%) as compared to that for the  $k$  factor: 3% for losses and inflow and 4.5%-4.7% for the energy response.

## 4.3 $E_T$ Measurement with Tracking Detectors

Transverse energy analysis can be done using tracking detectors as well if they are able to produce measurements of other physical quantities that implicitly contain information about the transverse energy. Specifically, the charged particle multiplicity distributions with respect to the transverse momenta can be used, with assumptions involving particle ratios (section 5.3.2) and mean  $p_T$ , to calculate the particle's transverse energy. Since the corrections related to the tracking detectors are very different from those related to the calorimeters, results from the two different methods can be used to test the assumptions involved in each.

### 4.3.1 Tracking and Particle Identification

The tracking detectors in experiments such as the STAR (Solenoidal Tracker At RHIC) experiment and ALICE (A Large Ion Collider Experiment) at CERN include Time Projection Chambers (TPCs) and Time-of-Flight (TOF) detectors that can be used to measure the  $p_T$  spectra, yields, and particle ratios of the identified charged hadrons [48, 2]. The TPCs provide



548 measurements of particle trajectories that can be used to determine the momenta for low-  
549 momentum particles. They also provide measurements of their specific energy loss,  $\frac{dE}{dx}$ , which  
550 can be used in combination with the momenta to identify particles using the Bethe-Bloch  
551 formula [22]. The particle identification (PID) capabilities of STAR are discussed in section  
552 4.3.3. TOF detectors cover the high-momentum part of the measurements. In ALICE, the  
553 combination of the measurements of the TPC with those of the Inner Tracking System (ITS)  
554 effectively adds the tracking length, thereby improving the resolution of the measured  $p_T$   
555 spectrum. Details about the PID and momentum determination capabilities of the detectors  
556 in ALICE can be found in [26].

557 The  $p_T$  spectra, reported as  $\frac{d^2N}{dydp_T}$  as a function of  $p_T$ , can be used to calculate  $\frac{dE_T}{d\eta}$  as  
558 formulated in the following section.

### 559 4.3.2 Calculation of $\frac{dE_T}{d\eta}$ from $p_T$ spectra

560 In relativistic heavy ion collisions, rapidity ( $y$ ) is defined as follows:

$$y \equiv \frac{1}{2} \ln \frac{E + p_z}{E - p_z}, \quad (4.9)$$

561 where  $E$  is given by equation 4.7 and  $p_z$  is the component of the momentum parallel to the  
562 beam axis. Pseudorapidity,  $\eta$ , is just  $y$  with  $m_0 = 0$ , which leads to equation 4.5. Taking  
563 the exponential of both sides of the equation 4.5 and using Euler's formula, we get:

$$\sin \theta = \frac{1}{\cosh \eta}. \quad (4.10)$$

Hence,

$$\begin{aligned} p &= \frac{p_T}{\sin \theta} \\ &= p_T \cosh \eta, \end{aligned}$$

564 and so we have

$$E_T = E \sin \theta = \frac{\sqrt{p_T^2 \cosh^2 \eta + m_0^2}}{\cosh \eta} \quad (4.11)$$

The Jacobian for the transformation from  $y$ -space to  $\eta$ -space is derived to be:

$$\frac{\partial y}{\partial \eta} = \frac{p_T \cosh \eta}{\sqrt{m_0^2 + p_T^2 \cosh^2 \eta}} \quad (4.12)$$


From equations 4.11 and 4.12, we can see that the product of  $E_T$  with the Jacobian is equal to  $p_T$ . That leads to a formulation of  $\frac{dE_T}{d\eta}$  as a function of only  $\eta$  and  $p_T$ :

$$\frac{dE_T}{d\eta} = \frac{1}{2a} \int_0^{10 \text{ GeV}/c} \int_{-a}^a p_T \frac{d^2 N}{dy dp_T} d\eta dp_T \quad (4.13)$$

where  $a$  and  $-a$  are the bounds for  $\eta$ . The estimate for the upper limit of  $p_T$  makes sense in accordance with the mean  $p_T$  of the spectra being comfortably an order of magnitude less than 10 GeV/c as discussed in chapter 5. More details on the kinematic variables  $y$  and  $\eta$  are in appendix A.

### 4.3.3 Tracking Detectors in STAR

In the STAR experiment, the TPC is the primary tracking detector. It is 4.2 m long and it cylindrically encloses the accelerator beam pipe from its outside, with an inner diameter of 1 m and an outer diameter of 4 m [41]. It covers a pseudorapidity range of  $|y| < 1.8$  in all of azimuth for charged particles. It can identify particles with momenta over 100 MeV/c up to about 1 GeV/c as well as measure their momenta from 100 MeV/c to 30 GeV/c [17]. Figure 4.1 shows the PID capability of the STAR TPC for very high-multiplicity events [34]. Separation of pions from protons is demonstrated up to a little more than 1 GeV/c. At higher momenta, separating particles is more difficult because their energy loss has lower dependence on the rest mass [17]. The TOF system in STAR, with a time resolution of  $\lesssim 100$  ps, aids PID at higher momenta. However, at intermediate  $p_T$ , between  $\approx 2.0$  and 4.0 GeV/c, the TPC by itself cannot distinguish between pions and protons and the TOF by itself cannot separate pions from kaons. This problem is resolved by utilizing the fact that the dependence of the particle velocity on  $p_T$  – in case of the TPC – is different from that of the energy loss on  $p_T$  in case of the TPC; combining the results from the two, hence, makes PID feasible in this  $p_T$  range [53].



**Figure 4.1:** Energy loss distribution in the STAR TPC for primary and secondary particles [17].


# Chapter 5

## Data Analysis

This thesis details the method of transverse energy analysis through the use of  $p_T$  spectra from the STAR BES data. As described in section 4.3.3, the TPCs and TOF detectors in STAR can identify particles as well as their trajectories and ultimately measure their multiplicity distributions with respect to the momenta. The available distributions were extrapolated to calculate the transverse energies and charged particle multiplicities. Details follow.

### 5.1 STAR $p_T$ Spectra

Adamczyk et al. [2] reports the results for the midrapidity ( $|y| < 0.1$ )  $p_T$  spectra for six different identified hadrons,  $\pi^+$ ,  $\pi^-$ ,  $K^+$ ,  $K^-$ ,  $p$ , and  $\bar{p}$ , from the STAR experiment. The spectra come from  $\sqrt{s_{NN}} = 7.7$ , 11.5, and 39 GeV Au+Au collisions data taken in the year 2010, and from  $\sqrt{s_{NN}} = 19.6$  and 27 GeV Au+Au collisions data taken in 2011, both as part of the BES Program. Figure 5.1 [2] shows the spectra corresponding to 39 GeV collisions categorized into seven different collision centrality classes. Additionally, preliminary spectra were available from the STAR experiment for identified lambdas and anti-lambdas [Ye]. All of these spectra were used to calculate the total transverse energy per event per particle species. This result was then used to estimate the total transverse energy due to all the collision products. The corrections applied by Adamczyk et al. [2] to the raw data to obtain the spectra and the reported systematic uncertainties in their results are discussed below.



**Figure 5.1:** Transverse momentum spectra for  $\pi^+$ ,  $\pi^-$ ,  $K^+$ ,  $K^-$ ,  $p$ , and  $\bar{p}$  at midrapidity ( $|y| < 0.1$ ) from 39 GeV Au+Au collisions at RHIC. The fitting curves on the 0-5% central collision spectra for pions, kaons, and protons/anti-protons represent, respectively, the Bose-Einstein,  $m_T$ -exponential, and double-exponential functions [2].


### 5.1.1 Corrections and Systematic Uncertainties

Detector acceptance and efficiency of reconstructing particle tracks account for most of the correction applied to the raw spectra. The efficiency  $\times$  acceptance correction factor is obtained as the ratio of the distribution of the reconstructed tracks from the experiment and the tracks simulated using the GEANT model of STAR. The inverse of this factor is used to scale the raw spectra. Figure 5.2 shows typical efficiency  $\times$  acceptance factors as functions of  $p_T$  for 0-5% central 7.7 GeV collisions.

Not all tracks formed in the TPC propagate to the TOF. A correction, called the TOF matching efficiency, is applied to the spectra obtained from the TOF. This correction is defined as the ratio of the number of tracks obtained from the TOF to the total number of tracks obtained from the TPC within the same acceptance. The inverse of the TOF matching efficiency is used to scale the TOF raw yields.

The algorithm used by STAR for track reconstruction assumes that each particle is a pion. A third correction is applied using a Monte Carlo simulation to account for the presence of the proton and the kaon tracks apart from the pion tracks. Two other corrections are obtained to subtract the backgrounds of secondary pions and protons produced from the interactions with the detector materials and those of the pions attributable to muon contamination and feed-down contribution from weak decays.

The systematic uncertainties are obtained by varying the analysis cuts and by estimating the tracking efficiencies for each of the identified particles. The former source contributes 4%, 3%, and 6% respectively and the latter 5% each for pions, kaons, and protons. Furthermore, the aforementioned energy loss correction contributes 3% and 5% systematic uncertainties for kaons and protons, respectively.



**Figure 5.2:** Midrapidity efficiency  $\times$  acceptance as a function of  $p_T$  calculated from STAR TPC Monte Carlo simulation of reconstructing (a) pions, (b) kaons, and (c) protons for 0-5% central 7.7 GeV Au+Au collisions. The curves represent functional fits of the form  $y \propto e^{-\frac{1}{x}}$  [2].

## 5.2 Extrapolation of Spectra

The available spectra were limited to a range of transverse momenta from around 0.25 GeV/c to around 2 GeV/c (for pions). At higher momenta, with model-dependent values, the  $p_T$  spectra may be dominated by hard-scattering processes. To account for the transverse energy

corresponding to the momenta for which there were no available data, an extrapolation had to be used. The model used for the extrapolation and the associated statistics are discussed below.

### 5.2.1 Boltzmann-Gibbs Blast Wave


The blast wave is a common model used in the analysis of particle momentum distributions [59, 60, 2]. The specific model used in this thesis is the Boltzmann-Gibbs blast wave (BGBW). This model assumes local thermal equilibrium at the kinetic freeze-out temperature for the applicability of a Boltzmann distribution. It also assumes a radially increasing velocity that attains a maximum value at the surface of the expanding fireball [60]. The BGBW is represented by the equation:

$$\frac{dN}{dp_T} \approx \int_0^R r dr p_T m_T I_0\left(\frac{p_T \sinh \rho}{T}\right) K_1\left(\frac{m_T \cosh \rho}{T}\right), \quad (5.1)$$

where  $\rho = \tanh^{-1} \beta$  is the flow profile,  $\beta = \beta_{max}(\frac{r}{R})^n$  is the flow velocity,  $n$  is the flow velocity profile exponent,  $r$  is the radial distance from the collision vertex,  $R$  is the distance of the expanding medium surface from the collision vertex,  $m_T$  is the transverse mass given by Eq. 4.2,  $T$  is the thermal freeze-out temperature, and  $I_0(x)$  and  $K_1(x)$  ( $x$  being the placeholder for the function arguments) are the modified Bessel functions of the first and second kind.

### 5.2.2 Fitting Spectra to BGBW

Figure 5.3 presents an example of a BGBW fit on one of the individual particle spectra with  $\chi^2/\text{ndf}$  as well as other statistics and the associated uncertainties. The fitting is done in the ROOT software framework which is widely used in high energy physics data analysis.  $T$ ,  $\beta$ , and  $n$  are treated as free parameters, while  $m$  is fixed. The results of the fits for each of the spectra are tabulated in appendix B



**Figure 5.3:** Red curve shows the Boltzmann-Gibbs blast wave functional fit on the preliminary transverse momentum spectrum for lambda particles identified by the STAR detector for 19.6 GeV Au+Au collisions (10-15% central). Parameters extracted from the chi-square goodness-of-fit test, as well as other statistics, are shown in the box on the top right.

## 5.3 Calculations from the Spectra

### 5.3.1 Calculation of $\frac{dE_T}{dy}$ , $\frac{dE_T}{d\eta}$ , $\frac{dN_{ch}}{dy}$ , and $\frac{dN_{ch}}{d\eta}$

The available multiplicity distribution for the  $p_T$  range,  $p_{T,low}$  to  $p_{T,high}$ , of a spectrum divided the total spectrum into three different regions: (i) region where the experimental data is available, i.e.,  $p_{T,low}$  to  $p_{T,high}$ , (ii) extrapolation region from  $p_T = 0$  GeV/c to  $p_T = p_{T,low}$ , and (iii) extrapolation region from  $p_T = p_{T,high}$  to  $p_T = 10$  GeV/c. Following the methods and the Jacobian transformation described in section 4.3.2,  $\frac{dE_T}{dy}$ ,  $\frac{dE_T}{d\eta}$ ,  $\frac{dN_{ch}}{dy}$ , and  $\frac{dN_{ch}}{d\eta}$  the spectra were calculated by adding said quantities corresponding to the three different regions in the distribution.



### 5.3.2 Assumptions, Estimation of Total $E_T$ , and Uncertainties

It is assumed that most of the  $E_T$  is attributable to the contributions from pions, kaons, protons and neutrons. Contributions from heavier particles are assumed to be negligible, and there are some particles which are light but decay very rapidly into  $\pi/K/p$  which are included in the spectra. It is also reasonable to assume that, at high energies, there should be roughly the same multiplicity of all the isospin states and anti-particles of a final state particle. This assumption was partially tested by comparing the  $E_T$  values calculated for the identified charged particles with those independently calculated for their anti-particles for the same values of collision energy and centrality. The comparisons revealed the  $E_T$  values of the particles being almost exactly equal to those of the anti-particles. This assumption is used to account for the energies of the isospin states of the pions, kaons and protons that were not identified.

Table 5.1 lists the isospin states and the anti-particles associated with the pion, the kaon, the proton, and the lambda particles.

Particle	Isospin multiplets
pion	$\pi^+, \pi^0, \pi^-$
kaon	$K^+, K^0, K^-, \bar{K}^0$
proton	$p, n, \bar{p}, \bar{n}$
lambda	$\Lambda, \bar{\Lambda}$

**Table 5.1:** Isospin states of different identified particles.

The total  $E_T$  for all the particles would then be:

$$E_T = \frac{3}{2}(E_T^{\pi^+} + E_T^{\pi^-}) + 2(E_T^{K^+} + E_T^{K^-}) + 2(E_T^p + E_T^{\bar{p}}) + E_T^\Lambda + E_T^{\bar{\Lambda}} \quad (5.2)$$

There are three major sources of systematic uncertainties: (i) uncertainties in the spectra available from [2], (ii) assumptions involved in the fitting function which mainly affects the extrapolation toward lower  $p_T$  values, and (iii) assumption regarding particle ratios and that most of the  $E_T$  is only carried by the particles listed in table 5.1. Uncertainties from the first source are propagated in the parameter uncertainties in the best-fit function, which are then propagated using the covariance matrices of the parameters to the  $E_T$  and  $N_{ch}$

686 results. Statistical uncertainties in the available data, which were small as compared to  
 687 the corresponding systematic uncertainties, were added to the systematic uncertainties in  
 688 quadrature. Uncertainties from the second source can be calculated by using several models,  
 689 apart from the BGBW, to perform the extrapolations. Each of the models would have  
 690 different assumptions involved in it, and the variation in the  $E_T$  results from the different  
 691 models can give an estimate of the systematic uncertainties arising from the difference in  
 692 the assumptions. Due to the time constraint for the completion of this thesis, calculation  
 693 of these uncertainties are left for future work. Uncertainties from the third source result  
 694 from the assumption of the calculation and would not be quantified. The uncertainties are  
 695 assumed to be 100% correlated point to point, and uncorrelated between different particles.

### 696 **5.3.3 Lambdas Centrality Adjustments and $E_T$ Interpolations**

697 The centrality bins corresponding to the lambdas spectra were slightly different from those  
 698 corresponding to the rest of the particles. The centralities were binned the same way from 0%  
 699 to 40%. However, the peripheral centralities for the lambdas were binned into 40-60% and  
 700 60-80% bins, whereas, for the rest of the particles, the peripheral centralities were binned into  
 701 40-50%, 50-60%, 60-70%, and 70-80% bins. For consistency, the lambdas  $E_T$  calculations  
 702 were interpolated to the centralities corresponding to  $\pi/K/p$  using the *Eval()* method of the  
 703 *TGraph* class in the ROOT framework.


# Chapter 6

## Results

The results of the analysis are shown in Figs. 6.5-6.9. The error bars in the figures represent the uncertainties propagated from the available data as explained in section 5.3.2.

Figure 6.1 shows how the transverse energy per nucleon participant pair scales with the total number of nucleon participants in the collisions. As discussed in section ??,  $N_{part}$  is generally proportional to the centrality. The results show that the normalized  $E_T$  does not vary much with  $N_{part}$  for more central collisions (higher  $N_{part}$  values). At a comprehensive stance, this quantity tends to increase with increasing  $N_{part}$ . It is also seen that the shape of the distribution of this quantity as a function of  $N_{part}$  stays roughly the same for different collision energies. Furthermore, the normalized  $E_T$  is found to increase with the collision energy, mostly when the number of participants is high. Figure 6.2 is similar to Fig. 6.1 but in rapidity instead of pseudorapidity coordinates. It shows a similar trend, but with an upward shift, of  $E_T$  distributions.

Figure 6.3 shows the dependence of  $E_T/N_{ch}$  on the number of nucleon participants. This ratio carries information about the average transverse mass of the final state particles produced from heavy ion collisions, and it has been found to not vary with the collision energy and centrality at RHIC energies [4]. The results of this analysis show that this ratio remains roughly the same at higher values of  $N_{part}$  but tends to grow smaller with decreasing  $N_{part}$ , albeit within the error bounds. It is also seen to increase with increasing collision energy. Figure 6.4 is similar to Fig. 6.3 but in rapidity instead of pseudorapidity coordinates. The distributions show a similar trend although with some upward shift.




**Figure 6.1:**  $(dE_T/d\eta)/0.5N_{part}$  at midrapidity as a function of  $N_{part}$  for different collision energies.


Figure 6.5 shows the normalized  $E_T$  as a function of collision energy for all the different collision centralities. This quantity increases with increasing collision energy and centrality while staying within the error bounds of the closest neighboring centralities. The slope of the distribution does not seem to vary a lot between centralities. Figure 6.6 is similar to Fig. 6.5 but in rapidity instead of pseudorapidity coordinates.

Figures 6.7 and 6.8 show the dependence of  $E_T/N_{ch}$  on the collision energy in, respectively, pseudorapidity and rapidity coordinates. The  $\sqrt{s_{NN}}$  axis is again in logarithmic scale. The ratio  $E_T/N_{ch}$  increases with increasing collision energy. The slope of the distributions seem to decrease with increasing centrality for the more central collisions. The more central collisions also show fluctuations in the way  $E_T/N_{ch}$  increases as a function of  $\sqrt{s_{NN}}$ .


Figure 6.9 puts the 0-5% collision results of this analysis in perspective with the results from other experiments.




**Figure 6.2:**  $\langle dE_T/dy \rangle / 0.5N_{part}$  at midrapidity as a function of  $N_{part}$  for different collision energies.




**Figure 6.3:**  $\langle dE_T/d\eta \rangle / \langle dN_{ch}/d\eta \rangle$  at midrapidity as a function of  $N_{part}$  for different collision energies.




**Figure 6.4:**  $\langle dE_T/dy \rangle / \langle dN_{ch}/dy \rangle$  at midrapidity as a function of  $N_{part}$  for different collision energies.



**Figure 6.5:**  $(dE_T/d\eta)/0.5N_{part}$  at midrapidity as a function of  $\sqrt{s_{NN}}$  in logarithmic scale for different centralities. The dashed line represents a power-law fit to the 0-5% central data in the form  $y = ax^{2b}$ , where  $x$  and  $y$  are the placeholders for the quantities in the plot axes.  $\chi^2/n.d.f$  for the fit was 1.806, and the good-fit parameters were  $a = 0.4838 \pm 0.0429$  and  $b = 0.2005 \pm 0.01466$ . The shaded area represents the uncertainty bounds for the 0-5% central PHENIX data from [4].




**Figure 6.6:**  $\langle dE_T/dy \rangle / 0.5N_{part}$  at midrapidity as a function of  $\sqrt{s_{NN}}$  for different centralities.




**Figure 6.7:**  $\langle dE_T/d\eta \rangle / \langle dN_{ch}/d\eta \rangle$  at midrapidity as a function of  $\sqrt{s_{NN}}$  for different centralities.





**Figure 6.8:**  $\langle dE_T/dy \rangle / \langle dN_{ch}/dy \rangle$  at midrapidity as a function of  $\sqrt{s_{NN}}$  for different centralities.



**Figure 6.9:**  $\frac{dE_T}{d\eta} / 0.5N_{part}$  for 0-5% central collisions at midrapidity as a function of  $\sqrt{s_{NN}}$ . The PHENIX data are from [4]. The error bars represent the total statistical and systematic uncertainties.

## <sup>738</sup> Chapter 7

## <sup>739</sup> Conclusion

<sup>740</sup> Summary and implications

## Chapter 8

## Future Work

### 8.1 Goodness of Fit

A maximum likelihood? fit method can be adopted to compare the results with those using the chi-squared fits.

### 8.2 Bjorken Energy Density Estimate

Apart from the transverse energy, the calculation of the initial energy density,  $\epsilon$ , as given by the Bjorken formula in eq. 3.2, requires the estimate of other physical quantities. Adare et al.[4] use the Glauber model to determine  $A_T$ , the area of the intersection of the two nuclei in the transverse plane. Since the results in this thesis are cross-checked with those in [4], it would be reasonable to use the same model in the future work pertaining to this thesis.  $\tau_0$ , the proper time at the moment of QGP equilibration, also depends on the model of the collision. However, the product of  $\epsilon$  and  $\tau_0$  is often used instead of just  $\epsilon$  to study how the energy density scales with the collision energy and the number of participants.

## 755 **8.3 Asymmetric beams**

756 The codes in the repository can be used to analyze more data. In fact, since there is more  
757 data available on collisions of asymmetric systems such as d+Au?, we can expect it to be a  
758 test to tell if the assumptions? used in this analysis scale to such domains?

# Bibliography

[1] Adam, J., Adamova, D., Aggarwal, M. M., Aglieri Rinella, G., Agnello, M., Agrawal, N., Ahammed, Z., Ahmad, S., Ahn, S. U., Aiola, S., Akindinov, A., Alam, S. N., Silva De Albuquerque, D., Aleksandrov, D., Alessandro, B., Alexandre, D., Alfaro Molina, J. R., Alici, A., Alkin, A., Millan Almaraz, J. R., Alme, J., Alt, T., Altinpinar, S., Altsybeev, I., Alves Garcia Prado, C., Andrei, C., Andronic, A., Anguelov, V., Anticic, T., Antinori, F., Antonioli, P., Aphecetche, L. B., Appelshaeuser, H., Arcelli, S., Arnaldi, R., Arnold, O. W., Arsene, I. C., Arslanok, M., Audurier, B., Augustinus, A., Averbek, R. P., Azmi, M. D., Badala, A., Baek, Y. W., Bagnasco, S., Bailhache, R. M., Bala, R., Balasubramanian, S., Baldisseri, A., Baral, R. C., Barbano, A. M., Barbera, R., Barile, F., Barnafoldi, G. G., Barnby, L. S., Ramillien Barret, V., Bartalini, P., Barth, K., Bartke, J. G., Bartsch, E., Basile, M., Bastid, N., Basu, S., Bathen, B., Batigne, G., Batista Camejo, A., Batyunya, B., Batzing, P. C., Bearden, I. G., Beck, H., Bedda, C., Behera, N. K., Belikov, I., Bellini, F., Bello Martinez, H., Bellwied, R., Belmont Iii, R. J., Belmont Moreno, E., Belyaev, V., Bencedi, G., Beole, S., Berceanu, I., Bercuci, A., Berdnikov, Y., Berenyi, D., Bertens, R. A., Berzano, D., Betev, L., Bhasin, A., Bhat, I. R., Bhati, A. K., Bhattacharjee, B., Bhom, J., Bianchi, L., Bianchi, N., Bianchin, C., Bielcik, J., Bielcikova, J., Bilandzic, A., Biro, G., Biswas, R., Biswas, S., Bjelogric, S., Blair, J. T., Blau, D., Blume, C., Bock, F., Bogdanov, A., Boggild, H., Boldizar, L., Bombara, M., Book, J. H., Borel, H., Borissov, A., Borri, M., Bossu, F., Botta, E., Bourjau, C., Braun-Munzinger, P., Bregant, M., Breitner, T. G., Broker, T. A., Browning, T. A., Broz, M., Brucken, E. J., Bruna, E., Bruno, G. E., Budnikov, D., Buesching, H., Bufalino, S., Buncic, P., Busch, O., Buthelezi, E. Z., Bashir Butt, J., Buxton, J. T., Cabala, J., Caffarri, D., Cai, X., Caines, H. L., Calero Diaz, L., Caliva, A., Calvo Villar, E., Camerini, P., Carena, F., Carena, W., Carnesecchi, F., Castillo Castellanos, J. E., Castro, A. J., Casula, E. A. R., Ceballos Sanchez, C., Cepila, J., Cerello, P., Cercala, J., Chang, B., Chapeland, S., Chartier, M., Charvet, J.-L. F., Chattopadhyay, S., Chattopadhyay, S., Chauvin, A., Chelnokov, V., Cherney, M. G., Cheshkov, C. V., Cheynis, B., Chibante Barroso, V. M., Dobrigkeit Chinellato, D., Cho, S., Chochula, P., Choi, K., Chojnacki, M., Choudhury, S., Christakoglou, P., Christensen, C. H., Christiansen, P., Chujo, T., Chung, S.-U., Cicalo, C., Cifarelli, L., Cindolo, F., Cleymans, J. W. A., Colamaria, F. F., Colella, D., Collu, A.,

790 Colocci, M., Conesa Balbastre, G., Conesa Del Valle, Z., Connors, M. E., Contreras Nuno,  
 791 J. G., Cormier, T. M., Corrales Morales, Y., Cortes Maldonado, I., Cortese, P., Cosentino,  
 792 M. R., Costa, F., Crochet, P., Cruz Albino, R., Cuautle Flores, E., Cunqueiro Mendez,  
 793 L., Dahms, T., Dainese, A., Danisch, M. C., Danu, A., Das, D., Das, I., Das, S., Dash,  
 794 A. K., Dash, S., De, S., De Caro, A., De Cataldo, G., De Conti, C., De Cuveland, J.,  
 795 De Falco, A., De Gruttola, D., De Marco, N., De Pasquale, S., Deisting, A., Deloff,  
 796 A., Denes, E. S., Deplano, C., Dhankher, P., Di Bari, D., Di Mauro, A., Di Nezza,  
 797 P., Diaz Corchero, M. A., Dietel, T., Dillenseger, P., Divia, R., Djuvsland, O., Dobrin,  
 798 A. F., Domenicis Gimenez, D., Donigus, B., Dordic, O., Drozhzhova, T., Dubey, A. K.,  
 799 Dubla, A., Ducroux, L., Dupieux, P., Ehlers Iii, R. J., Elia, D., Endress, E., Engel, H.,  
 800 Epple, E., Erasmus, B. E., Erdemir, I., Erhardt, F., Espagnon, B., Estienne, M. D.,  
 801 Esumi, S., Eum, J., Evans, D., Evdokimov, S., Eyyubova, G., Fabbietti, L., Fabris, D.,  
 802 Faivre, J., Fantoni, A., Fasel, M., Feldkamp, L., Feliciello, A., Feofilov, G., Ferencei, J.,  
 803 Fernandez Tellez, A., Gonzalez Ferreiro, E., Ferretti, A., Festanti, A., Feuillard, V. J. G.,  
 804 Figiel, J., Araujo Silva Figueredo, M., Filchagin, S., Finogeev, D., Fionda, F., Fiore, E. M.,  
 805 Fleck, M. G., Floris, M., Foertsch, S. V., Foka, P., Fokin, S., Fragiacomio, E., Francescon,  
 806 A., Frankenfeld, U. M., Fronze, G. G., Fuchs, U., Furget, C., Furs, A., Fusco Girard, M.,  
 807 Gaardhoeje, J. J., Gagliardi, M., Gago Medina, A. M., Gallio, M., Gangadharan, D. R.,  
 808 Ganoti, P., Gao, C., Garabatos Cuadrado, J., Garcia-Solis, E. J., Gargiulo, C., Gasik, P. J.,  
 809 Gauger, E. F., Germain, M., Gheata, M., Ghosh, P., Ghosh, S. K., Gianotti, P., Giubellino,  
 810 P., Giubilato, P., Gladysz-Dziadus, E., Glassel, P., Gomez Coral, D. M., Gomez Ramirez,  
 811 A., Sanchez Gonzalez, A., Gonzalez, V., Gonzalez Zamora, P., Gorbunov, S., Gorlich,  
 812 L. M., Gotovac, S., Grabski, V., Grachov, O. A., Graczykowski, L. K., Graham, K. L.,  
 813 Grelli, A., Grigoras, A. G., Grigoras, C., Grigoryev, V., Grigoryan, A., Grigoryan, S.,  
 814 Grynyov, B., Grion, N., Gronefeld, J. M., Grosse-Oetringhaus, J. F., Grosso, R., Guber,  
 815 F., Guernane, R., Guerzoni, B., Gulbrandsen, K. H., Gunji, T., Gupta, A., Gupta, R.,  
 816 Haake, R., Haaland, O. S., Hadjidakis, C. M., Haiduc, M., Hamagaki, H., Hamar, G.,  
 817 Hamon, J. C., Harris, J. W., Harton, A. V., Hatzifotiadou, D., Hayashi, S., Heckel, S. T.,  
 818 Hellbar, E., Helstrup, H., Herghelegiu, A. I., Herrera Corral, G. A., Hess, B. A., Hetland,  
 819 K. F., Hillemanns, H., Hippolyte, B., Horak, D., Hosokawa, R., Hristov, P. Z., Humanic,

820 T., Hussain, N., Hussain, T., Hutter, D., Hwang, D. S., Ilkaev, R., Inaba, M., Incani,  
 821 E., Ippolitov, M., Irfan, M., Ivanov, M., Ivanov, V., Izucheev, V., Jacazio, N., Jacobs,  
 822 P. M., Jadhav, M. B., Jadlovská, S., Jadlovsky, J., Jahnke, C., Jakubowska, M. J., Jang,  
 823 H. J., Janik, M. A., Pahula Hewage, S., Jena, C., Jena, S., Jimenez Bustamante, R. T.,  
 824 Jones, P. G., Jusko, A., Kalinak, P., Kalweit, A. P., Kamin, J. A., Kang, J. H., Kaplin,  
 825 V., Kar, S., Karasu Uysal, A., Karavichev, O., Karavicheva, T., Karayan, L., Karpechev,  
 826 E., Kebschull, U. W., Keidel, R., Keijndener, D. L., Keil, M., Khan, M. M., Khan, P.,  
 827 Khan, S. A., Khanzadeev, A., Kharlov, Y., Kileng, B., Kim, D. W., Kim, D. J., Kim,  
 828 D., Kim, H., Kim, J., Kim, M., Kim, S. Y., Kim, T., Kirsch, S., Kisel, I., Kiselev,  
 829 S., Kisiel, A. R., Kiss, G., Klay, J. L., Klein, C., Klein, J., Klein-Boesing, C., Klewin,  
 830 S., Kluge, A., Knichel, M. L., Knospe, A. G., Kobdaj, C., Kofarago, M., Kollegger, T.,  
 831 Kolozhvari, A., Kondratev, V., Kondratyeva, N., Kondratyuk, E., Konevskikh, A., Kopcik,  
 832 M., Kostarakis, P., Kour, M., Kouzinopoulos, C., Kovalenko, O., Kovalenko, V., Kowalski,  
 833 M., Koyithatta Meethalevedu, G., Kralik, I., Kravcakova, A., Krivda, M., Krizek, F.,  
 834 Kryshen, E., Krzewicki, M., Kubera, A. M., Kucera, V., Kuhn, C. C., Kuijer, P. G.,  
 835 Kumar, A., Kumar, J., Kumar, L., Kumar, S., Kurashvili, P., Kurepin, A., Kurepin, A.,  
 836 Kuryakin, A., Kweon, M. J., Kwon, Y., La Pointe, S. L., La Rocca, P., Ladron De Guevara,  
 837 P., Lagana Fernandes, C., Lakomov, I., Langoy, R., Lapidus, K., Lara Martinez, C. E.,  
 838 Lardeux, A. X., Lattuca, A., Laudi, E., Lea, R., Leardini, L., Lee, G. R., Lee, S., Lehas, F.,  
 839 Lemmon, R. C., Lenti, V., Leogrande, E., Leon Monzon, I., Leon Vargas, H., Leoncino, M.,  
 840 Levai, P., Li, S., Li, X., Lien, J. A., Lietava, R., Lindal, S., Lindenstruth, V., Lippmann,  
 841 C., Lisa, M. A., Ljunggren, H. M., Lodato, D. F., Lonne, P.-I., Loginov, V., Loizides, C.,  
 842 Lopez, X. B., Lopez Torres, E., Lowe, A. J., Luettig, P. J., Lunardon, M., Luparello,  
 843 G., Lutz, T. H., Maevskaya, A., Mager, M., Mahajan, S., Mahmood, S. M., Maire,  
 844 A., Majka, R. D., Malaev, M., Maldonado Cervantes, I. A., Malinina, L., Mal'Kevich,  
 845 D., Malzacher, P., Mamonov, A., Manko, V., Manso, F., Manzari, V., Marchisone, M.,  
 846 Mares, J., Margagliotti, G. V., Margotti, A., Margutti, J., Marin, A. M., Markert, C.,  
 847 Marquard, M., Martin, N. A., Martin Blanco, J., Martinengo, P., Martinez Hernandez,  
 848 M. I., Martinez-Garcia, G., Martinez Pedreira, M., Mas, A. J.-M., Masciocchi, S., Masera,  
 849 M., Masoni, A., Mastroserio, A., Matyja, A. T., Mayer, C., Mazer, J. A., Mazzoni,



850 A. M., Mcdonald, D., Meddi, F., Melikyan, Y., Menchaca-Rocha, A. A., Meninno, E.,  
 851 Mercado-Perez, J., Meres, M., Miake, Y., Mieskolainen, M. M., Mikhaylov, K., Milano,  
 852 L., Milosevic, J., Mischke, A., Mishra, A. N., Miskowiec, D. C., Mitra, J., Mitu, C. M.,  
 853 Mohammadi, N., Mohanty, B., Molnar, L., Montano Zetina, L. M., Montes Prado, E.,  
 854 Moreira De Godoy, D. A., Perez Moreno, L. A., Moretto, S., Morreale, A., Morsch, A.,  
 855 Muccifora, V., Mudnic, E., Muhlheim, D. M., Muhuri, S., Mukherjee, M., Mulligan, J. D.,  
 856 Gameiro Munhoz, M., Munzer, R. H., Murakami, H., Murray, S., Musa, L., Musinsky,  
 857 J., Naik, B., Nair, R., Nandi, B. K., Nania, R., Nappi, E., Naru, M. U., Ferreira Natal  
 858 Da Luz, P. H., Nattrass, C., Rosado Navarro, S., Nayak, K., Nayak, R., Nayak, T. K.,  
 859 Nazarenko, S., Nedosekin, A., Nellen, L., Ng, F., Nicassio, M., Niculescu, M., Niedziela,  
 860 J., Nielsen, B. S., Nikolaev, S., Nikulin, S., Nikulin, V., Noferini, F., Nomokonov, P.,  
 861 Nooren, G., Cabanillas Noris, J. C., Norman, J., Nyanin, A., Nystrand, J. I., Oeschler,  
 862 H. O., Oh, S., Oh, S. K., Ohlson, A. E., Okatan, A., Okubo, T., Olah, L., Oleniacz,  
 863 J., Oliveira Da Silva, A. C., Oliver, M. H., Onderwaater, J., Oppedisano, C., Orava, R.,  
 864 Oravec, M., Ortiz Velasquez, A., Oskarsson, A. N. E., Otwinowski, J. T., Oyama, K.,  
 865 Ozdemir, M., Pachmayer, Y. C., Pagano, D., Pagano, P., Paic, G., Pal, S. K., Pan, J.,  
 866 Pandey, A. K., Papikyan, V., Pappalardo, G., Pareek, P., Park, W., Parmar, S., Passfeld,  
 867 A., Paticchio, V., Patra, R. N., Paul, B., Pei, H., Peitzmann, T., Pereira Da Costa, H.  
 868 D. A., Peresunko, D. Y., Perez Lara, C. E., Perez Lezama, E., Peskov, V., Pestov, Y.,  
 869 Petracek, V., Petrov, V., Petrovici, M., Petta, C., Piano, S., Pikna, M., Pillot, P., Ozelin  
 870 De Lima Pimentel, L., Pinazza, O., Pinsky, L., Piyaathana, D., Ploskon, M. A., Planinic,  
 871 M., Pluta, J. M., Pochybova, S., Podesta Lerma, P. L. M., Poghosyan, M., Polishchuk,  
 872 B., Poljak, N., Poonsawat, W., Pop, A., Porteboeuf, S. J., Porter, R. J., Pospisil, J.,  
 873 Prasad, S. K., Preghenella, R., Prino, F., Pruneau, C. A., Pshenichnov, I., Puccio, M.,  
 874 Puddu, G., Pujahari, P. R., Punin, V., Putschke, J. H., Qvigstad, H., Rachevski, A., Raha,  
 875 S., Rajput, S., Rak, J., Rakotozafindrabe, A. M., Ramello, L., Rami, F., Raniwala, R.,  
 876 Raniwala, S., Rasanen, S. S., Rascanu, B. T., Rathee, D., Read, K. F., Redlich, K., Reed,  
 877 R. J., Rehman, A. U., Reichelt, P. S., Reidt, F., Ren, X., Renfordt, R. A. E., Reolon, A. R.,  
 878 Reshetin, A., Reygers, K. J., Riabov, V., Ricci, R. A., Richert, T. O. H., Richter, M. R.,  
 879 Riedler, P., Riegler, W., Riggi, F., Ristea, C.-L., Rocco, E., Rodriguez Cahuantzi, M.,

880 Rodriguez Manso, A., Roeed, K., Rogochaya, E., Rohr, D. M., Roehrich, D., Ronchetti,  
 881 F., Ronflette, L., Rosnet, P., Rossi, A., Roukoutakis, F., Roy, A., Roy, C. S., Roy, P. K.,  
 882 Rubio Montero, A. J., Rui, R., Russo, R., Di Ruzza, B., Ryabinkin, E., Ryabov, Y.,  
 883 Rybicki, A., Saarinen, S., Sadhu, S., Sadovskiy, S., Safarik, K., Sahlmuller, B., Sahoo, P.,  
 884 Sahoo, R., Sahoo, S., Sahu, P. K., Saini, J., Sakai, S., Saleh, M. A., Salzwedel, J. S. N.,  
 885 Sambyal, S. S., Samsonov, V., Sandor, L., Sandoval, A., Sano, M., Sarkar, D., Sarkar, N.,  
 886 Sarma, P., Scapparone, E., Scarlassara, F., Schiaua, C. C., Schicker, R. M., Schmidt, C. J.,  
 887 Schmidt, H. R., Schuchmann, S., Schukraft, J., Schulc, M., Schutz, Y. R., Schwarz, K. E.,  
 888 Schweda, K. O., Scioli, G., Scomparin, E., Scott, R. M., Sefcik, M., Seger, J. E., Sekiguchi,  
 889 Y., Sekihata, D., Selyuzhenkov, I., Senosi, K., Senyukov, S., Serradilla Rodriguez, E.,  
 890 Sevcenco, A., Shabanov, A., Shabetai, A., Shadura, O., Shahoyan, R., Shahzad, M. I.,  
 891 Shangaraev, A., Sharma, A., Sharma, M., Sharma, M., Sharma, N., Sheikh, A. I., Shigaki,  
 892 K., Shou, Q., Shtejer Diaz, K., Sibiryak, Y., Siddhanta, S., Sielewicz, K. M., Siemiarczuk,  
 893 T., Silvermyr, D. O. R., Silvestre, C. M., Simatovic, G., Simonetti, G., Singaraju, R. N.,  
 894 Singh, R., Singha, S., Singhal, V., Sinha, B., Sarkar Sinha, T., Sitar, B., Sitta, M., Skaali,  
 895 B., Slupecki, M., Smirnov, N., Snellings, R., Snellman, T. W., Song, J., Song, M., Song,  
 896 Z., Soramel, F., Sorensen, S. P., Derradi De Souza, R., Sozzi, F., Spacek, M., Spiriti, E.,  
 897 Sputowska, I. A., Spyropoulou-Stassinaki, M., Stachel, J., Stan, I., Stankus, P., Stenlund,  
 898 E. A., Steyn, G. F., Stiller, J. H., Stocco, D., Strmen, P., Alarcon Do Passo Suaide, A.,  
 899 Sugitate, T., Suire, C. P., Suleymanov, M. K. O., Suljic, M., Sultanov, R., Sumbera,  
 900 M., Sumowidagdo, S., Szabo, A., Szanto De Toledo, A., Szarka, I., Szczepankiewicz, A.,  
 901 Szymanski, M. P., Tabassam, U., Takahashi, J., Tambave, G. J., Tanaka, N., Tarhini,  
 902 M., Tariq, M., Tarzila, M.-G., Tauro, A., Tejeda Munoz, G., Telesca, A., Terasaki, K.,  
 903 Terrevoli, C., Teyssier, B., Thaeder, J. M., Thakur, D., Thomas, D., Tieulent, R. N.,  
 904 Tikhonov, A., Timmins, A. R., Toia, A., Trogolo, S., Trombetta, G., Trubnikov, V.,  
 905 Trzaska, W. H., Tsuji, T., Tumkin, A., Turrisi, R., Tveter, T. S., Ullaland, K., Uras, A.,  
 906 Usai, G., Utrobicic, A., Vala, M., Valencia Palomo, L., Vallero, S., Van Der Maarel, J.,  
 907 Van Hoorne, J. W., Van Leeuwen, M., Vanat, T., Vande Vyvre, P., Varga, D., Diozcora  
 908 Vargas Trevino, A., Vargyas, M., Varma, R., Vasileiou, M., Vasiliev, A., Vauthier, A.,  
 909 Vazquez Doce, O., Vechernin, V., Veen, A. M., Veldhoen, M., Velure, A., Vercellin, E.,

Vergara Limon, S., Vernet, R., Verweij, M., Vickovic, L., Viinikainen, J. S., Vilakazi, Z.,  
 Villalobos Baillie, O., Villatoro Tello, A., Vinogradov, A., Vinogradov, L., Vinogradov,  
 Y., Virgili, T., Vislavicius, V., Viyogi, Y., Vodopyanov, A., Volkl, M. A., Voloshin, K.,  
 Voloshin, S., Volpe, G., Von Haller, B., Vorobyev, I., Vranic, D., Vrlakova, J., Vulpescu,  
 B., Wagner, B., Wagner, J., Wang, H., Wang, M., Watanabe, D., Watanabe, Y., Weber,  
 M., Weber, S. G., Weiser, D. F., Wessels, J. P., Westerhoff, U., Whitehead, A. M.,  
 Wiechula, J., Wikne, J., Wilk, G. A., Wilkinson, J. J., Williams, C., Windelband, B. S.,  
 Winn, M. A., Yang, P., Yano, S., Yasin, Z., Yin, Z., Yokoyama, H., Yoo, I.-K., Yoon,  
 J. H., Yurchenko, V., Yushmanov, I., Zaborowska, A., Zaccolo, V., Zaman, A., Zampolli,  
 C., Correia Zanolli, H. J., Zaporozhets, S., Zardoshti, N., Zarochentsev, A., Zavada, P.,  
 Zavyalov, N., Zbroszczyk, H. P., Zgura, S. I., Zhalov, M., Zhang, H., Zhang, X., Zhang,  
 Y., Chunhui, Z., Zhang, Z., Zhao, C., Zhigareva, N., Zhou, D., Zhou, Y., Zhou, Z.,  
 Zhu, H., Zhu, J., Zichichi, A., Zimmermann, A., Zimmermann, M. B., Zinovjev, G., and  
 Zyzak, M. (2016). Measurement of transverse energy at midrapidity in Pb-Pb collisions at  
 $\sqrt{s_{NN}} = 2.76$  TeV. *Phys. Rev. C*, 94(CERN-EP-2016-071. CERN-EP-2016-071):034903.  
 30 p. 30 pages, 14 captioned figures, 2 tables, authors from page 25, published version,  
 figures at <http://aliceinfo.cern.ch/ArtSubmission/node/2400>. 6, 14

[2] Adamczyk, L., Adkins, J. K., Agakishiev, G., Aggarwal, M. M., Ahammed, Z., Ajitanand,  
 N. N., Alekseev, I., Anderson, D. M., Aoyama, R., Aparin, A., Arkhipkin, D., Aschenauer,  
 E. C., Ashraf, M. U., Attri, A., Averichev, G. S., Bai, X., Bairathi, V., Behera, A.,  
 Bellwied, R., Bhasin, A., Bhati, A. K., Bhattarai, P., Bielcik, J., Bielcikova, J., Bland,  
 L. C., Bordyuzhin, I. G., Bouchet, J., Brandenburg, J. D., Brandin, A. V., Brown, D.,  
 Bunzarov, I., Butterworth, J., Caines, H., Calderón de la Barca Sánchez, M., Campbell,  
 J. M., Cebra, D., Chakaberia, I., Chaloupka, P., Chang, Z., Chankova-Bunzarova, N.,  
 Chatterjee, A., Chattopadhyay, S., Chen, X., Chen, J. H., Chen, X., Cheng, J., Cherney,  
 M., Christie, W., Contin, G., Crawford, H. J., Das, S., De Silva, L. C., Debbe, R. R.,  
 Dedovich, T. G., Deng, J., Derevschikov, A. A., Didenko, L., Dilks, C., Dong, X.,  
 Drachenberg, J. L., Draper, J. E., Dunkelberger, L. E., Dunlop, J. C., Efimov, L. G.,  
 Elsey, N., Engelage, J., Eppley, G., Esha, R., Esumi, S., Evdokimov, O., Ewigleben,

939 J., Eyser, O., Fatemi, R., Fazio, S., Federic, P., Federicova, P., Fedorisin, J., Feng, Z.,  
 940 Filip, P., Finch, E., Fisyak, Y., Flores, C. E., Fulek, L., Gagliardi, C. A., Garand, D.,  
 941 Geurts, F., Gibson, A., Girard, M., Grosnick, D., Gunarathne, D. S., Guo, Y., Gupta, A.,  
 942 Gupta, S., Guryn, W., Hamad, A. I., Hamed, A., Harlenderova, A., Harris, J. W., He, L.,  
 943 Heppelmann, S., Heppelmann, S., Hirsch, A., Hoffmann, G. W., Horvat, S., Huang, T.,  
 944 Huang, B., Huang, X., Huang, H. Z., Humanic, T. J., Huo, P., Igo, G., Jacobs, W. W.,  
 945 Jentsch, A., Jia, J., Jiang, K., Jowzaee, S., Judd, E. G., Kabana, S., Kalinkin, D., Kang,  
 946 K., Kauder, K., Ke, H. W., Keane, D., Kechechyan, A., Khan, Z., Kikoła, D. P., Kisel,  
 947 I., Kisiel, A., Kochenda, L., Kocmanek, M., Kollegger, T., Kosarzewski, L. K., Kraishan,  
 948 A. F., Kravtsov, P., Krueger, K., Kulathunga, N., Kumar, L., Kvapil, J., Kwasizur, J. H.,  
 949 Lacey, R., Landgraf, J. M., Landry, K. D., Lauret, J., Lebedev, A., Lednický, R., Lee,  
 950 J. H., Li, X., Li, C., Li, W., Li, Y., Lidrych, J., Lin, T., Lisa, M. A., Liu, H., Liu,  
 951 P., Liu, Y., Liu, F., Ljubicic, T., Llope, W. J., Lomnitz, M., Longacre, R. S., Luo, S.,  
 952 Luo, X., Ma, G. L., Ma, L., Ma, Y. G., Ma, R., Magdy, N., Majka, R., Mallick, D.,  
 953 Margetis, S., Markert, C., Matis, H. S., Meehan, K., Mei, J. C., Miller, Z. W., Minaev,  
 954 N. G., Mioduszewski, S., Mishra, D., Mizuno, S., Mohanty, B., Mondal, M. M., Morozov,  
 955 D. A., Mustafa, M. K., Nasim, M., Nayak, T. K., Nelson, J. M., Nie, M., Nigmatkulov,  
 956 G., Niida, T., Nogach, L. V., Nonaka, T., Nurushev, S. B., Odyniec, G., Ogawa, A.,  
 957 Oh, K., Okorokov, V. A., Olvitt, D., Page, B. S., Pak, R., Pandit, Y., Panebratsev, Y.,  
 958 Pawlik, B., Pei, H., Perkins, C., Pile, P., Pluta, J., Poniatowska, K., Porter, J., Posik,  
 959 M., Poskanzer, A. M., Pruthi, N. K., Przybycien, M., Putschke, J., Qiu, H., Quintero, A.,  
 960 Ramachandran, S., Ray, R. L., Reed, R., Rehbein, M. J., Ritter, H. G., Roberts, J. B.,  
 961 Rogachevskiy, O. V., Romero, J. L., Roth, J. D., Ruan, L., Rusnak, J., Rusnakova, O.,  
 962 Sahoo, N. R., Sahu, P. K., Salur, S., Sandweiss, J., Saur, M., Schambach, J., Schmäh,  
 963 A. M., Schmidke, W. B., Schmitz, N., Schweid, B. R., Seger, J., Sergeeva, M., Seyboth, P.,  
 964 Shah, N., Shahaliev, E., Shanmuganathan, P. V., Shao, M., Sharma, A., Sharma, M. K.,  
 965 Shen, W. Q., Shi, Z., Shi, S. S., Shou, Q. Y., Sichtermann, E. P., Sikora, R., Simko,  
 966 M., Singha, S., Skoby, M. J., Smirnov, N., Smirnov, D., Solyst, W., Song, L., Sorensen,  
 967 P., Spinka, H. M., Srivastava, B., Stanislaus, T. D. S., Strikhanov, M., Stringfellow, B.,  
 968 Sugiura, T., Sumbera, M., Summa, B., Sun, Y., Sun, X. M., Sun, X., Surrow, B., Svirida,

D. N., Tang, A. H., Tang, Z., Taranenko, A., Tarnowsky, T., Tawfik, A., Thäder, J., Thomas, J. H., Timmins, A. R., Tlusty, D., Todoroki, T., Tokarev, M., Trentalange, S., Tribble, R. E., Tribedy, P., Tripathy, S. K., Trzeciak, B. A., Tsai, O. D., Ullrich, T., Underwood, D. G., Upsal, I., Van Buren, G., van Nieuwenhuizen, G., Vasiliev, A. N., Videbæk, F., Vokal, S., Voloshin, S. A., Vossen, A., Wang, G., Wang, Y., Wang, F., Wang, Y., Webb, J. C., Webb, G., Wen, L., Westfall, G. D., Wieman, H., Wissink, S. W., Witt, R., Wu, Y., Xiao, Z. G., Xie, W., Xie, G., Xu, J., Xu, N., Xu, Q. H., Xu, Y. F., Xu, Z., Yang, Y., Yang, Q., Yang, C., Yang, S., Ye, Z., Ye, Z., Yi, L., Yip, K., Yoo, I.-K., Yu, N., Zbroszczyk, H., Zha, W., Zhang, Z., Zhang, X. P., Zhang, J. B., Zhang, S., Zhang, J., Zhang, Y., Zhang, J., Zhang, S., Zhao, J., Zhong, C., Zhou, L., Zhou, C., Zhu, X., Zhu, Z., and Zyzak, M. (2017). Bulk properties of the medium produced in relativistic heavy-ion collisions from the beam energy scan program. *Phys. Rev. C*, 96:044904. vii, 24, 28, 29, 30, 31, 33

[3] Adams, J., Aggarwal, M., Ahammed, Z., Amonett, J., Anderson, B., Arkhipkin, D., Averichev, G., Badyal, S., Bai, Y., Balewski, J., Barannikova, O., Barnby, L., Baudot, J., Bekele, S., Belaga, V., Bellingeri-Laurikainen, A., Bellwied, R., Berger, J., Bezverkhny, B., Bharadwaj, S., Bhasin, A., Bhati, A., Bhatia, V., Bichsel, H., Bielcik, J., Bielcikova, J., Billmeier, A., Bland, L., Blyth, C., Bonner, B., Botje, M., Boucham, A., Bouchet, J., Brandin, A., Bravar, A., Bystersky, M., Cadman, R., Cai, X., Caines, H., de la Barca Snchez, M. C., Castillo, J., Catu, O., Cebra, D., Chajecski, Z., Chaloupka, P., Chattopadhyay, S., Chen, H., Chen, Y., Cheng, J., Cherney, M., Chikanian, A., Christie, W., Coffin, J., Cormier, T., Cramer, J., Crawford, H., Das, D., Das, S., de Moura, M., Dedovich, T., Derevschikov, A., Didenko, L., Dietel, T., Dogra, S., Dong, W., Dong, X., Draper, J., Du, F., Dubey, A., Dunin, V., Dunlop, J., Mazumdar, M. D., Eckardt, V., Edwards, W., Efimov, L., Emelianov, V., Engelage, J., Eppley, G., Erasmus, B., Estienne, M., Fachini, P., Faivre, J., Fatemi, R., Fedorisin, J., Filimonov, K., Filip, P., Finch, E., Fine, V., Fisyak, Y., Fu, J., Gagliardi, C., Gaillard, L., Gans, J., Ganti, M., Geurts, F., Ghazikhanian, V., Ghosh, P., Gonzalez, J., Gos, H., Grachov, O., Grebenyuk, O., Grosnick, D., Guertin, S., Guo, Y., Gupta, A., Gutierrez, T., Hallman, T., Hamed, A.,

998 Hardtke, D., Harris, J., Heinz, M., Henry, T., Hepplemann, S., Hippolyte, B., Hirsch,  
 999 A., Hjort, E., Hoffmann, G., Huang, H., Huang, S., Hughes, E., Humanic, T., Igo, G.,  
 1000 Ishihara, A., Jacobs, P., Jacobs, W., Jedynak, M., Jiang, H., Jones, P., Judd, E., Kabana,  
 1001 S., Kang, K., Kaplan, M., Keane, D., Kechechyan, A., Khodyrev, V., Kiryluk, J., Kisiel,  
 1002 A., Kislov, E., Klay, J., Klein, S., Koetke, D., Kollegger, T., Kopytine, M., Kotchenda,  
 1003 L., Kramer, M., Kravtsov, P., Kravtsov, V., Krueger, K., Kuhn, C., Kulikov, A., Kumar,  
 1004 A., Kutuev, R., Kuznetsov, A., Lamont, M., Landgraf, J., Lange, S., Laue, F., Lauret,  
 1005 J., Lebedev, A., Lednický, R., Lehocká, S., LeVine, M., Li, C., Li, Q., Li, Y., Lin, G.,  
 1006 Lindenbaum, S., Lisa, M., Liu, F., Liu, H., Liu, L., Liu, Q., Liu, Z., Ljubicic, T., Llope,  
 1007 W., Long, H., Longacre, R., Lopez-Noriega, M., Love, W., Lu, Y., Ludlam, T., Lynn,  
 1008 D., Ma, G., Ma, J., Ma, Y., Magestro, D., Mahajan, S., Mahapatra, D., Majka, R.,  
 1009 Mangotra, L., Manweiler, R., Margetis, S., Markert, C., Martin, L., Marx, J., Matis, H.,  
 1010 Matulenko, Y., McClain, C., McShane, T., Meissner, F., Melnick, Y., Meschanin, A.,  
 1011 Miller, M., Minaev, N., Mironov, C., Mischke, A., Mishra, D., Mitchell, J., Mohanty,  
 1012 B., Molnar, L., Moore, C., Morozov, D., Munhoz, M., Nandi, B., Nayak, S., Nayak, T.,  
 1013 Nelson, J., Netrakanti, P., Nikitin, V., Nogach, L., Nurushev, S., Odyniec, G., Ogawa,  
 1014 A., Okorokov, V., Oldenburg, M., Olson, D., Pal, S., Panebratsev, Y., Panitkin, S.,  
 1015 Pavlinov, A., Pawlak, T., Peitzmann, T., Perevoztchikov, V., Perkins, C., Peryt, W.,  
 1016 Petrov, V., Phatak, S., Picha, R., Planinic, M., Pluta, J., Porile, N., Porter, J., Poskanzer,  
 1017 A., Potekhin, M., Potrebenikova, E., Potukuchi, B., Prindle, D., Pruneau, C., Putschke,  
 1018 J., Rakness, G., Raniwala, R., Raniwala, S., Ravel, O., Ray, R., Razin, S., Reichhold,  
 1019 D., Reid, J., Reinnarth, J., Renault, G., Retiere, F., Ridiger, A., Ritter, H., Roberts,  
 1020 J., Rogachevskiy, O., Romero, J., Rose, A., Roy, C., Ruan, L., Russcher, M., Sahoo, R.,  
 1021 Sakrejda, I., Salur, S., Sandweiss, J., Sarsour, M., Savin, I., Sazhin, P., Schambach, J.,  
 1022 Scharenberg, R., Schmitz, N., Seger, J., Seyboth, P., Shahaliev, E., Shao, M., Shao, W.,  
 1023 Sharma, M., Shen, W., Shestermanov, K., Shimanskiy, S., Sichtermann, E., Simon, F.,  
 1024 Singaraju, R., Smirnov, N., Snellings, R., Sood, G., Sorensen, P., Sowinski, J., Speltz,  
 1025 J., Spinka, H., Srivastava, B., Stadnik, A., Stanislaus, T., Stock, R., Stolpovsky, A.,  
 1026 Strikhanov, M., Stringfellow, B., Suaide, A., Sugarbaker, E., Suire, C., Sumbera, M.,  
 1027 Surrow, B., Swanger, M., Symons, T., de Toledo, A. S., Tai, A., Takahashi, J., Tang,

A., Tarnowsky, T., Thein, D., Thomas, J., Timoshenko, S., Tokarev, M., Trentalange, S.,  
Tribble, R., Tsai, O., Ulery, J., Ullrich, T., Underwood, D., Buren, G. V., van Leeuwen,  
M., Molen, A. V., Varma, R., Vasilevski, I., Vasiliev, A., Vernet, R., Vigdor, S., Viyogi,  
Y., Vokal, S., Voloshin, S., Waggoner, W., Wang, F., Wang, G., Wang, G., Wang, X.,  
Wang, Y., Wang, Y., Wang, Z., Ward, H., Watson, J., Webb, J., Westfall, G., Wetzler,  
A., Whitten, C., Wieman, H., Wissink, S., Witt, R., Wood, J., Wu, J., Xu, N., Xu,  
Z., Xu, Z., Yamamoto, E., Yepes, P., Yurevich, V., Zborovsky, I., Zhang, H., Zhang,  
W., Zhang, Y., Zhang, Z., Zoukarneev, R., Zoukarneeva, Y., and Zubarev, A. (2005).  
Experimental and theoretical challenges in the search for the quarkgluon plasma: The star  
collaboration's critical assessment of the evidence from rhic collisions. *Nuclear Physics A*,  
757(1):102 – 183. First Three Years of Operation of RHIC. 1

[4] Adare, A., Afanasiev, S., Aidala, C., Ajitanand, N. N., Akiba, Y., Akimoto, R., Al-  
Bataineh, H., Alexander, J., Alfred, M., Al-Jamel, A., Al-Ta'ani, H., Angerami, A., Aoki,  
K., Apadula, N., Aphecetche, L., Aramaki, Y., Armendariz, R., Aronson, S. H., Asai, J.,  
Asano, H., Aschenauer, E. C., Atomssa, E. T., Auerbeck, R., Awes, T. C., Azmoun, B.,  
Babintsev, V., Bai, M., Bai, X., Baksay, G., Baksay, L., Baldisseri, A., Bandara, N. S.,  
Bannier, B., Barish, K. N., Barnes, P. D., Bassalleck, B., Basye, A. T., Bathe, S., Batsouli,  
S., Baublis, V., Bauer, F., Baumann, C., Baumgart, S., Bazilevsky, A., Beaumier, M.,  
Beckman, S., Belikov, S., Belmont, R., Bennett, R., Berdnikov, A., Berdnikov, Y., Bhom,  
J. H., Bickley, A. A., Bjorndal, M. T., Black, D., Blau, D. S., Boissevain, J. G., Bok, J. S.,  
Borel, H., Boyle, K., Brooks, M. L., Brown, D. S., Bryslawskyj, J., Bucher, D., Buesching,  
H., Bumazhnov, V., Bunce, G., Burward-Hoy, J. M., Butsyk, S., Campbell, S., Carangi,  
A., Castera, P., Chai, J.-S., Chang, B. S., Charvet, J.-L., Chen, C.-H., Chernichenko,  
S., Chi, C. Y., Chiba, J., Chiu, M., Choi, I. J., Choi, J. B., Choi, S., Choudhury,  
R. K., Christiansen, P., Chujo, T., Chung, P., Churn, A., Chvala, O., Cianciolo, V.,  
Citron, Z., Cleven, C. R., Cobigo, Y., Cole, B. A., Comets, M. P., Conesa del Valle, Z.,  
Connors, M., Constantin, P., Cronin, N., Crossette, N., Csanád, M., Csörgő, T., Dahms,  
T., Dairaku, S., Danchev, I., Danley, T. W., Das, K., Datta, A., Daugherty, M. S.,  
David, G., Dayananda, M. K., Deaton, M. B., DeBlasio, K., Dehmelt, K., Delagrange,

1057 H., Denisov, A., d'Enterria, D., Deshpande, A., Desmond, E. J., Dharmawardane, K. V.,  
 1058 Dietzsch, O., Ding, L., Dion, A., Diss, P. B., Do, J. H., Donadelli, M., D'Orazio, L.,  
 1059 Drachenberg, J. L., Drapier, O., Drees, A., Drees, K. A., Dubey, A. K., Durham, J. M.,  
 1060 Durum, A., Dutta, D., Dzhordzhadze, V., Edwards, S., Efremenko, Y. V., Egdemir, J.,  
 1061 Ellinghaus, F., Emam, W. S., Engelmores, T., Enokizono, A., En'yo, H., Espagnon, B.,  
 1062 Esumi, S., Eyser, K. O., Fadem, B., Feege, N., Fields, D. E., Finger, M., Finger, M.,  
 1063 Fleuret, F., Fokin, S. L., Forestier, B., Fraenkel, Z., Frantz, J. E., Franz, A., Frawley,  
 1064 A. D., Fujiwara, K., Fukao, Y., Fung, S.-Y., Fusayasu, T., Gadrat, S., Gainey, K., Gal,  
 1065 C., Gallus, P., Garg, P., Garishvili, A., Garishvili, I., Gastineau, F., Ge, H., Germain, M.,  
 1066 Giordano, F., Glenn, A., Gong, H., Gong, X., Gonin, M., Gosset, J., Goto, Y., Granier de  
 1067 Cassagnac, R., Grau, N., Greene, S. V., Grim, G., Grosse Perdekamp, M., Gu, Y., Gunji,  
 1068 T., Guo, L., Guragain, H., Gustafsson, H.-A., Hachiya, T., Hadj Henni, A., Haegemann,  
 1069 C., Haggerty, J. S., Hagiwara, M. N., Hahn, K. I., Hamagaki, H., Hamblen, J., Hamilton,  
 1070 H. F., Han, R., Han, S. Y., Hanks, J., Harada, H., Hartouni, E. P., Haruna, K., Harvey,  
 1071 M., Hasegawa, S., Haseler, T. O. S., Hashimoto, K., Haslum, E., Hasuko, K., Hayano, R.,  
 1072 Hayashi, S., He, X., Heffner, M., Hemmick, T. K., Hester, T., Heuser, J. M., Hiejima, H.,  
 1073 Hill, J. C., Hobbs, R., Hohlmann, M., Hollis, R. S., Holmes, M., Holzmans, W., Homma,  
 1074 K., Hong, B., Horaguchi, T., Hori, Y., Hornback, D., Hoshino, T., Hotvedt, N., Huang, J.,  
 1075 Huang, S., Hur, M. G., Ichihara, T., Ichimiya, R., Iinuma, H., Ikeda, Y., Imai, K., Imazu,  
 1076 Y., Imrek, J., Inaba, M., Inoue, Y., Iordanova, A., Isenhowers, D., Isenhowers, L., Ishihara,  
 1077 M., Isinhue, A., Isobe, T., Issah, M., Isupov, A., Ivanishchev, D., Iwanaga, Y., Jacak,  
 1078 B. V., Javani, M., Jeon, S. J., Jezghani, M., Jia, J., Jiang, X., Jin, J., Jinnouchi, O.,  
 1079 Johnson, B. M., Jones, T., Joo, K. S., Jouan, D., Jumper, D. S., Kajihara, F., Kametani,  
 1080 S., Kamihara, N., Kamin, J., Kanda, S., Kaneta, M., Kaneti, S., Kang, B. H., Kang, J. H.,  
 1081 Kang, J. S., Kanou, H., Kapustinsky, J., Karatsu, K., Kasai, M., Kawagishi, T., Kawall,  
 1082 D., Kawashima, M., Kazantsev, A. V., Kelly, S., Kempel, T., Key, J. A., Khachatryan, V.,  
 1083 Khandai, P. K., Khanzadeev, A., Kijima, K. M., Kikuchi, J., Kim, A., Kim, B. I., Kim, C.,  
 1084 Kim, D. H., Kim, D. J., Kim, E., Kim, E.-J., Kim, G. W., Kim, H. J., Kim, K.-B., Kim,  
 1085 M., Kim, Y.-J., Kim, Y. K., Kim, Y.-S., Kimelman, B., Kinney, E., Kiss, A., Kistenev, E.,  
 1086 Kitamura, R., Kiyomichi, A., Klatsky, J., Klay, J., Klein-Boesing, C., Kleinjan, D., Kline,



1087 P., Koblesky, T., Kochenda, L., Kochetkov, V., Kofarago, M., Komatsu, Y., Komkov,  
 1088 B., Konno, M., Koster, J., Kotchetkov, D., Kotov, D., Kozlov, A., Král, A., Kravitz, A.,  
 1089 Krizek, F., Kroon, P. J., Kubart, J., Kunde, G. J., Kurihara, N., Kurita, K., Kurosawa,  
 1090 M., Kweon, M. J., Kwon, Y., Kyle, G. S., Lacey, R., Lai, Y. S., Lajoie, J. G., Lebedev,  
 1091 A., Le Bornec, Y., Leckey, S., Lee, B., Lee, D. M., Lee, G. H., Lee, J., Lee, K. B.,  
 1092 Lee, K. S., Lee, M. K., Lee, S., Lee, S. H., Lee, S. R., Lee, T., Leitch, M. J., Leite, M.  
 1093 A. L., Leitgab, M., Lenzi, B., Lewis, B., Li, X., Li, X. H., Lichtenwalner, P., Liebing, P.,  
 1094 Lim, H., Lim, S. H., Linden Levy, L. A., Liška, T., Litvinenko, A., Liu, H., Liu, M. X.,  
 1095 Love, B., Lynch, D., Maguire, C. F., Makdisi, Y. I., Makek, M., Malakhov, A., Malik,  
 1096 M. D., Manion, A., Manko, V. I., Mannel, E., Mao, Y., Maruyama, T., Mašek, L., Masui,  
 1097 H., Masumoto, S., Matathias, F., McCain, M. C., McCumber, M., McGaughey, P. L.,  
 1098 McGlinchey, D., McKinney, C., Means, N., Meles, A., Mendoza, M., Meredith, B., Miake,  
 1099 Y., Mibe, T., Midori, J., Mignerey, A. C., Mikeš, P., Miki, K., Miller, T. E., Milov, A.,  
 1100 Mioduszewski, S., Mishra, D. K., Mishra, G. C., Mishra, M., Mitchell, J. T., Mitrovski,  
 1101 M., Miyachi, Y., Miyasaka, S., Mizuno, S., Mohanty, A. K., Mohapatra, S., Montuenga,  
 1102 P., Moon, H. J., Moon, T., Morino, Y., Morreale, A., Morrison, D. P., Moskowitz, M.,  
 1103 Moss, J. M., Motschwiller, S., Moukhanova, T. V., Mukhopadhyay, D., Murakami, T.,  
 1104 Murata, J., Mwai, A., Nagae, T., Nagamiya, S., Nagashima, K., Nagata, Y., Nagle, J. L.,  
 1105 Naglis, M., Nagy, M. I., Nakagawa, I., Nakagomi, H., Nakamiya, Y., Nakamura, K. R.,  
 1106 Nakamura, T., Nakano, K., Nam, S., Nattrass, C., Nederlof, A., Netrakanti, P. K., Newby,  
 1107 J., Nguyen, M., Nihashi, M., Niida, T., Nishimura, S., Norman, B. E., Nouicer, R., Novák,  
 1108 T., Novitzky, N., Nukariya, A., Nyanin, A. S., Nystrand, J., Oakley, C., Obayashi, H.,  
 1109 O'Brien, E., Oda, S. X., Ogilvie, C. A., Ohnishi, H., Oide, H., Ojha, I. D., Oka, M.,  
 1110 Okada, K., Omiwade, O. O., Onuki, Y., Orjuela Koop, J. D., Osborn, J. D., Oskarsson,  
 1111 A., Otterlund, I., Ouchida, M., Ozawa, K., Pak, R., Pal, D., Palounek, A. P. T., Pantuev,  
 1112 V., Papavassiliou, V., Park, B. H., Park, I. H., Park, J., Park, J. S., Park, S., Park, S. K.,  
 1113 Park, W. J., Pate, S. F., Patel, L., Patel, M., Pei, H., Peng, J.-C., Pereira, H., Perepelitsa,  
 1114 D. V., Perera, G. D. N., Peresedov, V., Peressoukko, D., Perry, J., Petti, R., Pinkenburg,  
 1115 C., Pinson, R., Pisani, R. P., Proissl, M., Purschke, M. L., Purwar, A. K., Qu, H., Rak,  
 1116 J., Rakotozafindrabe, A., Ramson, B. J., Ravinovich, I., Read, K. F., Rembeczki, S.,

Reuter, M., Reygers, K., Reynolds, D., Riabov, V., Riabov, Y., Richardson, E., Rinn, T.,  
 Riveli, N., Roach, D., Roche, G., Rolnick, S. D., Romana, A., Rosati, M., Rosen, C. A.,  
 Rosendahl, S. S. E., Rosnet, P., Rowan, Z., Rubin, J. G., Rukoyatkin, P., Ružička, P.,  
 Rykov, V. L., Ryu, M. S., Ryu, S. S., Sahlmueller, B., Saito, N., Sakaguchi, T., Sakai, S.,  
 Sakashita, K., Sakata, H., Sako, H., Samsonov, V., Sano, M., Sano, S., Sarsour, M., Sato,  
 H. D., Sato, S., Sato, T., Sawada, S., Schaefer, B., Schmoll, B. K., Sedgwick, K., Seele,  
 J., Seidl, R., Sekiguchi, Y., Semenov, V., Sen, A., Seto, R., Sett, P., Sexton, A., Sharma,  
 D., Shaver, A., Shea, T. K., Shein, I., Shevel, A., Shibata, T.-A., Shigaki, K., Shimomura,  
 M., Shohjoh, T., Shoji, K., Shukla, P., Sickles, A., Silva, C. L., Silvermyr, D., Silvestre,  
 C., Sim, K. S., Singh, B. K., Singh, C. P., Singh, V., Skolnik, M., Skutnik, S., Slunečka,  
 M., Smith, W. C., Snowball, M., Solano, S., Soldatov, A., Soltz, R. A., Sondheim, W. E.,  
 Sorensen, S. P., Sourikova, I. V., Staley, F., Stankus, P. W., Steinberg, P., Stenlund, E.,  
 Stepanov, M., Ster, A., Stoll, S. P., Stone, M. R., Sugitate, T., Suire, C., Sukhanov, A.,  
 Sullivan, J. P., Sumita, T., Sun, J., Sziklai, J., Tabaru, T., Takagi, S., Takagui, E. M.,  
 Takahara, A., Taketani, A., Tanabe, R., Tanaka, K. H., Tanaka, Y., Taneja, S., Tanida, K.,  
 Tannenbaum, M. J., Tarafdar, S., Taranenko, A., Tarján, P., Tennant, E., Themann, H.,  
 Thomas, D., Thomas, T. L., Tieulent, R., Timilsina, A., Todoroki, T., Togawa, M., Toia,  
 A., Tojo, J., Tomášek, L., Tomášek, M., Torii, H., Towell, C. L., Towell, R., Towell, R. S.,  
 Tram, V.-N., Tserruya, I., Tsuchimoto, Y., Tsuji, T., Tuli, S. K., Tydesjö, H., Tyurin,  
 N., Vale, C., Valle, H., van Hecke, H. W., Vargyas, M., Vazquez-Zambrano, E., Veicht,  
 A., Velkovska, J., Vértesi, R., Vinogradov, A. A., Virius, M., Voas, B., Vossen, A., Vrba,  
 V., Vznuzdaev, E., Wagner, M., Walker, D., Wang, X. R., Watanabe, D., Watanabe, K.,  
 Watanabe, Y., Watanabe, Y. S., Wei, F., Wei, R., Wessels, J., Whitaker, S., White, A. S.,  
 White, S. N., Willis, N., Winter, D., Wolin, S., Woody, C. L., Wright, R. M., Wysocki, M.,  
 Xia, B., Xie, W., Xue, L., Yalcin, S., Yamaguchi, Y. L., Yamaura, K., Yang, R., Yanovich,  
 A., Yasin, Z., Ying, J., Yokkaichi, S., Yoo, J. H., Yoon, I., You, Z., Young, G. R., Younus,  
 I., Yu, H., Yushmanov, I. E., Zajc, W. A., Zaudtke, O., Zelenski, A., Zhang, C., Zhou, S.,  
 Zimanyi, J., Zolin, L., and Zou, L. (2016a). Transverse energy production and charged-  
 particle multiplicity at midrapidity in various systems from  $\sqrt{s_{NN}} = 7.7$  to 200 gev. *Phys.*  
*Rev. C*, 93:024901. viii, 5, 23, 24, 35, 39, 41, 43

- [5] Adare, A., Afanasiev, S., Aidala, C., Ajitanand, N. N., Akiba, Y., Al-Bataineh, H., Alexander, J., Al-Jamel, A., Aoki, K., Aphecetche, L., and et al. (2007). Scaling Properties of Azimuthal Anisotropy in Au+Au and Cu+Cu Collisions at  $s_{NN}=200\text{GeV}$ . *Physical Review Letters*, 98(16):162301. vi, 15, 16
- [6] Adare, A. et al. (2007).  $J/\psi$  Production vs Centrality, Transverse Momentum, and Rapidity in Au+Au Collisions at  $\sqrt{s_{NN}} = 200 \text{ GeV}$ . *Phys. Rev. Lett.*, 98:232301. vii, 19
- [7] Adare, A. et al. (2008). Suppression pattern of neutral pions at high transverse momentum in Au + Au collisions at  $s(\text{NN})^{**}(1/2) = 200\text{-GeV}$  and constraints on medium transport coefficients. *Phys. Rev. Lett.*, 101:232301. vii, 19
- [8] Adare, A. et al. (2010). Transverse momentum dependence of meson suppression  $\eta$  suppression in Au+Au collisions at  $\sqrt{s_{NN}} = 200 \text{ GeV}$ . *Phys. Rev.*, C82:011902. vii, 19
- [9] Adare, A. et al. (2011a). Heavy Quark Production in  $p + p$  and Energy Loss and Flow of Heavy Quarks in Au+Au Collisions at  $\sqrt{s_{NN}} = 200 \text{ GeV}$ . *Phys.Rev.*, C84:044905. vii, 19
- [10] Adare, A. et al. (2011b). Production of  $\omega$  mesons in  $p + p$ , d+Au, Cu+Cu, and Au+Au collisions at  $\sqrt{s_{NN}} = 200 \text{ GeV}$ . *Phys. Rev.*, C84:044902. vii, 19
- [11] Adare, A. et al. (2013). Spectra and ratios of identified particles in Au+Au and d+Au collisions at  $\sqrt{s_{NN}} = 200 \text{ GeV}$ . *Phys. Rev.*, C88(2):024906. vii, 19
- [12] Adare, A. et al. (2016b).  $\phi$  meson production in the forward/backward rapidity region in Cu+Au collisions at  $\sqrt{s_{NN}} = 200 \text{ GeV}$ . *Phys. Rev.*, C93(2):024904. vii, 19
- [13] Adler, S. S., Afanasiev, S., Aidala, C., Ajitanand, N. N., Akiba, Y., Al-Jamel, A., Alexander, J., Aoki, K., Aphecetche, L., Armendariz, R., Aronson, S. H., Averbek, R., Awes, T. C., Azmoun, B., Babintsev, V., Baldisseri, A., Barish, K. N., Barnes, P. D., Bassalleck, B., Bathe, S., Batsouli, S., Baublis, V., Bauer, F., Bazilevsky, A., Belikov, S., Bennett, R., Berdnikov, Y., Bjorndal, M. T., Boissevain, J. G., Borel, H., Boyle, K., Brooks, M. L., Brown, D. S., Bruner, N., Bucher, D., Buesching, H., Bumazhnov,

1173 V., Bunce, G., Burward-Hoy, J. M., Butsyk, S., Camard, X., Campbell, S., Chai, J.-S.,  
 1174 Chand, P., Chang, W. C., Chernichenko, S., Chi, C. Y., Chiba, J., Chiu, M., Choi, I. J.,  
 1175 Choudhury, R. K., Chujo, T., Cianciolo, V., Cleven, C. R., Cobigo, Y., Cole, B. A.,  
 1176 Comets, M. P., Constantin, P., Csanád, M., Csörgő, T., Cussonneau, J. P., Dahms, T.,  
 1177 Das, K., David, G., Deák, F., Delagrangé, H., Denisov, A., d'Enterria, D., Deshpande,  
 1178 A., Desmond, E. J., Devismes, A., Dietzsch, O., Dion, A., Drachenberg, J. L., Drapier,  
 1179 O., Drees, A., Dubey, A. K., Durum, A., Dutta, D., Dzhordzhadze, V., Efremenko, Y. V.,  
 1180 Egdemir, J., Enokizono, A., En'yo, H., Espagnon, B., Esumi, S., Fields, D. E., Finck,  
 1181 C., Fleuret, F., Fokin, S. L., Forestier, B., Fox, B. D., Fraenkel, Z., Frantz, J. E., Franz,  
 1182 A., Frawley, A. D., Fukao, Y., Fung, S.-Y., Gadrat, S., Gastineau, F., Germain, M.,  
 1183 Glenn, A., Gonin, M., Gosset, J., Goto, Y., Granier de Cassagnac, R., Grau, N., Greene,  
 1184 S. V., Grosse Perdekamp, M., Gunji, T., Gustafsson, H.-A., Hachiya, T., Hadj Henni, A.,  
 1185 Haggerty, J. S., Hagiwara, M. N., Hamagaki, H., Hansen, A. G., Harada, H., Hartouni,  
 1186 E. P., Haruna, K., Harvey, M., Haslum, E., Hasuko, K., Hayano, R., He, X., Heffner, M.,  
 1187 Hemmick, T. K., Heuser, J. M., Hidas, P., Hiejima, H., Hill, J. C., Hobbs, R., Holmes, M.,  
 1188 Holzmann, W., Homma, K., Hong, B., Hoover, A., Horaguchi, T., Hur, M. G., Ichihara, T.,  
 1189 Iinuma, H., Ikonnikov, V. V., Imai, K., Inaba, M., Inuzuka, M., Isenhowe, D., Isenhowe,  
 1190 L., Ishihara, M., Isobe, T., Issah, M., Isupov, A., Jacak, B. V., Jia, J., Jin, J., Jinnouchi,  
 1191 O., Johnson, B. M., Johnson, S. C., Joo, K. S., Jouan, D., Kajihara, F., Kametani,  
 1192 S., Kamihara, N., Kaneta, M., Kang, J. H., Katou, K., Kawabata, T., Kawagishi, T.,  
 1193 Kazantsev, A. V., Kelly, S., Khachaturov, B., Khanzadeev, A., Kikuchi, J., Kim, D. J.,  
 1194 Kim, E., Kim, E. J., Kim, G.-B., Kim, H. J., Kim, Y.-S., Kinney, E., Kiss, A., Kistenev, E.,  
 1195 Kiyomichi, A., Klein-Boesing, C., Kobayashi, H., Kochenda, L., Kochetkov, V., Kohara,  
 1196 R., Komkov, B., Konno, M., Kotchetkov, D., Kozlov, A., Kroon, P. J., Kuberg, C. H.,  
 1197 Kunde, G. J., Kurihara, N., Kurita, K., Kweon, M. J., Kwon, Y., Kyle, G. S., Lacey, R.,  
 1198 Lajoie, J. G., Lebedev, A., Le Bornec, Y., Leckey, S., Lee, D. M., Lee, M. K., Leitch,  
 1199 M. J., Leite, M. A. L., Li, X. H., Lim, H., Litvinenko, A., Liu, M. X., Maguire, C. F.,  
 1200 Makdisi, Y. I., Malakhov, A., Malik, M. D., Manko, V. I., Mao, Y., Martinez, G., Masui,  
 1201 H., Matathias, F., Matsumoto, T., McCain, M. C., McGaughey, P. L., Miake, Y., Miller,  
 1202 T. E., Milov, A., Mioduszewski, S., Mishra, G. C., Mitchell, J. T., Mohanty, A. K.,

Morrison, D. P., Moss, J. M., Moukhanova, T. V., Mukhopadhyay, D., Muniruzzaman,  
 M., Murata, J., Nagamiya, S., Nagata, Y., Nagle, J. L., Naglis, M., Nakamura, T., Newby,  
 J., Nguyen, M., Norman, B. E., Nyanin, A. S., Nystrand, J., O'Brien, E., Ogilvie, C. A.,  
 Ohnishi, H., Ojha, I. D., Okada, K., Omiwade, O. O., Oskarsson, A., Otterlund, I., Oyama,  
 K., Ozawa, K., Pal, D., Palounek, A. P. T., Pantuev, V., Papavassiliou, V., Park, J., Park,  
 W. J., Pate, S. F., Pei, H., Penev, V., Peng, J.-C., Pereira, H., Peresedov, V., Peressounko,  
 D., Pierson, A., Pinkenburg, C., Pisani, R. P., Purschke, M. L., Purwar, A. K., Qu, H.,  
 Qualls, J. M., Rak, J., Ravinovich, I., Read, K. F., Reuter, M., Reygers, K., Riabov,  
 V., Riabov, Y., Roche, G., Romana, A., Rosati, M., Rosendahl, S. S. E., Rosnet, P.,  
 Rukoyatkin, P., Rykov, V. L., Ryu, S. S., Sahlmueeller, B., Saito, N., Sakaguchi, T., Sakai,  
 S., Samsonov, V., Sanfratello, L., Santo, R., Sarsour, M., Sato, H. D., Sato, S., Sawada,  
 S., Schutz, Y., Semenov, V., Seto, R., Sharma, D., Shea, T. K., Shein, I., Shibata, T.-A.,  
 Shigaki, K., Shimomura, M., Shohjoh, T., Shoji, K., Sickles, A., Silva, C. L., Silvermyr, D.,  
 Sim, K. S., Singh, C. P., Singh, V., Skutnik, S., Smith, W. C., Soldatov, A., Soltz, R. A.,  
 Sondheim, W. E., Sorensen, S. P., Sourikova, I. V., Staley, F., Stankus, P. W., Stenlund,  
 E., Stepanov, M., Ster, A., Stoll, S. P., Sugitate, T., Suire, C., Sullivan, J. P., Sziklai, J.,  
 Tabaru, T., Takagi, S., Takagui, E. M., Taketani, A., Tanaka, K. H., Tanaka, Y., Tanida,  
 K., Tannenbaum, M. J., Taranenko, A., Tarján, P., Thomas, T. L., Togawa, M., Tojo, J.,  
 Torii, H., Towell, R. S., Tram, V.-N., Tserruya, I., Tsuchimoto, Y., Tuli, S. K., Tydesjö,  
 H., Tyurin, N., Uam, T. J., Vale, C., Valle, H., van Hecke, H. W., Velkovska, J., Velkovsky,  
 M., Vértesi, R., Veszprémi, V., Vinogradov, A. A., Volkov, M. A., Vznuzdaev, E., Wagner,  
 M., Wang, X. R., Watanabe, Y., Wessels, J., White, S. N., Willis, N., Winter, D., Wohn,  
 F. K., Woody, C. L., Wysocki, M., Xie, W., Yanovich, A., Yokkaichi, S., Young, G. R.,  
 Younus, I., Yushmanov, I. E., Zajc, W. A., Zaudtke, O., Zhang, C., Zhou, S., Zimányi, J.,  
 Zolin, L., and Zong, X. (2014). Transverse-energy distributions at midrapidity in  $p + p$ ,  
 $d + \text{Au}$ , and  $\text{Au} + \text{Au}$  collisions at  $\sqrt{s_{\text{NN}}} = 62.4 \sim 200$  gev and implications for particle-  
 production models. *Phys. Rev. C*, 89:044905. 21

[14] Adler, S. S., Afanasiev, S., Aidala, C., Ajitanand, N. N., Akiba, Y., Alexander, J.,  
 Amirikas, R., Aphecetche, L., Aronson, S. H., Auerbeck, R., Awes, T. C., Azmoun, R.,

1232 Babintsev, V., Baldisseri, A., Barish, K. N., Barnes, P. D., Bassalleck, B., Bathe, S.,  
 1233 Batsouli, S., Baublis, V., Bazilevsky, A., Belikov, S., Berdnikov, Y., Bhagavatula, S.,  
 1234 Boissevain, J. G., Borel, H., Borenstein, S., Brooks, M. L., Brown, D. S., Bruner, N.,  
 1235 Bucher, D., Buesching, H., Bumazhnov, V., Bunce, G., Burward-Hoy, J. M., Butsyk, S.,  
 1236 Camard, X., Chai, J.-S., Chand, P., Chang, W. C., Chernichenko, S., Chi, C. Y., Chiba,  
 1237 J., Chiu, M., Choi, I. J., Choi, J., Choudhury, R. K., Chujo, T., Cianciolo, V., Cobigo,  
 1238 Y., Cole, B. A., Constantin, P., d'Enterria, D. G., David, G., Delagrange, H., Denisov, A.,  
 1239 Deshpande, A., Desmond, E. J., Dietzsch, O., Drapier, O., Drees, A., Rietz, R. d., Durum,  
 1240 A., Dutta, D., Efremenko, Y. V., Chenawi, K. E., Enokizono, A., En'yo, H., Esumi,  
 1241 S., Ewell, L., Fields, D. E., Fleuret, F., Fokin, S. L., Fox, B. D., Fraenkel, Z., Frantz,  
 1242 J. E., Franz, A., Frawley, A. D., Fung, S.-Y., Garpman, S., Ghosh, T. K., Glenn, A.,  
 1243 Gogiberidze, G., Gonin, M., Gosset, J., Goto, Y., Cassagnac, R. G. d., Grau, N., Greene,  
 1244 S. V., Perdekamp, M. G., Gurn, W., Gustafsson, H.-A., Hachiya, T., Haggerty, J. S.,  
 1245 Hamagaki, H., Hansen, A. G., Hartouni, E. P., Harvey, M., Hayano, R., He, X., Heffner,  
 1246 M., Hemmick, T. K., Heuser, J. M., Hibino, M., Hill, J. C., Holzmann, W., Homma, K.,  
 1247 Hong, B., Hoover, A., Ichihara, T., Ikonnikov, V. V., Imai, K., Isenhower, D., Ishihara,  
 1248 M., Issah, M., Isupov, A., Jacak, B. V., Jang, W. Y., Jeong, Y., Jia, J., Jinnouchi, O.,  
 1249 Johnson, B. M., Johnson, S. C., Joo, K. S., Jouan, D., Kametani, S., Kamihara, N.,  
 1250 Kang, J. H., Kapoor, S. S., Katou, K., Kelly, S., Khachaturov, B., Khanzadeev, A.,  
 1251 Kikuchi, J., Kim, D. H., Kim, D. J., Kim, D. W., Kim, E., Kim, G.-B., Kim, H. J.,  
 1252 Kistenev, E., Kiyomichi, A., Kiyoyama, K., Klein-Boesing, C., Kobayashi, H., Kochenda,  
 1253 L., Kochetkov, V., Koehler, D., Kohama, T., Kopytine, M., Kotchetkov, D., Kozlov, A.,  
 1254 Kroon, P. J., Kuberg, C. H., Kurita, K., Kuroki, Y., Kweon, M. J., Kwon, Y., Kyle,  
 1255 G. S., Lacey, R., Ladygin, V., Lajoie, J. G., Lebedev, A., Leckey, S., Lee, D. M., Lee, S.,  
 1256 Leitch, M. J., Li, X. H., Lim, H., Litvinenko, A., Liu, M. X., Liu, Y., Maguire, C. F.,  
 1257 Makdisi, Y. I., Malakhov, A., Manko, V. I., Mao, Y., Martinez, G., Marx, M. D., Masui,  
 1258 H., Matathias, F., Matsumoto, T., McGaughey, P. L., Melnikov, E., Mendenhall, M.,  
 1259 Messer, F., Miake, Y., Milan, J., Miller, T. E., Milov, A., Mioduszewski, S., Mischke,  
 1260 R. E., Mishra, G. C., Mitchell, J. T., Mohanty, A. K., Morrison, D. P., Moss, J. M.,  
 1261 Mühlbacher, F., Mukhopadhyay, D., Muniruzzaman, M., Murata, J., Nagamiya, S., Nagle,

1262 J. L., Nakamura, T., Nandi, B. K., Nara, M., Newby, J., Nilsson, P., Nyanin, A. S.,  
 1263 Nystrand, J., O'Brien, E., Ogilvie, C. A., Ohnishi, H., Ojha, I. D., Okada, K., Ono, M.,  
 1264 Onuchin, V., Oskarsson, A., Otterlund, I., Oyama, K., Ozawa, K., Pal, D., Palounek, A.  
 1265 P. T., Pantuev, V. S., Papavassiliou, V., Park, J., Parmar, A., Pate, S. F., Peitzmann,  
 1266 T., Peng, J.-C., Peresedov, V., Pinkenburg, C., Pisani, R. P., Plasil, F., Purschke, M. L.,  
 1267 Purwar, A. K., Rak, J., Ravinovich, I., Read, K. F., Reuter, M., Reygers, K., Riabov, V.,  
 1268 Riabov, Y., Roche, G., Romana, A., Rosati, M., Rosnet, P., Ryu, S. S., Sadler, M. E.,  
 1269 Saito, N., Sakaguchi, T., Sakai, M., Sakai, S., Samsonov, V., Sanfratello, L., Santo, R.,  
 1270 Sato, H. D., Sato, S., Sawada, S., Schutz, Y., Semenov, V., Seto, R., Shaw, M. R., Shea,  
 1271 T. K., Shibata, T.-A., Shigaki, K., Shiina, T., Silva, C. L., Silvermyr, D., Sim, K. S., Singh,  
 1272 C. P., Singh, V., Sivertz, M., Soldatov, A., Soltz, R. A., Sondheim, W. E., Sorensen, S. P.,  
 1273 Sourikova, I. V., Staley, F., Stankus, P. W., Stenlund, E., Stepanov, M., Ster, A., Stoll,  
 1274 S. P., Sugitate, T., Sullivan, J. P., Takagui, E. M., Taketani, A., Tamai, M., Tanaka, K. H.,  
 1275 Tanaka, Y., Tanida, K., Tannenbaum, M. J., Tarján, P., Tepe, J. D., Thomas, T. L., Tojo,  
 1276 J., Torii, H., Towell, R. S., Tserruya, I., Tsuruoka, H., Tuli, S. K., Tydesjö, H., Tyurin,  
 1277 N., Hecke, H. W. v., Velkovska, J., Velkovsky, M., Villatte, L., Vinogradov, A. A., Volkov,  
 1278 M. A., Vznuzdaev, E., Wang, X. R., Watanabe, Y., White, S. N., Wohn, F. K., Woody,  
 1279 C. L., Xie, W., Yang, Y., Yanovich, A., Yokkaichi, S., Young, G. R., Yushmanov, I. E.,  
 1280 Zajc, W. A., Zhang, C., Zhou, S., Zhou, S. J., and Zolin, L. (2005). Systematic studies of  
 1281 the centrality and  $\sqrt{s_{NN}}$  dependence of the  $de_T/d\eta$  and  $dn_{ch}/d\eta$  in heavy ion collisions at  
 1282 midrapidity. *Phys. Rev. C*, 71:034908. 22

1283 [15] Afanasiev, S. et al. (2012). Measurement of Direct Photons in Au+Au Collisions at  
 1284  $\sqrt{s_{NN}} = 200$  GeV. *Phys. Rev. Lett.*, 109:152302. vii, 19

1285 [16] Aitchison, I. and Hey, A. (2003). *Gauge Theories in Particle Physics, Volume II: QCD*  
 1286 *and the Electroweak Theory, Third Edition*. Graduate Student Series in Physics. CRC  
 1287 Press. 3

1288 [17] Anderson, M. et al. (2003). The Star time projection chamber: A Unique tool for  
 1289 studying high multiplicity events at RHIC. *Nucl. Instrum. Meth.*, A499:659–678. vii, 26,  
 1290 27

- [18] Ayala, A. (2016). Hadronic matter at the edge: A survey of some theoretical approaches to the physics of the qcd phase diagram. *Journal of Physics: Conference Series*, 761(1):012066. vi, 5, 6
- [19] Bali, G. S. (2001). QCD forces and heavy quark bound states. *Phys. Rept.*, 343:1–136. 4
- [20] Behera, N. K., Sahoo, R., and Nandi, B. K. (2013). Constituent Quark Scaling of Strangeness Enhancement in Heavy-Ion Collisions. *Adv. High Energy Phys.*, 2013:273248. 16
- [21] Bennett, C. L., Larson, D., Weiland, J. L., Jarosik, N., Hinshaw, G., Odegard, N., Smith, K. M., Hill, R. S., Gold, B., Halpern, M., Komatsu, E., Nolte, M. R., Page, L., Spergel, D. N., Wollack, E., Dunkley, J., Kogut, A., Limon, M., Meyer, S. S., Tucker, G. S., and Wright, E. L. (2013). Nine-year Wilkinson Microwave Anisotropy Probe (WMAP) Observations: Final Maps and Results. , 208:20. 1
- [22] Bethe, H. A. and Ashkin, J. (1953). Passage of radiations through matter experimental nuclear physics vol 1 ed e segre. 25
- [23] Bjorken, J. D. (1983). Highly relativistic nucleus-nucleus collisions: The central rapidity region. *Phys. Rev. D*, 27:140–151. 13
- [24] Bratkovskaya, E.L., Moreau, P., Palmese, A., Cassing, W., Seifert, E., and Steinert, T. (2018). Signatures of chiral symmetry restoration and its survival throughout the hadronic phase interactions. *EPJ Web Conf.*, 171:02004. 17
- [25] Chatrchyan, S., Khachatryan, V., Sirunyan, A. M., Tumasyan, A., Adam, W., Bergauer, T., Dragicevic, M., Erö, J., Fabjan, C., Friedl, M., Frühwirth, R., Ghete, V. M., Hammer, J., Hörmann, N., Hrubec, J., Jeitler, M., Kiesenhofer, W., Knünz, V., Krammer, M., Liko, D., Mikulec, I., Pernicka, M., Rahbaran, B., Rohringer, C., Rohringer, H., Schöfbeck, R., Strauss, J., Taurok, A., Wagner, P., Waltenberger, W., Walzel, G., Widl, E., Wulz, C.-E., Mossolov, V., Shumeiko, N., Suarez Gonzalez, J., Bansal, S., Cornelis, T., De Wolf, E. A., Janssen, X., Luyckx, S., Maes, T., Mucibello, L., Ochsanu, S., Roland, B., Rougny,



1318 R., Selvaggi, M., Staykova, Z., Van Haeevermaet, H., Van Mechelen, P., Van Remortel,  
 1319 N., Van Spilbeeck, A., Blekman, F., Blyweert, S., D'Hondt, J., Gonzalez Suarez, R.,  
 1320 Kalogeropoulos, A., Maes, M., Olbrechts, A., Van Doninck, W., Van Mulders, P.,  
 1321 Van Onsem, G. P., Villella, I., Clerbaux, B., De Lentdecker, G., Dero, V., Gay, A. P. R.,  
 1322 Hreus, T., Léonard, A., Marage, P. E., Reis, T., Thomas, L., Vander Velde, C., Vanlaer, P.,  
 1323 Wang, J., Adler, V., Beernaert, K., Cimmino, A., Costantini, S., Garcia, G., Grunewald,  
 1324 M., Klein, B., Lellouch, J., Marinov, A., McCartin, J., Ocampo Rios, A. A., Ryckbosch, D.,  
 1325 Strobbe, N., Thyssen, F., Tytgat, M., Verwilligen, P., Walsh, S., Yazgan, E., Zaganidis,  
 1326 N., Basegmez, S., Bruno, G., Castello, R., Ceard, L., Delaere, C., du Pree, T., Favart, D.,  
 1327 Forthomme, L., Giammanco, A., Hollar, J., Lemaitre, V., Liao, J., Militaru, O., Nuttens,  
 1328 C., Pagano, D., Pin, A., Piotrkowski, K., Schul, N., Vizan Garcia, J. M., Beliy, N.,  
 1329 Caebergs, T., Daubie, E., Hammad, G. H., Alves, G. A., Correa Martins Junior, M.,  
 1330 De Jesus Damiao, D., Martins, T., Pol, M. E., Souza, M. H. G., Aldá Júnior, W. L.,  
 1331 Carvalho, W., Custódio, A., Da Costa, E. M., De Oliveira Martins, C., Fonseca De Souza,  
 1332 S., Matos Figueiredo, D., Mundim, L., Nogima, H., Oguri, V., Prado Da Silva, W. L.,  
 1333 Santoro, A., Soares Jorge, L., Sznajder, A., Bernardes, C. A., Dias, F. A., Fernandez  
 1334 Perez Tomei, T. R., Gregores, E. M., Lagana, C., Marinho, F., Mercadante, P. G., Novaes,  
 1335 S. F., Padula, S. S., Genchev, V., Iaydjiev, P., Piperov, S., Rodozov, M., Stoykova, S.,  
 1336 Sultanov, G., Tcholakov, V., Trayanov, R., Vutova, M., Dimitrov, A., Hadjiiska, R.,  
 1337 Kozhuharov, V., Litov, L., Pavlov, B., Petkov, P., Bian, J. G., Chen, G. M., Chen, H. S.,  
 1338 Jiang, C. H., Liang, D., Liang, S., Meng, X., Tao, J., Wang, J., Wang, X., Wang, Z.,  
 1339 Xiao, H., Xu, M., Zang, J., Zhang, Z., Asawatangtrakuldee, C., Ban, Y., Guo, S., Guo,  
 1340 Y., Li, W., Liu, S., Mao, Y., Qian, S. J., Teng, H., Wang, S., Zhu, B., Zou, W., Avila,  
 1341 C., Gomez, J. P., Gomez Moreno, B., Osorio Oliveros, A. F., Sanabria, J. C., Godinovic,  
 1342 N., Lelas, D., Plestina, R., Polic, D., Puljak, I., Antunovic, Z., Kovac, M., Brigljevic, V.,  
 1343 Duric, S., Kadija, K., Luetic, J., Morovic, S., Attikis, A., Galanti, M., Mavromanolakis,  
 1344 G., Mousa, J., Nicolaou, C., Ptochos, F., Razis, P. A., Finger, M., Finger, M., Assran,  
 1345 Y., Elgammal, S., Ellithi Kamel, A., Khalil, S., Mahmoud, M. A., Radi, A., Kadastik,  
 1346 M., Müntel, M., Raidal, M., Rebane, L., Tiko, A., Azzolini, V., Eerola, P., Fedi, G.,  
 1347 Voutilainen, M., Härkönen, J., Heikkinen, A., Karimäki, V., Kinnunen, R., Kortelainen,

1348 M. J., Lampén, T., Lassila-Perini, K., Lehti, S., Lindén, T., Luukka, P., Mäenpää, T.,  
 1349 Peltola, T., Tuominen, E., Tuominiemi, J., Tuovinen, E., Ungaro, D., Wendland, L.,  
 1350 Banzuzi, K., Karjalainen, A., Korpela, A., Tuuva, T., Besancon, M., Choudhury, S.,  
 1351 Dejardin, M., Denegri, D., Fabbro, B., Faure, J. L., Ferri, F., Ganjour, S., Givernaud,  
 1352 A., Gras, P., Hamel de Monchenault, G., Jarry, P., Locci, E., Malcles, J., Millischer, L.,  
 1353 Nayak, A., Rander, J., Rosowsky, A., Shreyber, I., Titov, M., Baffioni, S., Beaudette,  
 1354 F., Benhabib, L., Bianchini, L., Bluj, M., Broutin, C., Busson, P., Charlot, C., Daci,  
 1355 N., Dahms, T., Dobrzynski, L., Granier de Cassagnac, R., Haguenaue, M., Miné, P.,  
 1356 Mironov, C., Nguyen, M., Ochando, C., Paganini, P., Sabes, D., Salerno, R., Sirois, Y.,  
 1357 Veelken, C., Zabi, A., Agram, J.-L., Andrea, J., Bloch, D., Bodin, D., Brom, J.-M.,  
 1358 Cardaci, M., Chabert, E. C., Collard, C., Conte, E., Drouhin, F., Ferro, C., Fontaine, J.-  
 1359 C., Gelé, D., Goerlach, U., Juillot, P., Le Bihan, A.-C., Van Hove, P., Fassi, F., Mercier,  
 1360 D., Beauceron, S., Beaupere, N., Bondu, O., Boudoul, G., Chasserat, J., Chierici, R.,  
 1361 Contardo, D., Depasse, P., El Mamouni, H., Fay, J., Gascon, S., Gouzevitch, M., Ille,  
 1362 B., Kurca, T., Lethuillier, M., Mirabito, L., Perries, S., Sordini, V., Tosi, S., Tschudi,  
 1363 Y., Verdier, P., Viret, S., Tsamalaidze, Z., Anagnostou, G., Beranek, S., Edelhoff, M.,  
 1364 Feld, L., Heracleous, N., Hindrichs, O., Jussen, R., Klein, K., Merz, J., Ostapchuk, A.,  
 1365 Perieanu, A., Raupach, F., Sammet, J., Schael, S., Sprenger, D., Weber, H., Wittmer,  
 1366 B., Zhukov, V., Ata, M., Caudron, J., Dietz-Laursonn, E., Erdmann, M., Güth, A.,  
 1367 Hebbeker, T., Heidemann, C., Hoepfner, K., Klingebiel, D., Kreuzer, P., Lingemann,  
 1368 J., Magass, C., Merschmeyer, M., Meyer, A., Olschewski, M., Papacz, P., Pieta, H.,  
 1369 Reithler, H., Schmitz, S. A., Sonnenschein, L., Steggemann, J., Teyssier, D., Weber, M.,  
 1370 Bontenackels, M., Cherepanov, V., Flügge, G., Geenen, H., Geisler, M., Haj Ahmad, W.,  
 1371 Hoehle, F., Kargoll, B., Kress, T., Kuessel, Y., Nowack, A., Perchalla, L., Pooth, O.,  
 1372 Rennefeld, J., Sauerland, P., Stahl, A., Aldaya Martin, M., Behr, J., Behrenhoff, W.,  
 1373 Behrens, U., Bergholz, M., Bethani, A., Borrás, K., Burgmeier, A., Cakir, A., Calligaris,  
 1374 L., Campbell, A., Castro, E., Costanza, F., Dammann, D., Diez Pardos, C., Eckerlin, G.,  
 1375 Eckstein, D., Flucke, G., Geiser, A., Glushkov, I., Gunnellini, P., Habib, S., Hauk, J.,  
 1376 Jung, H., Kasemann, M., Katsas, P., Kleinwort, C., Kluge, H., Knutsson, A., Krämer, M.,  
 1377 Krücker, D., Kuznetsova, E., Lange, W., Lohmann, W., Lutz, B., Mankel, R., Marfin, I.,

1378 Marienfeld, M., Melzer-Pellmann, I.-A., Meyer, A. B., Mnich, J., Mussgiller, A., Naumann-  
 1379 Emme, S., Olzem, J., Perrey, H., Petrukhin, A., Pitzl, D., Raspereza, A., Ribeiro Cipriano,  
 1380 P. M., Riedl, C., Ron, E., Rosin, M., Salfeld-Nebgen, J., Schmidt, R., Schoerner-Sadenius,  
 1381 T., Sen, N., Spiridonov, A., Stein, M., Walsh, R., Wissing, C., Autermann, C., Blobel,  
 1382 V., Draeger, J., Enderle, H., Erfle, J., Gebbert, U., Görner, M., Hermanns, T., Höing,  
 1383 R. S., Kaschube, K., Kaussen, G., Kirschenmann, H., Klanner, R., Lange, J., Mura, B.,  
 1384 Nowak, F., Peiffer, T., Pietsch, N., Sander, C., Schettler, H., Schleper, P., Schlieckau, E.,  
 1385 Schmidt, A., Schröder, M., Schum, T., Sola, V., Stadie, H., Steinbrück, G., Thomsen,  
 1386 J., Vanelderen, L., Barth, C., Berger, J., Chwalek, T., De Boer, W., Dierlamm, A.,  
 1387 Feindt, M., Guthoff, M., Hackstein, C., Hartmann, F., Heinrich, M., Held, H., Hoffmann,  
 1388 K. H., Honc, S., Katkov, I., Komaragiri, J. R., Lobelle Pardo, P., Martschei, D., Mueller,  
 1389 S., Müller, T., Niegel, M., Nürnberg, A., Oberst, O., Oehler, A., Ott, J., Quast, G.,  
 1390 Rabbertz, K., Ratnikov, F., Ratnikova, N., Röcker, S., Scheurer, A., Schilling, F.-P.,  
 1391 Schott, G., Simonis, H. J., Stober, F. M., Troendle, D., Ulrich, R., Wagner-Kuhr, J.,  
 1392 Weiler, T., Zeise, M., Daskalakis, G., Geralis, T., Kesisoglou, S., Kyriakis, A., Loukas,  
 1393 D., Manolakos, I., Markou, A., Markou, C., Mavrommatis, C., Ntomari, E., Gouskos, L.,  
 1394 Mertzimekis, T. J., Panagiotou, A., Saoulidou, N., Evangelou, I., Foudas, C., Kokkas, P.,  
 1395 Manthos, N., Papadopoulos, I., Patras, V., Bencze, G., Hajdu, C., Hidas, P., Horvath, D.,  
 1396 Sikler, F., Veszpremi, V., Vesztergombi, G., Beni, N., Czellar, S., Molnar, J., Palinkas, J.,  
 1397 Szillasi, Z., Karancsi, J., Raics, P., Trocsanyi, Z. L., Ujvari, B., Beri, S. B., Bhatnagar,  
 1398 V., Dhingra, N., Gupta, R., Jindal, M., Kaur, M., Mehta, M. Z., Nishu, N., Saini, L. K.,  
 1399 Sharma, A., Singh, J., Ahuja, S., Bhardwaj, A., Choudhary, B. C., Kumar, A., Kumar,  
 1400 A., Malhotra, S., Naimuddin, M., Ranjan, K., Sharma, V., Shivpuri, R. K., Banerjee,  
 1401 S., Bhattacharya, S., Dutta, S., Gomber, B., Jain, S., Jain, S., Khurana, R., Sarkar,  
 1402 S., Sharan, M., Abdulsalam, A., Choudhury, R. K., Dutta, D., Kailas, S., Kumar, V.,  
 1403 Mehta, P., Mohanty, A. K., Pant, L. M., Shukla, P., Aziz, T., Ganguly, S., Guchait, M.,  
 1404 Maity, M., Majumder, G., Mazumdar, K., Mohanty, G. B., Parida, B., Sudhakar, K.,  
 1405 Wickramage, N., Banerjee, S., Dugad, S., Arfaei, H., Bakhshiansohi, H., Etesami, S. M.,  
 1406 Fahim, A., Hashemi, M., Hesari, H., Jafari, A., Khakzad, M., Mohammadi Najafabadi,  
 1407 M., Paktinat Mehdiabadi, S., Safarzadeh, B., Zeinali, M., Abbrescia, M., Barbone, L.,

1408 Calabria, C., Chhibra, S. S., Colaleo, A., Creanza, D., De Filippis, N., De Palma, M.,  
 1409 Fiore, L., Iaselli, G., Lusito, L., Maggi, G., Maggi, M., Marangelli, B., My, S., Nuzzo,  
 1410 S., Pacifico, N., Pompili, A., Pugliese, G., Selvaggi, G., Silvestris, L., Singh, G., Zito,  
 1411 G., Abbiendi, G., Benvenuti, A. C., Bonacorsi, D., Braibant-Giacomelli, S., Brigliadori,  
 1412 L., Capiluppi, P., Castro, A., Cavallo, F. R., Cuffiani, M., Dallavalle, G. M., Fabbri, F.,  
 1413 Fanfani, A., Fasanella, D., Giacomelli, P., Grandi, C., Guiducci, L., Marcellini, S., Masetti,  
 1414 G., Meneghelli, M., Montanari, A., Navarra, F. L., Odorici, F., Perrotta, A., Primavera,  
 1415 F., Rossi, A. M., Rovelli, T., Siroli, G., Travaglini, R., Albergo, S., Cappello, G., Chiorboli,  
 1416 M., Costa, S., Potenza, R., Tricomi, A., Tuve, C., Barbagli, G., Ciulli, V., Civinini, C.,  
 1417 D'Alessandro, R., Focardi, E., Frosali, S., Gallo, E., Gonzi, S., Meschini, M., Paoletti,  
 1418 S., Sguazzoni, G., Tropiano, A., Benussi, L., Bianco, S., Colafranceschi, S., Fabbri, F.,  
 1419 Piccolo, D., Fabbricatore, P., Musenich, R., Benaglia, A., De Guio, F., Di Matteo, L.,  
 1420 Fiorendi, S., Gennai, S., Ghezzi, A., Malvezzi, S., Manzoni, R. A., Martelli, A., Massironi,  
 1421 A., Menasce, D., Moroni, L., Paganoni, M., Pedrini, D., Ragazzi, S., Redaelli, N., Sala,  
 1422 S., Tabarelli de Fatis, T., Buontempo, S., Carrillo Montoya, C. A., Cavallo, N., De Cosa,  
 1423 A., Dogangun, O., Fabozzi, F., Iorio, A. O. M., Lista, L., Meola, S., Merola, M., Paolucci,  
 1424 P., Azzi, P., Bacchetta, N., Bellan, P., Bisello, D., Branca, A., Carlin, R., Checchia, P.,  
 1425 Dorigo, T., Dosselli, U., Gasparini, F., Gasparini, U., Gozzelino, A., Kanishchev, K.,  
 1426 Lacaprara, S., Lazzizzera, I., Margoni, M., Meneguzzo, A. T., Nespolo, M., Ronchese,  
 1427 P., Simonetto, F., Torassa, E., Vanini, S., Zotto, P., Zumerle, G., Gabusi, M., Ratti,  
 1428 S. P., Riccardi, C., Torre, P., Vitulo, P., Biasini, M., Bilei, G. M., Fanò, L., Lariccia, P.,  
 1429 Lucaroni, A., Mantovani, G., Menichelli, M., Nappi, A., Romeo, F., Saha, A., Santocchia,  
 1430 A., Taroni, S., Azzurri, P., Bagliesi, G., Boccali, T., Broccolo, G., Castaldi, R., D'Agnolo,  
 1431 R. T., Dell'Orso, R., Fiori, F., Foà, L., Giassi, A., Kraan, A., Ligabue, F., Lomtadze, T.,  
 1432 Martini, L., Messineo, A., Palla, F., Rizzi, A., Serban, A. T., Spagnolo, P., Squillacioti, P.,  
 1433 Tenchini, R., Tonelli, G., Venturi, A., Verdini, P. G., Barone, L., Cavallari, F., Del Re, D.,  
 1434 Diemoz, M., Grassi, M., Longo, E., Meridiani, P., Micheli, F., Nourbakhsh, S., Organtini,  
 1435 G., Paramatti, R., Rahatlou, S., Sigamani, M., Soffi, L., Amapane, N., Arcidiacono, R.,  
 1436 Argiro, S., Arneodo, M., Biino, C., Cartiglia, N., Costa, M., Demaria, N., Graziano,  
 1437 A., Mariotti, C., Maselli, S., Migliore, E., Monaco, V., Musich, M., Obertino, M. M.,

1438 Pastrone, N., Pelliccioni, M., Potenza, A., Romero, A., Ruspa, M., Sacchi, R., Solano, A.,  
 1439 Staiano, A., Vilela Pereira, A., Belforte, S., Candelise, V., Cossutti, F., Della Ricca, G.,  
 1440 Gobbo, B., Marone, M., Montanino, D., Penzo, A., Schizzi, A., Heo, S. G., Kim, T. Y.,  
 1441 Nam, S. K., Chang, S., Kim, D. H., Kim, G. N., Kong, D. J., Park, H., Ro, S. R., Son,  
 1442 D. C., Son, T., Kim, J. Y., Kim, Z. J., Song, S., Choi, S., Gyun, D., Hong, B., Jo, M.,  
 1443 Kim, H., Kim, T. J., Lee, K. S., Moon, D. H., Park, S. K., Choi, M., Kim, J. H., Park,  
 1444 C., Park, I. C., Park, S., Ryu, G., Cho, Y., Choi, Y., Choi, Y. K., Goh, J., Kim, M. S.,  
 1445 Kwon, E., Lee, B., Lee, J., Lee, S., Seo, H., Yu, I., Bilinskas, M. J., Grigelionis, I., Janulis,  
 1446 M., Juodagalvis, A., Castilla-Valdez, H., De La Cruz-Burelo, E., Heredia-de La Cruz, I.,  
 1447 Lopez-Fernandez, R., Magaña Villalba, R., Martínez-Ortega, J., Sánchez-Hernández, A.,  
 1448 Villasenor-Cendejas, L. M., Carrillo Moreno, S., Vazquez Valencia, F., Salazar Ibarguen,  
 1449 H. A., Casimiro Linares, E., Morelos Pineda, A., Reyes-Santos, M. A., Krofcheck, D.,  
 1450 Bell, A. J., Butler, P. H., Doesburg, R., Reucroft, S., Silverwood, H., Ahmad, M.,  
 1451 Asghar, M. I., Hoorani, H. R., Khalid, S., Khan, W. A., Khurshid, T., Qazi, S., Shah,  
 1452 M. A., Shoaib, M., Bialkowska, H., Boimska, B., Frueboes, T., Gokieli, R., Górski,  
 1453 M., Kazana, M., Nawrocki, K., Romanowska-Rybinska, K., Szleper, M., Wrochna, G.,  
 1454 Zalewski, P., Brona, G., Bunkowski, K., Cwiok, M., Dominik, W., Doroba, K., Kalinowski,  
 1455 A., Konecki, M., Krolkowski, J., Almeida, N., Bargassa, P., David, A., Faccioli, P.,  
 1456 Ferreira Parracho, P. G., Gallinaro, M., Seixas, J., Varela, J., Vischia, P., Belotelov,  
 1457 I., Bunin, P., Gavrilenko, M., Golutvin, I., Gorbunov, I., Kamenev, A., Karjavin, V.,  
 1458 Kozlov, G., Lanev, A., Malakhov, A., Moisenz, P., Palichik, V., Pereygin, V., Shmatov,  
 1459 S., Smirnov, V., Volodko, A., Zarubin, A., Evstyukhin, S., Golovtsov, V., Ivanov, Y.,  
 1460 Kim, V., Levchenko, P., Murzin, V., Oreshkin, V., Smirnov, I., Sulimov, V., Uvarov,  
 1461 L., Vavilov, S., Vorobyev, A., Vorobyev, A., Andreev, Y., Dermenev, A., Gninenko,  
 1462 S., Golubev, N., Kirsanov, M., Krasnikov, N., Matveev, V., Pashenkov, A., Tlisov, D.,  
 1463 Toropin, A., Epshteyn, V., Erofeeva, M., Gavrilov, V., Kossov, M., Lychkovskaya, N.,  
 1464 Popov, V., Safronov, G., Semenov, S., Stolin, V., Vlasov, E., Zhokin, A., Belyaev, A.,  
 1465 Boos, E., Ershov, A., Gribushin, A., Klyukhin, V., Kodolova, O., Korotkikh, V., Lokhtin,  
 1466 I., Markina, A., Obraztsov, S., Perfilov, M., Petrushanko, S., Popov, A., Sarycheva, L.,  
 1467 Savrin, V., Snigirev, A., Vardanyan, I., Andreev, V., Azarkin, M., Dremin, I., Kirakosyan,

1468 M., Leonidov, A., Mesyats, G., Rusakov, S. V., Vinogradov, A., Azhgirey, I., Bayshev, I.,  
 1469 Bitioukov, S., Grishin, V., Kachanov, V., Konstantinov, D., Korablev, A., Krychkine,  
 1470 V., Petrov, V., Ryutin, R., Sobol, A., Tourtchanovitch, L., Troshin, S., Tyurin, N.,  
 1471 Uzunian, A., Volkov, A., Adzic, P., Djordjevic, M., Ekmedzic, M., Krpic, D., Milosevic, J.,  
 1472 Aguilar-Benitez, M., Alcaraz Maestre, J., Arce, P., Battilana, C., Calvo, E., Cerrada, M.,  
 1473 Chamizo Llatas, M., Colino, N., De La Cruz, B., Delgado Peris, A., Domínguez Vázquez,  
 1474 D., Fernandez Bedoya, C., Fernández Ramos, J. P., Ferrando, A., Flix, J., Fouz, M. C.,  
 1475 Garcia-Abia, P., Gonzalez Lopez, O., Goy Lopez, S., Hernandez, J. M., Josa, M. I., Merino,  
 1476 G., Puerta Pelayo, J., Quintario Olmeda, A., Redondo, I., Romero, L., Santaolalla, J.,  
 1477 Soares, M. S., Willmott, C., Albajar, C., Codispoti, G., de Trocóniz, J. F., Brun, H.,  
 1478 Cuevas, J., Fernandez Menendez, J., Folgueras, S., Gonzalez Caballero, I., Lloret Iglesias,  
 1479 L., Piedra Gomez, J., Brochero Cifuentes, J. A., Cabrillo, I. J., Calderon, A., Chuang,  
 1480 S. H., Duarte Campderros, J., Felcini, M., Fernandez, M., Gomez, G., Gonzalez Sanchez,  
 1481 J., Jorda, C., Lopez Virto, A., Marco, J., Marco, R., Martinez Rivero, C., Matorras,  
 1482 F., Munoz Sanchez, F. J., Rodrigo, T., Rodríguez-Marrero, A. Y., Ruiz-Jimeno, A.,  
 1483 Scodellaro, L., Sobron Sanudo, M., Vila, I., Vilar Cortabitarte, R., Abbaneo, D., Auffray,  
 1484 E., Auzinger, G., Baillon, P., Ball, A. H., Barney, D., Benitez, J. F., Bernet, C., Bianchi,  
 1485 G., Bloch, P., Bocci, A., Bonato, A., Botta, C., Breuker, H., Camporesi, T., Cerminara,  
 1486 G., Christiansen, T., Coarasa Perez, J. A., D'Enterria, D., Dabrowski, A., De Roeck,  
 1487 A., Di Guida, S., Dobson, M., Dupont-Sagorin, N., Elliott-Peisert, A., Frisch, B., Funk,  
 1488 W., Georgiou, G., Giffels, M., Gigi, D., Gill, K., Giordano, D., Giunta, M., Glege, F.,  
 1489 Gomez-Reino Garrido, R., Govoni, P., Gowdy, S., Guida, R., Hansen, M., Harris, P.,  
 1490 Hartl, C., Harvey, J., Hegner, B., Hinzmann, A., Innocente, V., Janot, P., Kaadze, K.,  
 1491 Karavakis, E., Kousouris, K., Lecoq, P., Lee, Y.-J., Lenzi, P., Lourenço, C., Mäki, T.,  
 1492 Malberti, M., Malgeri, L., Mannelli, M., Masetti, L., Meijers, F., Mersi, S., Meschi, E.,  
 1493 Moser, R., Mozer, M. U., Mulders, M., Musella, P., Nesvold, E., Orimoto, T., Orsini, L.,  
 1494 Palencia Cortezon, E., Perez, E., Perrozzi, L., Petrilli, A., Pfeiffer, A., Pierini, M., Pimiä,  
 1495 M., Piparo, D., Polese, G., Quertenmont, L., Racz, A., Reece, W., Rodrigues Antunes, J.,  
 1496 Rolandi, G., Rommerskirchen, T., Rovelli, C., Rovere, M., Sakulin, H., Santanastasio, F.,  
 1497 Schäfer, C., Schwick, C., Segoni, I., Sekmen, S., Sharma, A., Siegrist, P., Silva, P., Simon,

1498 M., Sphicas, P., Spiga, D., Spiropulu, M., Tsirou, A., Veres, G. I., Vlimant, J. R., Wöhri,  
 1499 H. K., Worm, S. D., Zeuner, W. D., Bertl, W., Deiters, K., Erdmann, W., Gabathuler,  
 1500 K., Horisberger, R., Ingram, Q., Kaestli, H. C., König, S., Kotlinski, D., Langenegger, U.,  
 1501 Meier, F., Renker, D., Rohe, T., Sibille, J., Bäni, L., Bortignon, P., Buchmann, M. A.,  
 1502 Casal, B., Chanon, N., Deisher, A., Dissertori, G., Dittmar, M., Dünser, M., Eugster, J.,  
 1503 Freudenreich, K., Grab, C., Hits, D., Lecomte, P., Lustermann, W., Martinez Ruiz del  
 1504 Arbol, P., Mohr, N., Moortgat, F., Nägeli, C., Nef, P., Nessi-Tedaldi, F., Pandolfi, F.,  
 1505 Pape, L., Pauss, F., Peruzzi, M., Ronga, F. J., Rossini, M., Sala, L., Sanchez, A. K.,  
 1506 Starodumov, A., Stieger, B., Takahashi, M., Tauscher, L., Thea, A., Theofilatos, K.,  
 1507 Treille, D., Urscheler, C., Wallny, R., Weber, H. A., Wehrli, L., Aguilo, E., Amsler, C.,  
 1508 Chiochia, V., De Visscher, S., Favaro, C., Ivova Rikova, M., Millan Mejias, B., Otiougova,  
 1509 P., Robmann, P., Snoek, H., Tupputi, S., Verzetti, M., Chang, Y. H., Chen, K. H., Kuo,  
 1510 C. M., Li, S. W., Lin, W., Liu, Z. K., Lu, Y. J., Mekterovic, D., Singh, A. P., Volpe, R., Yu,  
 1511 S. S., Bartalini, P., Chang, P., Chang, Y. H., Chang, Y. W., Chao, Y., Chen, K. F., Dietz,  
 1512 C., Grundler, U., Hou, W.-S., Hsiung, Y., Kao, K. Y., Lei, Y. J., Lu, R.-S., Majumder, D.,  
 1513 Petrakou, E., Shi, X., Shiu, J. G., Tzeng, Y. M., Wan, X., Wang, M., Adiguzel, A., Bakirci,  
 1514 M. N., Cerci, S., Dozen, C., Dumanoglu, I., Eskut, E., Girgis, S., Gokbulut, G., Gurpinar,  
 1515 E., Hos, I., Kangal, E. E., Karapinar, G., Kayis Topaksu, A., Onengut, G., Ozdemir, K.,  
 1516 Ozturk, S., Polatoz, A., Sogut, K., Sunar Cerci, D., Tali, B., Topakli, H., Vergili, L. N.,  
 1517 Vergili, M., Akin, I. V., Aliev, T., Bilin, B., Bilmis, S., Deniz, M., Gamsizkan, H., Guler,  
 1518 A. M., Ocalan, K., Ozpineci, A., Serin, M., Sever, R., Surat, U. E., Yalvac, M., Yildirim,  
 1519 E., Zeyrek, M., Gülmez, E., Isildak, B., Kaya, M., Kaya, O., Ozkorucuklu, S., Sonmez, N.,  
 1520 Cankocak, K., Levchuk, L., Bostock, F., Brooke, J. J., Clement, E., Cussans, D., Flacher,  
 1521 H., Frazier, R., Goldstein, J., Grimes, M., Heath, G. P., Heath, H. F., Kreczko, L.,  
 1522 Metson, S., Newbold, D. M., Nirunpong, K., Poll, A., Senkin, S., Smith, V. J., Williams,  
 1523 T., Basso, L., Bell, K. W., Belyaev, A., Brew, C., Brown, R. M., Cockerill, D. J. A.,  
 1524 Coughlan, J. A., Harder, K., Harper, S., Jackson, J., Kennedy, B. W., Olaiya, E., Petyt,  
 1525 D., Radburn-Smith, B. C., Shepherd-Themistocleous, C. H., Tomalin, I. R., Womersley,  
 1526 W. J., Bainbridge, R., Ball, G., Beuselinck, R., Buchmuller, O., Colling, D., Cripps, N.,  
 1527 Cutajar, M., Dauncey, P., Davies, G., Della Negra, M., Ferguson, W., Fulcher, J., Futyan,

D., Gilbert, A., Guneratne Bryer, A., Hall, G., Hatherell, Z., Hays, J., Iles, G., Jarvis, M., Karapostoli, G., Lyons, L., Magnan, A.-M., Marrouche, J., Mathias, B., Nandi, R., Nash, J., Nikitenko, A., Papageorgiou, A., Pela, J., Pesaresi, M., Petridis, K., Pioppi, M., Raymond, D. M., Rogerson, S., Rose, A., Ryan, M. J., Seez, C., Sharp, P., Sparrow, A., Stoye, M., Tapper, A., Vazquez Acosta, M., Virdee, T., Wakefield, S., Wardle, N., Whyntie, T., Chadwick, M., Cole, J. E., Hobson, P. R., Khan, A., Kyberd, P., Leslie, D., Martin, W., Reid, I. D., Symonds, P., Teodorescu, L., Turner, M., Hatakeyama, K., Liu, H., Scarborough, T., Charaf, O., Henderson, C., Rumerio, P., Avetisyan, A., Bose, T., Fantasia, C., Heiste (2012). Measurement of the pseudorapidity and centrality dependence of the transverse energy density in pb-pb collisions at  $\sqrt{s_{\text{NN}}} = 2.76$  TeV. *Phys. Rev. Lett.*, 109:152303. 6, 21

[26] Collaboration, T. A., Aamodt, K., Quintana, A. A., Achenbach, R., Acounis, S., Adamov, D., Adler, C., Aggarwal, M., Agnese, F., Rinella, G. A., Ahammed, Z., Ahmad, A., Ahmad, N., Ahmad, S., Akindinov, A., Akishin, P., Aleksandrov, D., Alessandro, B., Alfaro, R., Alfarone, G., Alici, A., Alme, J., Alt, T., Altinpinar, S., Amend, W., Andrei, C., Andres, Y., Andronic, A., Anelli, G., Anfreville, M., Angelov, V., Anzo, A., Anson, C., Antici, T., Antonenko, V., Antonczyk, D., Antinori, F., Antinori, S., Antonioli, P., Aphecetche, L., Appelshuser, H., Aprodu, V., Arba, M., Arcelli, S., Argentieri, A., Armesto, N., Arnaldi, R., Arefiev, A., Arsene, I., Asryan, A., Augustinus, A., Awes, T. C., ysto, J., Azmi, M. D., Bablock, S., Badal, A., Badyal, S. K., Baechler, J., Bagnasco, S., Bailhache, R., Bala, R., Baldisseri, A., Baldit, A., Bn, J., Barbera, R., Barberis, P.-L., Barbet, J. M., Barnfoldi, G., Barret, V., Bartke, J., Bartos, D., Basile, M., Basmanov, V., Bastid, N., Batigne, G., Batyunya, B., Baudot, J., Baumann, C., Bearden, I., Becker, B., Belikov, J., Bellwied, R., Belmont-Moreno, E., Belogianni, A., Belyaev, S., Benato, A., Beney, J. L., Benhabib, L., Benotto, F., Beol, S., Berceanu, I., Bercuci, A., Berdermann, E., Berdnikov, Y., Bernard, C., Berny, R., Berst, J. D., Bertelsen, H., Betev, L., Bhasin, A., Baskar, P., Bhati, A., Bianchi, N., Bielik, J., Bielikov, J., Bimbot, L., Blanchard, G., Blanco, F., Blanco, F., Blau, D., Blume, C., Blyth, S., Boccioni, M., Bogdanov, A., Bggild, H., Bogolyubsky, M., Boldizsr, L., Bombara, M., Bombonati, C., Bondila, M., Bonnet,



1557 D., Bonvicini, V., Borel, H., Borotto, F., Borshchov, V., Bortoli, Y., Borysov, O., Bose,  
 1558 S., Bosisio, L., Botje, M., Bttger, S., Bourdaud, G., Bourrion, O., Bouvier, S., Braem,  
 1559 A., Braun, M., Braun-Munzinger, P., Bravina, L., Bregant, M., Bruckner, G., Brun, R.,  
 1560 Bruna, E., Brunasso, O., Bruno, G. E., Bucher, D., Budilov, V., Budnikov, D., Buesching,  
 1561 H., Buncic, P., Burns, M., Burachas, S., Busch, O., Bushop, J., Cai, X., Caines, H.,  
 1562 Calaon, F., Caldogno, M., Cali, I., Camerini, P., Campagnolo, R., Campbell, M., Cao,  
 1563 X., Capitani, G. P., Romeo, G. C., Cardenas-Montes, M., Carduner, H., Carena, F.,  
 1564 Carena, W., Cariola, P., Carminati, F., Casado, J., Diaz, A. C., Caselle, M., Castellanos,  
 1565 J. C., Castor, J., Catanescu, V., Cattaruzza, E., Cavazza, D., Cerello, P., Ceresa, S.,  
 1566 ern, V., Chambert, V., Chapeland, S., Charpy, A., Charrier, D., Chartoire, M., Charvet,  
 1567 J. L., Chattopadhyay, S., Chattopadhyay, S., Chepurnov, V., Chernenko, S., Cherney,  
 1568 M., Cheshkov, C., Cheynis, B., Chochula, P., Chiavassa, E., Barroso, V. C., Choi, J.,  
 1569 Christakoglou, P., Christiansen, P., Christensen, C., Chykalov, O. A., Cicalo, C., Cifarelli-  
 1570 Strolin, L., Ciobanu, M., Cindolo, F., Cirstoiu, C., Clausse, O., Cleymans, J., Cobanoglu,  
 1571 O., Coffin, J.-P., Coli, S., Colla, A., Colledani, C., Combaret, C., Combet, M., Comets,  
 1572 M., Balbastre, G. C., del Valle, Z. C., Contin, G., Contreras, J., Cormier, T., Corsi, F.,  
 1573 Cortese, P., Costa, F., Crescio, E., Crochet, P., Cuautle, E., Cussonneau, J., Dahlinger,  
 1574 M., Dainese, A., Dalsgaard, H. H., Daniel, L., Das, I., Das, T., Dash, A., Silva, R. D.,  
 1575 Davenport, M., Daues, H., Caro, A. D., de Cataldo, G., Cuveland, J. D., Falco, A. D.,  
 1576 de Gaspari, M., de Girolamo, P., de Groot, J., Gruttola, D. D., Haas, A. D., Marco, N. D.,  
 1577 Pasquale, S. D., Remigis, P. D., de Vaux, D., Decock, G., Delagrange, H., Franco, M. D.,  
 1578 Dellacasa, G., Dell'Olio, C., Dell'Olio, D., Deloff, A., Demanov, V., Dnes, E., D'Erasmo,  
 1579 G., Derkach, D., Devaux, A., Bari, D. D., Bartolomeo, A. D., Giglio, C. D., Liberto,  
 1580 S. D., Mauro, A. D., Nezza, P. D., Dialinas, M., Diaz, L., Valdes, R. D., Dietel, T., Dima,  
 1581 R., Ding, H., Dinca, C., Divi, R., Dobretsov, V., Dobrin, A., Doenigus, B., Dobrowolski,  
 1582 T., Domnguez, I., Dorn, M., Drouet, S., Dubey, A. E., Ducroux, L., Dumitrache, F.,  
 1583 Dumonteil, E., Dupieux, P., Duta, V., Majumdar, A. D., Majumdar, M. D., Dyhre,  
 1584 T., Efimov, L., Efremov, A., Elia, D., Emschermann, D., Engster, C., Enokizono, A.,  
 1585 Espagnon, B., Estienne, M., Evangelista, A., Evans, D., Evrard, S., Fabjan, C. W.,  
 1586 Fabris, D., Faivre, J., Falchieri, D., Fantoni, A., Farano, R., Fearick, R., Fedorov, O.,

1587 Fekete, V., Felea, D., Feofilov, G., Tllez, A. F., Ferretti, A., Fichera, F., Filchagin, S.,  
 1588 Filoni, E., Finck, C., Fini, R., Fiore, E. M., Flierl, D., Floris, M., Fodor, Z., Foka, Y.,  
 1589 Fokin, S., Force, P., Formenti, F., Fragiaco, E., Fragiadakis, M., Fraissard, D., Franco,  
 1590 A., Franco, M., Frankenfeld, U., Fratino, U., Fresneau, S., Frolov, A., Fuchs, U., Fujita, J.,  
 1591 Furget, C., Furini, M., Girard, M. F., Gaardhje, J.-J., Gabrielli, A., Gadrat, S., Gagliardi,  
 1592 M., Gago, A., Gaido, L., Torreira, A. G., Gallio, M., Gandolfi, E., Ganoti, P., Ganti, M.,  
 1593 Garabatos, J., Lopez, A. G., Garizzo, L., Gaudichet, L., Gemme, R., Germain, M., Gheata,  
 1594 A., Gheata, M., Ghidini, B., Ghosh, P., Giolu, G., Giraudo, G., Giubellino, P., Glasow,  
 1595 R., Glssel, P., Ferreira, E. G., Gutierrez, C. G., Gonzales-Trueba, L. H., Gorbunov, S.,  
 1596 Gorbunov, Y., Gos, H., Gosset, J., Gotovac, S., Gottschlag, H., Gottschalk, D., Grabski,  
 1597 V., Grassi, T., Gray, H., Grebenyuk, O., Grebieszko, K., Gregory, C., Grigoras, C.,  
 1598 Grion, N., Grigoriev, V., Grigoryan, A., Grigoryan, C., Grigoryan, S., Grishuk, Y., Gros,  
 1599 P., Grosse-Oetringhaus, J., Grossiord, J.-Y., Grosso, R., Grynyov, B., Guarnaccia, C.,  
 1600 Guber, F., Guerin, F., Guernane, R., Guerzoni, M., Guichard, A., Guida, M., Guilloux,  
 1601 G., Gulkanyan, H., Gulbrandsen, K., Gunji, T., Gupta, A., Gupta, V., Gustafsson, H.-  
 1602 A., Gutbrod, H., Hadjidakis, C., Haiduc, M., Hamar, G., Hamagaki, H., Hamblen, J.,  
 1603 Hansen, J. C., Hardy, P., Hatzifotiadou, D., Harris, J. W., Hartig, M., Harutyunyan, A.,  
 1604 Hayrapetyan, A., Hasch, D., Hasegan, D., Hehner, J., Heine, N., Heinz, M., Helstrup, H.,  
 1605 Herghelegiu, A., Herlant, S., Corral, G. H., Herrmann, N., Hetland, K., Hille, P., Hinke,  
 1606 H., Hippolyte, B., Hoch, M., Hoebbel, H., Hoedlmoser, H., Horaguchi, T., Horner, M.,  
 1607 Hristov, P., Hrivnov, I., Hu, S., Guo, C. H., Humanic, T., Hurtado, A., Hwang, D. S.,  
 1608 Ianigro, J. C., Idzik, M., Igoikin, S., Ilkaev, R., Ilkiv, I., Imhoff, M., Innocenti, P. G.,  
 1609 Ionescu, E., Ippolitov, M., Irfan, M., Insa, C., Inuzuka, M., Ivan, C., Ivanov, A., Ivanov,  
 1610 M., Ivanov, V., Jacobs, P., Jacholkowski, A., Janurov, L., Janik, R., Jasper, M., Jena, C.,  
 1611 Jirde, L., Johnson, D. P., Jones, G. T., Jorgensen, C., Jouve, F., Jovanovi, P., Junique,  
 1612 A., Jusko, A., Jung, H., Jung, W., Kadija, K., Kamal, A., Kamermans, R., Kapusta, S.,  
 1613 Kaidalov, A., Kakoyan, V., Kalcher, S., Kang, E., Kapitan, J., Kaplan, V., Karadzhev, K.,  
 1614 Karavichev, O., Karavicheva, T., Karpechev, E., Karpio, K., Kazantsev, A., Kebschull,  
 1615 U., Keidel, R., Khan, M. M., Khanzadeev, A., Kharlov, Y., Kikola, D., Kileng, B., Kim,  
 1616 D., Kim, D. S., Kim, D. W., Kim, H. N., Kim, J. S., Kim, S., Kinson, J. B., Kiprich, S. K.,

1617 Kisel, I., Kiselev, S., Kisiel, A., Kiss, T., Kiworra, V., Klay, J., Bsing, C. K., Kliemant, M.,  
 1618 Klimov, A., Klovning, A., Kluge, A., Kluit, R., Kniese, S., Kolevator, R., Kollegger, T.,  
 1619 Kolojvari, A., Kondratiev, V., Kornas, E., Koshurnikov, E., Kotov, I., Kour, R., Kowalski,  
 1620 M., Kox, S., Kozlov, K., Krlik, I., Kramer, F., Kraus, I., Kravkov, A., Krawutschke, T.,  
 1621 Krivda, M., Kryshen, E., Kucheriaev, Y., Kugler, A., Kuhn, C., Kuijer, P., Kumar, L.,  
 1622 Kumar, N., Kumpumaeki, P., Kurepin, A., Kurepin, A. N., Kushpil, S., Kushpil, V.,  
 1623 Kutovsky, M., Kvaerno, H., Kweon, M., Labb, J.-C., Lackner, F., de Guevara, P. L.,  
 1624 Lafage, V., Rocca, P. L., Lamont, M., Lara, C., Larsen, D. T., Laurenti, G., Lazzeroni,  
 1625 C., Bornec, Y. L., Bris, N. L., Gailliard, C. L., Lebedev, V., Lecoq, J., Lee, K. S., Lee, S. C.,  
 1626 Lefvre, F., Legrand, I., Lehmann, T., Leistam, L., Lenoir, P., Lenti, V., Leon, H., Monzon,  
 1627 I. L., Lvai, P., Li, Q., Li, X., Librizzi, F., Lietava, R., Lindegaard, N., Lindenstruth, V.,  
 1628 Lippmann, C., Lisa, M., Listratenko, O. M., Littel, F., Liu, Y., Lo, J., Lobanov, V.,  
 1629 Loginov, V., Noriega, M. L., Lpez-Ramrez, R., Torres, E. L., Lorenzo, P. M., Lvhidden,  
 1630 G., Lu, S., Ludolphs, W., Lunardon, M., Luquin, L., Lusso, S., Lutz, J.-R., Luvisetto,  
 1631 M., Lyapin, V., Maevskaya, A., Magureanu, C., Mahajan, A., Majahan, S., Mahmoud,  
 1632 T., Mairani, A., Mahapatra, D., Makarov, A., Makhlyueva, I., Malek, M., Malkiewicz,  
 1633 T., Mal'Kevich, D., Malzacher, P., Mamonov, A., Manea, C., Mangotra, L. K., Maniero,  
 1634 D., Manko, V., Manso, F., Manzari, V., Mao, Y., Marcel, A., Marchini, S., Mare, J.,  
 1635 Margagliotti, G. V., Margotti, A., Marin, A., Marin, J.-C., Marras, D., Martinengo, P.,  
 1636 Martnez, M. I., Martinez-Davalos, A., Garcia, G. M., Martini, S., Chiesa, A. M., Marzocca,  
 1637 C., Masciocchi, S., Masera, M., Masetti, M., Maslov, N. I., Masoni, A., Massera, F., Mast,  
 1638 M., Mastroserio, A., Matthews, Z. L., Mayer, B., Mazza, G., Mazzaro, M. D., Mazzoni,  
 1639 A., Meddi, F., Meleshko, E., Menchaca-Rocha, A., Meneghini, S., Meoni, M., Perez, J. M.,  
 1640 Mereu, P., Meunier, O., Miake, Y., Michalon, A., Michinelli, R., Miftakhov, N., Mignone,  
 1641 M., Mikhailov, K., Milosevic, J., Minaev, Y., Minafra, F., Mischke, A., Mikowiec, D.,  
 1642 Mitsyn, V., Mitu, C., Mohanty, B., Moisa, D., Molnar, L., Mondal, M., Mondal, N.,  
 1643 Zetina, L. M., Monteno, M., Morando, M., Morel, M., Moretto, S., Morhardt, T., Morsch,  
 1644 A., Moukhanova, T., Mucchi, M., Muccifora, V., Mudnic, E., Mller, H., Mller, W., Munoz,  
 1645 J., Mura, D., Musa, L., Muraz, J. F., Musso, A., Nania, R., Nandi, B., Nappi, E., Navach,  
 1646 F., Navin, S., Nayak, T., Nazarenko, S., Nazarov, G., Nellen, L., Nendaz, F., Nianine,

1647 A., Nicassio, M., Nielsen, B. S., Nikolaev, S., Nikolic, V., Nikulin, S., Nikulin, V., Nilsen,  
 1648 B., Nitti, M., Noferini, F., Nomokonov, P., Nooren, G., Noto, F., Nouais, D., Nyiri,  
 1649 A., Nystrand, J., Odyniec, G., Oeschler, H., Oinonen, M., Oldenburg, M., Oleks, I.,  
 1650 Olsen, E. K., Onuchin, V., Oppedisano, C., Orsini, F., Ortiz-Velzquez, A., Oskamp, C.,  
 1651 Oskarsson, A., Osmic, F., sterman, L., Otterlund, I., Ovrebeek, G., Oyama, K., Pachr,  
 1652 M., Pagano, P., Pai, G., Pajares, C., Pal, S., Pal, S., Plla, G., Palmeri, A., Pancaldi,  
 1653 G., Panse, R., Pantaleo, A., Pappalardo, G. S., Pastirk, B., Pastore, C., Patarakin, O.,  
 1654 Paticchio, V., Patimo, G., Pavlinov, A., Pawlak, T., Peitzmann, T., Pnichot, Y., Pepato,  
 1655 A., Pereira, H., Peresunko, D., Perez, C., Griffio, J. P., Perini, D., Perrino, D., Peryt, W.,  
 1656 Pesci, A., Peskov, V., Pestov, Y., Peters, A. J., Petrek, V., Petridis, A., Petris, M., Petrov,  
 1657 V., Petrov, V., Petrovici, M., Peyr, J., Piano, S., Piccotti, A., Pichot, P., Piemonte, C.,  
 1658 Pikna, M., Pilastrini, R., Pillot, P., Pinazza, O., Pini, B., Pinsky, L., Morais, V. P.,  
 1659 Pismennaya, V., Piuz, F., Platt, R., Ploskon, M., Plumeri, S., Pluta, J., Pocheptsov,  
 1660 T., Podesta, P., Poggio, F., Poghosyan, M., Poghosyan, T., Polk, K., Polichtchouk, B.,  
 1661 Polozov, P., Polyakov, V., Pommeresch, B., Pompei, F., Pop, A., Popescu, S., Posa, F.,  
 1662 Pospil, V., Potukuchi, B., Pouthas, J., Prasad, S., Preghenella, R., Prino, F., Prodan, L.,  
 1663 Prono, G., Protsenko, M. A., Pruneau, C. A., Przybyla, A., Pshenichnov, I., Puddu, G.,  
 1664 Pujahari, P., Pulvirenti, A., Punin, A., Punin, V., Putschke, J., Quartieri, J., Quercigh,  
 1665 E., Rachevskaya, I., Rachevski, A., Rademakers, A., Radomski, S., Radu, A., Rak, J.,  
 1666 Ramello, L., Raniwala, R., Raniwala, S., Rasmussen, O. B., Rasson, J., Razin, V., Read,  
 1667 K., Real, J., Redlich, K., Reichling, C., Renard, C., Renault, G., Renfordt, R., Reolon,  
 1668 A. R., Reshetin, A., Revol, J.-P., Reygers, K., Ricaud, H., Riccati, L., Ricci, R. A., Richter,  
 1669 M., Riedler, P., Rigalleau, L. M., Riggi, F., Riegler, W., Rindel, E., Riso, J., Rivetti, A.,  
 1670 Rizzi, M., Rizzi, V., Cahuantzi, M. R., Red, K., Rhricht, D., Romn-Lpez, S., Romanato, M.,  
 1671 Romita, R., Ronchetti, F., Rosinsky, P., Rosnet, P., Rossegger, S., Rossi, A., Rostchin,  
 1672 V., Rotondo, F., Roukoutakis, F., Rousseau, S., Roy, C., Roy, D., Roy, P., Royer, L.,  
 1673 Rubin, G., Rubio, A., Rui, R., Rusanov, I., Russo, G., Ruuskanen, V., Ryabinkin, E.,  
 1674 Rybicki, A., Sadovsky, S., afak, K., Sahoo, R., Saini, J., Saiz, P., Salur, S., Sambyal,  
 1675 S., Samsonov, V., ndor, L., Sandoval, A., Sann, H., Santiard, J.-C., Santo, R., Santoro,  
 1676 R., Sargsyan, G., Saturnini, P., Scapparone, E., Scarlassara, F., Schackert, B., Schiaua,

1677 C., Schicker, R., Schioler, T., Schippers, J. D., Schmidt, C., Schmidt, H., Schneider, R.,  
 1678 Schossmaier, K., Schukraft, J., Schutz, Y., Schwarz, K., Schweda, K., Schyns, E., Scioli,  
 1679 G., Scomparin, E., Snow, H., Sedykh, S., Segato, G., Sellitto, S., Semeria, F., Senyukov,  
 1680 S., Seppnen, H., Serici, S., Serkin, L., Serra, S., Sesselmann, T., Sevcenco, A., Sgura, I.,  
 1681 Shabratova, G., Shahoyan, R., Sharkov, E., Sharma, S., Shigaki, K., Shileev, K., Shukla,  
 1682 P., Shurygin, A., Shurygina, M., Sibiriak, Y., Siddi, E., Siemiarczuk, T., Sigward, M. H.,  
 1683 Silenzi, A., Silvermyr, D., Silvestri, R., Simili, E., Simion, V., Simon, R., Simonetti, L.,  
 1684 Singaraju, R., Singhal, V., Sinha, B., Sinha, T., Siska, M., Sitr, B., Sitta, M., Skaali,  
 1685 B., Skowronski, P., Slodkowski, M., Smirnov, N., Smykov, L., Snellings, R., Snoeys, W.,  
 1686 Soegaard, C., Soerensen, J., Sokolov, O., Soldatov, A., Soloviev, A., Soltveit, H., Soltz,  
 1687 R., Sommer, W., Soos, C., Soramel, F., Sorensen, S., Soyk, D., Spyropoulou-Stassinaki,  
 1688 M., Stachel, J., Staley, F., Stan, I., Stavinskiy, A., Steckert, J., Stefanini, G., Stefanek,  
 1689 G., Steinbeck, T., Stelzer, H., Stenlund, E., Stocco, D., Stockmeier, M., Stoicea, G.,  
 1690 Stolpovsky, P., Strme, P., Stutzmann, J. S., Su, G., Sugitate, T., umbera, M., Suire, C.,  
 1691 Susa, T., Kumar, K. S., Swoboda, D., Symons, J., Szarka, I., Szostak, A., Szuba, M.,  
 1692 Szymanski, P., Tadel, M., Tagridis, C., Tan, L., Takaki, D. T., Taureg, H., Tauro, A.,  
 1693 Tavlet, M., Munoz, G. T., Thder, J., Tieulent, R., Timmer, P., Tolyhy, T., Topilskaya,  
 1694 N., de Matos, C. T., Torii, H., Toscano, L., Tosello, F., Tournaire, A., Traczyk, T., Trger,  
 1695 G., Tromeur, W., Truesdale, D., Trzaska, W., Tsiledakis, G., Tsilis, E., Tsvetkov, A.,  
 1696 Turcato, M., Turrisi, R., Tuveri, M., Tveter, T., Tydesjo, H., Tykarski, L., Tywoniuk, K.,  
 1697 Ugolini, E., Ullaland, K., Urbn, J., Urciuoli, G. M., Usai, G. L., Usseglio, M., Vacchi, A.,  
 1698 Vala, M., Valiev, F., Vyvre, P. V., Brink, A. V. D., Eijndhoven, N. V., Kolk, N. V. D.,  
 1699 van Leeuwen, M., Vannucci, L., Vanzetto, S., Vanuxem, J.-P., Vargas, M. A., Varma,  
 1700 R., Vascotto, A., Vasiliev, A., Vassiliou, M., Vasta, P., Vechernin, V., Venaruzzo, M.,  
 1701 Vercellin, E., Vergara, S., Verhoeven, W., Veronese, F., Vetlitskiy, I., Vernet, R., Victorov,  
 1702 V., Vidak, L., Viesti, G., Vikhlyantsev, O., Vilakazi, Z., Baillie, O. V., Vinogradov, A.,  
 1703 Vinogradov, L., Vinogradov, Y., Virgili, T., Viyogi, Y., Vodopianov, A., Volpe, G., Vranic,  
 1704 D., Vrlkov, J., Vulpesu, B., Wabnitz, C., Wagner, V., Wallet, L., Wan, R., Wang, Y.,  
 1705 Wang, Y., Wheadon, R., Weis, R., Wen, Q., Wessels, J., Westergaard, J., Wiechula, J.,  
 1706 Wiesenaecker, A., Wikne, J., Wilk, A., Wilk, G., Williams, C., Willis, N., Windelband, B.,

1707 Witt, R., Woehri, H., Wyllie, K., Xu, C., Yang, C., Yang, H., Yermia, F., Yin, Z., Yin, Z.,  
 1708 Ky, B. Y., Yushmanov, I., Yuting, B., Zabrodin, E., Zagato, S., Zagreev, B., Zaharia, P.,  
 1709 Zalite, A., Zampa, G., Zampolli, C., Zanevskiy, Y., Zarochentsev, A., Zaudtke, O., Zvada,  
 1710 P., Zbroszczyk, H., Zepeda, A., Zeter, V., Zgura, I., Zhalov, M., Zhou, D., Zhou, S., Zhu,  
 1711 G., Zichichi, A., Zinchenko, A., Zinovjev, G., Zoccarato, Y., Zubarev, A., Zucchini, A.,  
 1712 and Zuffa, M. (2008). The alice experiment at the cern lhc. *Journal of Instrumentation*,  
 1713 3(08):S08002. 25

1714 [27] Connors, M., Nattrass, C., Reed, R., and Salur, S. (2017). Review of Jet Measurements  
 1715 in Heavy Ion Collisions. vi, 10, 11, 13

1716 [28] Elia, D. and the ALICE Collaboration (2013). Strangeness production in alice. *Journal*  
 1717 *of Physics: Conference Series*, 455(1):012005. 16

1718 [29] Evans, L. and Bryant, P. (2008). Lhc machine. *Journal of Instrumentation*,  
 1719 3(08):S08001. 9

1720 [30] Floris, M. (2014). Hadron yields and the phase diagram of strongly interacting matter.  
 1721 *Nuclear Physics A*, 931:103 – 112. QUARK MATTER 2014. 6

1722 [31] Foka, P. and Janik, M. A. (2016). An overview of experimental results from ultra-  
 1723 relativistic heavy-ion collisions at the cern lhc: Bulk properties and dynamical evolution.  
 1724 *Reviews in Physics*, 1:154 – 171. 1, 10

1725 [32] Gyulassy, M. (2004). The QGP discovered at RHIC. In *Structure and dynamics*  
 1726 *of elementary matter. Proceedings, NATO Advanced Study Institute, Camyuva-Kemer,*  
 1727 *Turkey, September 22-October 2, 2003*, pages 159–182. 1, 7

1728 [33] Heuser, J. M. (2013). The compressed baryonic matter experiment at fair. *Nuclear*  
 1729 *Physics A*, 904-905:941c – 944c. The Quark Matter 2012. 5

1730 [34] Hilke, H. J. (2010). Time projection chambers. *Reports on Progress in Physics*,  
 1731 73(11):116201. 26

- [35] Huovinen, P., Kolb, P. F., Heinz, U., Ruuskanen, P. V., and Voloshin, S. A. (2001).  
Radial and elliptic flow at RHIC: further predictions. *Physics Letters B*, 503:58–64. 14
- [36] Jacobs, P. and Wang, X.-N. (2005). Matter in extremis: ultrarelativistic nuclear  
collisions at RHIC. *Progress in Particle and Nuclear Physics*, 54:443–534. 14
- [37] Kapusta, J. I. (1979). Quantum chromodynamics at high temperature. *Nuclear Physics*  
*B*, 148(3):461 – 498. 3
- [38] Loizides, C., Nagle, J., and Steinberg, P. (2015). Improved version of the PHOBOS  
Glauber Monte Carlo. *SoftwareX*, 1-2:13–18. 10
- [39] Luo, X. (2016). Exploring the qcd phase structure with beam energy scan in heavy-  
ion collisions. *Nuclear Physics A*, 956:75 – 82. The XXV International Conference on  
Ultrarelativistic Nucleus-Nucleus Collisions: Quark Matter 2015. 19
- [40] Miller, M. L., Reygers, K., Sanders, S. J., and Steinberg, P. (2007). Glauber modeling  
in high energy nuclear collisions. *Ann. Rev. Nucl. Part. Sci.*, 57:205–243. 10
- [41] Nattrass, C. (2009). System, energy, and flavor dependence of jets through di-hadron  
correlations in heavy ion collisions. v, 10, 26
- [42] Odyniec, G. (2013). The rhic beam energy scan program in star and what’s next ...  
*Journal of Physics: Conference Series*, 455(1):012037. 19
- [43] Ozaki, S. and Roser, T. (2015). Relativistic heavy ion collider, its construction and  
upgrade. *Progress of Theoretical and Experimental Physics*, 2015(3):03A102. vi, 8
- [44] Paquet, J.-F., Shen, C., Denicol, G., Luzum, M., Schenke, B., Jeon, S., and Gale, C.  
(2016). Thermal and prompt photons at rhic and the lhc. *Nuclear Physics A*, 956:409 –  
412. The XXV International Conference on Ultrarelativistic Nucleus-Nucleus Collisions:  
Quark Matter 2015. 15, 16
- [45] Patrignani, C. and Group, P. D. (2016). Review of particle physics. *Chinese Physics*  
*C*, 40(10):100001. 22

- [46] Perlmutter, S. et al. (1999). Measurements of Omega and Lambda from 42 high redshift supernovae. *Astrophys. J.*, 517:565–586. 1
- [47] Planck Collaboration, Ade, P. A. R., Aghanim, N., Arnaud, M., Ashdown, M., Aumont, J., Baccigalupi, C., Banday, A. J., Barreiro, R. B., Bartlett, J. G., and et al. (2016). Planck 2015 results. XIII. Cosmological parameters. , 594:A13. 1
- [48] Preghenella, R. (2011). Transverse momentum spectra of identified charged hadrons with the ALICE detector in Pb-Pb collisions at  $\sqrt{s_{NN}} = 2.76$  TeV. *PoS, EPS-HEP2011:118*. 24
- [49] Satz, H. (2006). Colour deconfinement and quarkonium binding. *Journal of Physics G: Nuclear and Particle Physics*, 32(3):R25. 4, 5
- [50] Sazdjian, H. (2017). Introduction to chiral symmetry in QCD. *EPJ Web Conf.*, 137:02001. 17
- [51] Schenke, B. (2017). Origins of collectivity in small systems. *Nuclear Physics A*, 967:105 – 112. The 26th International Conference on Ultra-relativistic Nucleus-Nucleus Collisions: Quark Matter 2017. 14
- [52] Scott, D. (2006). The standard cosmological model. *Can. J. Phys.*, 84:419–435. 1
- [53] Shao, M., Barannikova, O. Yu., Dong, X., Fisyak, Y., Ruan, L., Sorensen, P., and Xu, Z. (2006). Extensive particle identification with TPC and TOF at the STAR experiment. *Nucl. Instrum. Meth.*, A558:419–429. 26
- [54] Shuryak, E. V. (1988). The qcd vacuum and quark-gluon plasma. *Zeitschrift für Physik C Particles and Fields*, 38(1):141–145. 3
- [55] Snellings, R. (2011). Elliptic flow: a brief review. *New Journal of Physics*, 13(5):055008. 14
- [56] Stock, R. (2004). Ultra-relativistic nucleus-nucleus collisions. Proceedings, 17th International Conference, Quark Matter 2004, Oakland, USA, January 11-17, 2004. *J. Phys.*, G30:S633–S648. 7



- [57] Strickland, M. (2014). Anisotropic hydrodynamics: Motivation and methodology. *Nuclear Physics A*, 926:92–101. 14
- [58] Stcker, H. (2005). Collective flow signals the quarkgluon plasma. *Nuclear Physics A*, 750(1):121 – 147. Quark-Gluon Plasma. New Discoveries at RHIC: Case for the Strongly Interacting Quark-Gluon Plasma. Contributions from the RBRC Workshop held May 14-15, 2004. vii, 18
- [59] Tang, Z., Xu, Y., Ruan, L., van Buren, G., Wang, F., and Xu, Z. (2009). Spectra and radial flow at RHIC with Tsallis statistics in a Blast-Wave description. *Phys. Rev.*, C79:051901. 31
- [60] Tripathy, S., Khuntia, A., Tiwari, S. K., and Sahoo, R. (2017). Transverse Momentum Spectra and Nuclear Modification Factor using Boltzmann Transport Equation with Flow in Pb+Pb collisions at  $\sqrt{s_{NN}} = 2.76$  TeV. *Eur. Phys. J.*, A53(5):99. 31
- [61] Vovchenko, V., Anchishkin, D., and Csernai, L. P. (2014). Time dependence of partition into spectators and participants in relativistic heavy-ion collisions. *Phys. Rev. C*, 90:044907. vi, 12
- [62] Wilde, M. (2013). Measurement of Direct Photons in pp and Pb-Pb Collisions with ALICE. *Nucl. Phys.*, A904-905:573c–576c. 16
- [63] Wong, C.-Y. (1994). *Introduction to high-energy heavy-ion collisions*. World scientific. vi, 16, 17, 83
- [Ye] Ye, Z. private communication. 28

# Appendices

## A Kinematic Variables

The description of the collision physics and the interpretation of its results are aided by the construction of variables that undergo simple transformations under a change of reference frame. Two such variables, rapidity and pseudorapidity, are described in this section.

The rapidity,  $y$ , of a particle is defined as:

$$y \equiv \frac{1}{2} \ln \frac{p_0 + p_z}{p_0 - p_z} \quad (1)$$

$$= \frac{1}{2} \ln \frac{E + p_z}{E - p_z}, \quad (2)$$

where  $p_0$  and  $p_z$  are the components of its contravariant four-momentum  $p = (p_0, p_x, p_y, p_z)$  with  $p_0 = \frac{E}{c}$ ,  $E$  being the relativistic energy of the particle and  $c$ , the speed of light, being equal to 1 in natural units.

The rapidity of a particle is used as a relativistic description of its velocity. Unlike the canonical velocity of a particle, its rapidity transforms simply additively under a Lorentz boost of the frame of reference. For example, suppose a particle has a rapidity  $y$  in the laboratory frame. Let  $y'$  denote its rapidity as measured in a frame that is Lorentz boosted with a velocity  $\beta$  in the  $z$ -direction with respect to the laboratory frame. Then the relationship between the rapidities in the two different frames is simply

$$y' = y - y_\beta \quad (3)$$

Here,

$$y_\beta = \frac{1}{2} \ln \frac{1 + \beta}{1 - \beta} \quad (4)$$

is the rapidity the particle would have in the laboratory frame if it were moving with a velocity  $\beta$  in the  $z$ -direction with respect to the laboratory frame, as can be verified from equation 1 with  $p_0 = \gamma m$  and  $p_z = \gamma \beta m$ ,  $\gamma$  being the Lorentz factor  $\frac{1}{\sqrt{1-\beta^2}}$  [63].

The convenience provided by this construct comes with a cost. As evident from equation 1, the calculation of the rapidity of a particle requires the measurement of two different

1824 observables associated with it, such as the energy and the  $z$ -direction momentum. However,  
 1825 experimental constraints may sometimes only facilitate the measurement of the direction of  
 1826 the detected particle with respect to the beam axis. What's more convenient in such a case  
 1827 is the use of another variable construct called pseudorapidity,  $\eta$ , defined as:

$$\eta \equiv -\ln \tan \frac{\theta}{2}, \quad (5)$$

1828 where  $\theta$  is the angle the particle's momentum vector,  $\mathbf{p}$ , makes with the  $z$ -direction. The  
 1829 above equation can also be written in terms of the momentum as:

$$\eta = \frac{1}{2} \ln \frac{|\mathbf{p}| + p_z}{|\mathbf{p}| - p_z} \quad (6)$$

1830 From equations 1 and 6, it is evident that  $\eta \approx y$  when  $|\mathbf{p}| \approx p_0$ , i.e., when the momentum  
 1831 is large compared to the rest mass. The transformation of the particle distribution from the  
 1832  $y$ -space to the  $\eta$ -space is discussed in section 4.3.2.

## <sup>1833</sup> B Results from BGBW Fits