

Laboratory work 4

Task1:Retrieve all airline names in uppercase

```
SELECT UPPER(airline_name) AS airline_name_upper
FROM airline;
```

Query		Query History	
1	SELECT	UPPER(airline_name)	AS airline_name_upper
2	FROM	airline;	
3			

Data Output		Messages	Notifications
	airline_name_upper		
	text		
1	IPC		
2	PDN		
3	KLE		
4	KHS		
5	YLQ		
6	NGL		
7	O		
8	QIG		
9	NQX		
10	SOZ		
11	IVA		
12	KOQ		
13	IFH		
14	PIR		
15	KKG		
16	DUC		
17	YLP		
18	KIO		

Task2:Replace "Air" in airline names with "Aero"

```
SELECT
    airline_name,
    REPLACE(airline_name, 'Air', 'Aero') AS new_airline_name
FROM airline;
```

Query		Query History	
1	SELECT		
2	airline_name,		
3	REPLACE(airline_name, 'Air', 'Aero')	AS new_airline_name	
4	FROM	airline;	

Data Output		Messages	Notifications
	airline_name		
	character varying (50)		
	new_airline_name		
	text		
34	PIO		
35	JKR		
36	HOU		
37	HYL		
38	GVA		
39	CII		
40	RBR		
41	SJS		
42	KMA		
43	XLU		
44	BUO		
45	YBQ		
46	DNU		
47	MXW		
48	PQS		
49	BYH		
50	Air Astana		

```
SELECT flight_no,  
       airline_id  
FROM flights  
WHERE airline_id IN (1,2)
```

Query Query History

```
1 SELECT flight_no,
2         airline_id
3 FROM flights
4 WHERE airline_id IN (1,2)
```

Data Output Messages Notifications

	flight_no character varying (50)	airline_id integer
1	BR-PE	1
2	MZ-G	1
3	AU-NT	1
4	FR-K	1
5	US-VT	1
6	SB-WE	2
7	PH-BUK	1
8	US-OK	2
9	SD-01	1
10	PA-8	1
11	NA-KU	1
12	SR-SI	2

```
SELECT *
FROM airport
WHERE airport_name ILIKE '%Reginal%'
AND airport_name ILIKE '%Air%';
```

Query

Query History

1

SELECT *

2

FROM airport

3

WHERE airport_name ILIKE '%Reginal%'

4

AND airport_name ILIKE '%Air%';

Data Output

Messages

Notifications

SQL

Showing rows: 1 to 1

Page No: 1

	airport_id [PK] integer	airport_name character varying (50)	country character varying (50)	state character varying (50)	city character varying (50)	created_at date	update_at date
1	21	Reginal Air Airport	Kazakhstan	Almaty	Almaty	2024-01-01	2024-01-01

Task5:Passenger names + birth dates as Month DD, YYYY

```
SELECT
    first_name || ' ' || last_name AS full_name,
    TO_CHAR(date_of_birth, 'FMMonth DD, YYYY') AS birth_date
FROM passengers;
```

Query

Query History

1

2

3

4

5

SELECT

first_name || ' ' || last_name AS full_name,

TO_CHAR(date_of_birth, 'FMMonth DD, YYYY') AS birth_date

FROM passengers;

Data Output

Messages

Notifications

Showing rows: 1 to 12

	full_name text	birth_date text
1	Hilde Irnis	January 03, 2000
2	Arvy Sparsholt	June 09, 1974
3	Reinald Pococke	June 07, 1982
4	Con Borrel	October 17, 1986
5	Wayne Bangs	April 22, 1996
6	Tildy Shackelford	April 15, 2004
7	Byrle Oram	July 07, 1985
8	Howard Igo	March 29, 1984
9	Alphonso Philippou	August 30, 1975
10	Fairfax Needham	July 08, 1981
11	Vanda Prime	May 17, 1977
12	Terra Wimmer	January 02, 1977

Task6:Find flight numbers that have been delayed based on actual arrival time

```
SELECT flight_id
FROM flights
WHERE actual_arrival > scheduled_arrival;
```

Query

Query History

1

2

3

SELECT flight_id

FROM flights

WHERE actual_arrival > scheduled_arrival;

Data Output

Messages

Notifications

≡+

📄

▼

📄

▼

🗑️

📦

⬇️

📈

SQL

flight_id

[PK] integer

✎

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

1

2

4

8

9

12

13

18

20

22

27

30

32

33

34

Task7:Find flights that arrived late compared with scheduled arrival

```

SELECT
    flight_id,
    flight_no,
    scheduled_arrival,
    actual_arrival
FROM flights
WHERE actual_arrival > scheduled_arrival;

```

Query

Query History

1

SELECT

2

flight_id,

3

flight_no,

4

scheduled_arrival,

5

actual_arrival

6

FROM flights

7

WHERE actual_arrival > scheduled_arrival;

Data Output

Messages

Notifications

≡+

▼

▼

SQL

Showir

	flight_id [PK] integer	flight_no character varying (50)	scheduled_arrival date	actual_arrival date
1	1	US-CT	2023-09-08	2023-11-07
2	2	US-NM	2023-09-17	2024-01-23
3	4	RU-KR	2023-03-18	2023-04-07
4	8	US-AZ	2023-04-08	2023-08-01
5	9	IN-OR	2023-09-19	2023-12-03
6	12	CA-NL	2023-06-04	2023-11-17
7	13	BR-PE	2023-06-02	2023-11-09
8	18	TH-32	2023-03-30	2023-07-21
9	20	US-MS	2024-01-22	2024-03-06
10	22	GB-FNC	2023-10-11	2024-01-04

Task8:Airlines from France, Portugal or Poland created between the dates

```
SELECT *
FROM airline
WHERE UPPER(airline_country) IN ('FRANCE', 'PORTUGAL', 'POLAND')
AND created_at BETWEEN '2023-11-01' AND '2024-03-31 23:59:59';
```

Query

Query History

1

SELECT *

2

FROM airline

3

WHERE UPPER(airline_country) IN ('FRANCE', 'PORTUGAL', 'POLAND')

4

AND created_at BETWEEN '2023-11-01' AND '2024-03-31 23:59:59';

5

Data Output

Messages

Notifications

SQL

Showing rows: 1 to 7

	airline_id [PK] integer	airline_code character varying (50)	airline_name character varying (50)	airline_country character varying (50)	created_at date	update_at date
1	4	OOKB	KHS	France	2023-11-18	2024-02-18
2	13	OIFE	IFH	Portugal	2024-01-09	2023-11-09
3	15	SYKZ	KKG	Poland	2023-12-24	2023-10-30
4	24	ZSRG	RUG	Portugal	2024-03-11	2023-08-24
5	28	RKPD	JDG	Poland	2023-11-03	2023-12-06
6	30	CYST	YST	Poland	2023-11-24	2023-10-07
7	43	AYKM	KMA	France	2023-11-21	2023-05-30

Task9: Top 3 overweight baggage over 25 kg

```
SELECT
    baggage_id,
    booking_id,
    weight_in_kg
FROM baggage
WHERE weight_in_kg > 25
ORDER BY weight_in_kg DESC
LIMIT 3;
```

Query		Query History	
1	SELECT		
2	baggage_id,		
3	booking_id,		
4	weight_in_kg		
5	FROM baggage		
6	WHERE weight_in_kg > 25		
7	ORDER BY weight_in_kg DESC		
8	LIMIT 3;		
9			
Data Output		Messages	Notifications
	baggage_id [PK] integer	booking_id integer	weight_in_kg numeric (4,2)
1	321	349	49.80
2	61	464	49.57
3	102	53	49.44

Task10: Youngest passenger's full name

```
SELECT
    first_name || ' ' || last_name AS full_name,
    date_of_birth
FROM passengers
ORDER BY date_of_birth DESC
LIMIT 1;
```

Query

Query History

1

2

3

4

5

6

7

```
SELECT
    first_name || ' ' || last_name AS full_name,
    date_of_birth
FROM passengers
ORDER BY date_of_birth DESC
LIMIT 1;
```

Data Output

Messages

Notifications

≡+

▼

▼

SQL

full_name

date_of_birth

text

date

1

Bernie Mic...

2009-11-03

Task11:Cheapest booking price on each booking platform

Query

Query History

1

SELECT
 booking_platform,
MIN(price) **AS** cheapest_price
FROM booking
GROUP BY booking_platform;

Data Output

Messages

Notifications

≡+

📄

▼

📋

▼

🗑️

🗄️

⬇️

📈

SQL

	booking_platform character varying (50) 🔒	cheapest_price numeric 🔒
1	Schmitt-Quigley	4966.58
2	Rohan, Hamill and Bosco	7118.84
3	Kutch-Russel	2113.46
4	Veum-Corwin	2183.14
5	Wolff, Wuckert and Satterfield	4911.89
6	Reichel, Deckow and Quitzon	8389.34
7	Murazik-Gulgowski	950.80
8	Cole, Corwin and Leannon	8735.70
9	Franecki, Dickens and Walsh	283.78

Task12: Airlines whose airline_code contains a digit

```
SELECT *
FROM airline
WHERE airline_code ~ '[0-9]';
```

Query

Query History

1

SELECT *

2

FROM airline

3

WHERE airline_code ~ '[0-9]';

4

Data Output

Messages

Notifications

≡+

▼

▼

SQL

Showing rows: 1 to 1

airline_id

airline_code

airline_name

airline_country

created_at

update_at

[PK] integer

character varying (50)

character varying (50)

character varying (50)

date

date

1

22

2AK6

HGZ

Philippines

2024-03-13

2023-10-20

Task13: Top 5 most recently created airlines

```
SELECT *
FROM airline
ORDER BY created_at DESC
LIMIT 5;
```

Query

Query History

1

2

3

4

5

6

SELECT *

FROM airline

ORDER BY created_at DESC

LIMIT 5;

Data Output

Messages

Notifications

</

Task14: booking_id between 200 and 300 and check_result is not Checked

```
SELECT *
FROM baggage_check
WHERE booking_id BETWEEN 200 AND 300
AND check_result <> 'Checked';
```

Query

Query History

1

2

3

4

5

6

SELECT *

FROM baggage_check

WHERE booking_id BETWEEN 200 AND 300

AND check_result <> 'Checked';

Data Output

Messages

Notifications

Task15:Baggage checks where update_at is same month as created_at but earlier than created_at

```
SELECT *
FROM baggage_check
WHERE DATE_TRUNC('month', update_at) =
      DATE_TRUNC('month', created_at)
      AND update_at < created_at;
```

Query

Query History

1

SELECT *

2

FROM baggage_check

3

WHERE DATE_TRUNC('month', update_at) =

4

DATE_TRUNC('month', created_at)

5

AND update_at < created_at;

6

7

Data Output

Messages

Notifications

</