

 REFERENCE DOCUMENT

Data Dictionary

Comprehensive field-level documentation for the guest statistics and flight operations datasets.

3

DATA FILES

32

UNIQUE COLUMNS

2

DATA DOMAINS

Table of Contents

- 1 International Guest Data
- 2 Domestic Guest Data
- 3 Flight Operations Data



International Guest Data

data_international_test.xlsx – Sheet: Export

Daily guest arrival statistics broken down by nationality of origin. Each row represents a single nationality on a given date, capturing the target guest count, new arrivals, same-day visitors, and a grouped residence classification. The asterisk (*) symbol is used as a placeholder for suppressed or unavailable values, particularly in the "Same-Day Guests" column when the count is zero or negligible.

6 data columns

Aug 2025 – Aug 2025

45 nationalities

COLUMN NAME	DATA TYPE	DESCRIPTION	EXAMPLE VALUES
Date	Date (String)	The calendar date to which the guest counts apply. Formatted as YYYY/M/D. Each date has multiple rows — one per nationality.	2025/8/1, 2025/8/14
Guests TARGET VARIABLE	Integer	Target variable — the value to be predicted. Total number of international guests recorded for the given nationality on the given date.	495, 2423, 3816
New Arrivals	Integer	Count of guests who are newly arrived (check-in) on the given date, as opposed to continuing stays from previous days. Always a subset of the total Guests count.	141, 721, 1556

COLUMN NAME	DATA TYPE	DESCRIPTION	EXAMPLE VALUES
Same-Day Guests	Integer	Number of guests who visited and departed on the same day without an overnight stay. The value * indicates zero, suppressed, or not applicable (no same-day guests recorded for that nationality-date combination).	*, 2, 16, 21
Nationality	String	The passport nationality or country of origin of the guests. Represented in uppercase ISO-style country names. There are 45 distinct nationalities in this dataset.	SAUDI ARABIA, INDIA, CHINA
Residence (groups)	String (Categorical)	A high-level residence grouping label. In this file, every row is classified as "International", indicating the guest is a non-resident visitor from abroad.	International



Domestic Guest Data

data_domestic_test.xlsx – Sheet: Export

Aggregated daily guest statistics for domestic (in-country) visitors. Unlike the international file, this dataset is already rolled up to one row per date — there is no nationality or city-level breakdown. The structure mirrors the international file but omits the "Nationality" column, since all guests are domestic.



5 data columns



Aug 2025 – Feb 2026



212 daily records

COLUMN NAME	DATA TYPE	DESCRIPTION	EXAMPLE VALUES
Date	Date (String)	The calendar date for the aggregated domestic guest counts. Formatted as YYYY/M/D. Each date appears exactly once in this dataset.	2025/8/1, 2026/2/28
Guests TARGET VARIABLE	Integer	Target variable — the value to be predicted. Total number of domestic guests on the given date. Values range roughly from 12,000 to 28,000, with notable peaks on weekends and holidays.	19660, 27977, 13233
New Arrivals	Integer	Count of domestic guests who checked in on the given date. On weekdays this is typically 30–40% of total guests; on Fridays/weekends it can exceed 50%, reflecting weekend trip patterns.	11043, 18004, 5780
Same-Day Guests	Integer	Domestic guests who visited and departed on the same day without an overnight stay. Unlike the international file, this column always contains a numeric value (never an asterisk).	195, 172, 164
Residence (groups)	String (Categorical)	A high-level residence grouping label. In this file, every row is classified as "Domestic", indicating the guest is a resident or in-country visitor.	Domestic



Flight Operations Data

flight_data.xlsx – Sheet: Export

Monthly flight-level operational data for routes arriving into Abu Dhabi (AUH). Each row represents a unique combination of month, departure city/country, and operating airline. The dataset includes passenger counts broken down by cabin class (Business, Economy, First), seat capacity, load factor, and transfer/transit passenger segmentation. Asterisk (*) values indicate data that is unavailable, suppressed, or not applicable for that route-class combination.

26 data columns

Jan 2022 onwards

Multi-airline, multi-city

COLUMN NAME	DATA TYPE	DESCRIPTION	EXAMPLE VALUES
Date	DateTime (String)	The first day of the reporting month, with a timestamp of 12:00:00 AM. Represents the monthly aggregation period (e.g., "1/1/2022 12:00:00 AM" = January 2022).	1/1/2022 12:00:00 AM, 3/1/2022 12:00:00 AM
Departure Country Name	String	Full name of the country from which the flight departs. Uses standard country names (e.g., "Saudi Arabia", "United Kingdom").	India, Saudi Arabia, Egypt
Departure City	String	The city of origin for the flight. Some countries have multiple departure cities (e.g., India has Delhi, Mumbai, Kochi, etc.).	Delhi, London, Cairo
Arrival City	String	The destination city. In all observed records, this is "Abu Dhabi".	Abu Dhabi
Airline Name	String	The operating airline for the route. Includes full carrier names. "Unknown" appears for a small number of records where the airline could not be identified.	Etihad Airways, IndiGo, Wizz Air Abu Dhabi
Average Weekly Frequency	Float	The average number of flights per week on this route during the reporting month. Populated with * in most observed rows, suggesting this field may not be available for the current data extract.	*

COLUMN NAME	DATA TYPE	DESCRIPTION	EXAMPLE VALUES
Business Class P2P Count	Integer	Number of point-to-point (P2P) passengers traveling in Business Class. P2P passengers have Abu Dhabi as their final destination (not connecting onward). * = not available.	*, 307, 604
Business Class Seat Capacity	Integer	Total number of Business Class seats available on the route for the month. * = not available or not applicable (e.g., airline does not offer Business Class on this route).	*
Economy Class P2P Count	Integer	Number of point-to-point passengers traveling in Economy Class on this route for the month.	*, 4516, 4091
Economy Class Seat Capacity	Integer	Total Economy Class seats available on the route for the month.	*
First Class P2P Count	Integer	Number of point-to-point passengers in First Class. Very few routes/airlines offer First Class, so this is predominantly *.	*
First Class Seat Capacity	Integer	Total First Class seats available on the route for the month. Predominantly * as most airlines in this dataset do not operate First Class on these routes.	*
Load Factor	Percentage (String)	The percentage of total seat capacity that was occupied by passengers. Calculated as Total PAX / Total Seats. Values above 100% are possible due to overbooking or infant counting differences. Always populated.	47.02%, 87.77%, 185.71%
Total P2P	Integer	Total point-to-point passengers across all cabin classes. These are passengers whose journey originates at the departure city and terminates at Abu Dhabi.	57, 1480, 4516
Total PAX	Integer	Total passengers on board across all classes, including both P2P and transfer/transit passengers. This is the broadest passenger count metric.	158, 1480, 7014

COLUMN NAME	DATA TYPE	DESCRIPTION	EXAMPLE VALUES
Total PAX Excluding Infant	Integer	Total passengers minus infants (lap children). Typically 1–5 less than Total PAX. Used for capacity planning where infants do not occupy a seat.	154, 1462, 6795
Total Seats	Integer	Total seat capacity offered across all cabin classes on the route for the month. Used as the denominator for Load Factor calculation.	336, 2151, 8260
Total Transfer	Integer	Number of passengers who arrived on this route and transferred to another flight at Abu Dhabi. Transfers involve a change of aircraft/flight number.	101, 0, 6374
Total Transit	Integer	Number of passengers in transit through Abu Dhabi. Transit typically refers to passengers staying on the same aircraft or with a simpler connection process. Mostly 0 in observed data.	0, 0, 52
Transfer Business Class Count	Integer	Number of Business Class passengers who transferred at Abu Dhabi. * = not available.	*
Transfer Economy Class Count	Integer	Number of Economy Class passengers who transferred at Abu Dhabi. * = not available.	*
Transfer First Class Count	Integer	Number of First Class passengers who transferred at Abu Dhabi. * = not available.	*
Transit Business Class Count	Integer	Number of Business Class passengers in transit at Abu Dhabi. * = not available.	*
Transit Economy Class Count	Integer	Number of Economy Class passengers in transit at Abu Dhabi. * = not available.	*

COLUMN NAME	DATA TYPE	DESCRIPTION	EXAMPLE VALUES
Transit First Count	Integer	Number of First Class passengers in transit at Abu Dhabi. Note: column name abbreviation differs from the pattern ("Transit First Count" vs. "Transit First Class Count"). * = not available.	*
Destination	String (Code)	IATA airport code for the arrival destination. In all observed records this is "AUH" (Abu Dhabi International Airport).	AUH