

Station Name:		A	Division:	S	CODE	A											
Station ID:		123	Section:	Railway													
S.No	Entry Signal	Exit Signal	Section Type	Line Description (Line No)	Signal Type	Aspect of Entry Signal	Requires Aspects of Exit Signal	Requires Points In Route		Requires Track Circuit "UP" in Route	TINs (Track Identification Number) Requires Free	TINs required free in overlap	Check RFID Sequence		Distance Between Entry & Exit Signal (Meters)	Movement Authority From Foot of Entry Signal (in sections)	Authorised Speed (Kmph) in OS
								Normal	Reverse				Entry Signal Foot Tag	(Linking Distance, En-Route Tags)			
1	S1D	S1	ABSOLUTE BLOCK	UP MAIN LINE	UP DISTANT SIGNAL	GREEN	GREEN	-	-	-	-	-	R-694	(0,R-694),(803,R-695), (200,R-741)	1003	5	MPS
						DOUBLE YELLOW	GREEN									5	
							YELLOW WITH POS-1									2	
							YELLOW									2	
							YELLOW									GREEN	
						YELLOW WITH POS-1										2	
						YELLOW										2	
						RED										1	
2	S1	S3	STATION SECTION	UP MAIN LINE	UP HOME SIGNAL WITH ROUTE INDICATOR	GREEN	GREEN	7	-	OMT	N-006,N-007	N-008	R-741	(0,R-741),(186,R-742), (102,R-743),(201, R-744),(200,R-745), (191,R-746),(140, R-747),(200,R-748)	1220	4	MPS
						YELLOW	GREEN									4	
							YELLOW									2	
							RED									1	
3	S1A	S3	STATION SECTION	UP MAIN LINE	CALLING-ON SIGNAL	MINATURE S1-RED/BLANK	-	7	-	1 AT (OCCUPIED)	-	-	R-741	(0,R-741),(186,R-742), (102,R-743),(201, R-744),(200,R-745), (191,R-746),(140, R-747),(200,R-748)	1220	1	15
4	S1	-	STATION SECTION	-	UP HOME SIGNAL WITH ROUTE INDICATOR	RED/BLANK	-	OV MODE					R-741	(0,R-741)	1220	1	15

Station Name:		A		Division:		S		CODE		A											
Station ID:		123		Section:		Railway															
S.No	Entry Signal	Exit Signal	Section Type	Line Description (Line No)	Signal Type	Aspect of Entry Signal	Requires Aspects of Exit Signal	Requires Points In Route		Requires Track Circuit "UP" in Route	TINs (Track Identification Number) Requires Free	TINs required free in overlap	Check RFID Sequence		Distance Between Entry & Exit Signal (Meters)	Movement Authority From Foot of Entry Signal (in sections)	Authorised Speed (Kmph) in OS				
								Normal	Reverse				Entry Signal Foot Tag	(Linking Distance, En-Route Tags)							
5	S1	S4	STATION SECTION	UP MAIN LINE TO LOOP LINE	UP HOME SIGNAL WITH ROUTE INDICATOR	YELLOW (WITH POS-1)	YELLOW	-	7	OLT	N-006,N-009, N-010	N-011,(N-008W 13R)	R-741	(0,R-741),(186,R-742), (102,R-743),(69, R-759),(132,R-753), (200,R-754),(191, R-755),(140,R-756), (200,R-757)	1220	2	30				
						RED															
6	S1A	S4	STATION SECTION	UP MAIN LINE TO LOOP LINE	CALLING-ON SIGNAL	MINIATURE S1-RED/BLANK	-	-	7	1AT OCCUPIED	-	-	R-741	(0,R-741),(186,R-742), (102,R-743),(69, R-759),(132,R-753), (200,R-754),(191, R-755),(140,R-756), (200,R-757)	1220	1	15				
7	S4	S6	STATION SECTION	LOOP LINE TO UP MAIN LINE	UP LOOP LINE STATER	YELLOW	GREEN	-	13	-	N-011,N-008	-	R-757	(0,R-757),(63,R-760), (132,R-749),(107, R-750)	302	3	30				
							RED														
											RED/BLANK	-				OV MODE					

<table><tr><td>Station Name:</td><td>A</td><td>Division:</td><td>S</td><td rowspan="2">CODE</td><td rowspan="2">A</td><td colspan="6"></td></tr><tr><td>Station ID:</td><td>123</td><td>Section:</td><td>Railway</td></tr></table>																	Station Name:	A	Division:	S	CODE	A							Station ID:	123	Section:	Railway
Station Name:	A	Division:	S	CODE	A																											
Station ID:	123	Section:	Railway																													
S.No	Entry Signal	Exit Signal	Section Type	Line Description (Line No)	Signal Type	Aspect of Entry Signal	Requires Aspects of Exit Signal	Requires Points In Route		Requires Track Circuit "UP" in Route	TINs (Track Identification Number) Requires Free	TINs required free in overlap	Check RFID Sequence		Distance Between Entry & Exit Signal (Meters)	Movement Authority From Foot of Entry Signal (in sections)	Authorised Speed (Kmph) in OS															
								Normal	Reverse				Entry Signal Foot Tag	(Linking Distance, En-Route Tags)																		
8	S3	S6	STATION SECTION	UP MAIN LINE	UP MAIN LINE STARTER	GREEN	GREEN	13	-	-	N-008	-	R-748	(0,R-748),(195,R-749), (107,R-750)	302	3	MPS															
						YELLOW	GREEN																									
							RED																									
						RED/BLANK	-	OV MODE								1	15															
9	S6	S1D(KCP UP DISTANT SIGNAL)	STATION SECTION	UP MAIN LINE	UP ADVANCE STARTER	GREEN	-	-	-	-	N-106	-	R-750	(0,R-750), (183,R-751), (200,R-326),(175, R-827), (628,R-828), (230,R-829),(970, R-830),(150,R-831), (830,R-832), (970, R-833), (970,R-834), (970,R-835), (765, R-836), (514,R-837), (436,R-838), (764, R-839), (326,R-840), (950,R-841),(662, R-842), (970,R-843), (230,R-844)	11893	2	MPS															
						RED/BLACK	-	OV MODE								2																
10	S20D	S20	ABSOLUTE BLOCK	DOWN MAIN LINE	DN DISTANT SIGNAL	GREEN	GREEN	-	-	-	-	-	R-828	(0,R-828),(628, R-827),(175,R-826), (200,R-751)	1003	5	MPS															
						DOUBLE YELLOW	GREEN																									
							YELLOW WITH POS-4																									
							YELLOW																									
							GREEN																									
						YELLOW	YELLOW WITH POS-4																									
							YELLOW																									
							YELLOW																									
							RED																									

| | | | | | | | | | | | | | | | | |