

TAGDATA

NORMAL TAG											
FIELD		BIT POSITION	No. of bits	477M	477D	479M	479D	481M	481D	485M	485D
Type of Tag (9-Normal, 10- LC, 11-Adjacent Line, 12-Adjustment/Junction)		X3 - X0	4	9	9	9	9	9	9	9	9
KAVACH Version (0-Kavach Spec 3.2, 1-KAVACH Spec 4.0, 2,3: Reserved for future Use)		X5 - X4	2	1	1	1	1	1	1	1	1
Unique ID of RFID Tag Set		X15 - X6	10	477	477	479	479	481	481	485	485
Absolute Location in meters		X38 - X16	23	252811	252815	252831	252835	252851	252855	253160	253164
TIN in Nominal Direction		X46 - X39	8	091	091	091	091	091	091	091	091
TIN in Reverse Direction		X54 - X47	8	0	0	091	091	091	091	091	091
Station ID in Nominal direction		Y6 - Y0 & X63 - X55	16	00000	00000	00000	00000	00000	00000	00000	00000
Station ID in Reverse direction		Y22 - Y7	16	00000	00000	00000	00000	00000	00000	00000	00000
Section Type in Nominal Dir. (0-Station Section, 1-Absolute block, 2-Automatic section, 3-Virtual Block)		Y24 - Y23	2	1	1	1	1	1	1	1	1
Section Type in Reverse Dir. (0-Station Section, 1-Absolute block, 2-Automatic section, 3-Virtual Block)		Y26 - Y25	2	0	0	1	1	1	1	1	1
Tag placement ("0" – In line section, "1" – At Signal foot in Nominal direction, "2" – At Signal foot in Reverse direction "3" – At Turnout, "4" – At KAVACH territory exit in Nominal direction, "5" – At KAVACH territory exit in Reverse direction, "6" – At Signal foot in both directions. "7" – At KAVACH territory exit in Both Directions, "8" - At Dead stop in Nominal Direction "9" - At Dead stop in Reverse Direction "10 - 15" - Reserved)		Y30 - Y27	4	1	1	0	0	0	0	0	0
Tag Duplication (0 – Main Tag, 1 – Duplicate Tag)		Y31	1	0	1	0	1	0	1	0	1
Communication in Nominal Direction (0-Required, 1- Not Required)		Y32	1	1	1	1	1	1	1	1	1
Communication in Reverse Direction (0-Required, 1- Not Required)		Y33	1	1	1	1	1	1	1	1	1
CRC		Y63 - Y34	30	36C6B569	07DB0885	0EE9FD4E	379C6755	34E84645	05F5FBA9	1CF1B1C6	2DEC0C2A
PAGEX		X63-X0	64	00002D83DB8B7759	00002D83DB8F7759	002DAD83DB9F77D9	002DAD83DBA377D9	002DAD83DBB37859	002DAD83DBB77859	002DAD83DCE87959	002DAD83DCEC7959
PAGEY		Y63-Y0	64	DB1AD5A708800000	1F6C221788800000	3BA7F53B02800000	DE719D5782800000	D3A1191702800000	17D7EEA782800000	73C6C71B02800000	B7B030AB82800000
Rev. No.	Revision History		DATE								
2.0.0	Initial version		26.09.2026								

NORMAL TAG								
FIELD	BIT POSITION	No. of bits	080M	080D	082M	082D	084M	084D
Type of Tag (9-Normal, 10- LC, 11-Adjacent Line, 12-Adjustment/Junction)	X3 - X0	4	9	9	9	9	9	9
KAVACH Version (0-Kavach Spec 3.2, 1-KAVACH Spec 4.0, 2,3: Reserved for future Use)	X5 - X4	2	1	1	1	1	1	1
Unique ID of RFID Tag Set	X15 - X6	10	080	080	082	082	084	084
Absolute Location in meters	X38 - X16	23	252695	252691	252675	252671	252655	252651
TIN in Nominal Direction	X46 - X39	8	222	222	0	0	0	0
TIN in Reverse Direction	X54 - X47	8	0	0	0	0	0	0
Station ID in Nominal direction	Y6 - Y0 & X63 - X55	16	00000	00000	00000	00000	00000	00000
Station ID in Reverse direction	Y22 - Y7	16	00000	00000	00000	00000	00000	00000
Section Type in Nominal Dir. (0-Station Section, 1-Absolute block, 2-Automatic section, 3-Virtual Block)	Y24 - Y23	2	1	1	0	0	0	0
Section Type in Reverse Dir. (0-Station Section, 1-Absolute block, 2-Automatic section, 3-Virtual Block)	Y26 - Y25	2	0	0	0	0	0	0
Tag placement ("0" – In line section, "1" – At Signal foot in Nominal direction, "2" – At Signal foot in Reverse direction "3" – At Turnout, "4" – At KAVACH territory exit in Nominal direction, "5" – At KAVACH territory exit in Reverse direction, "6" – At Signal foot in both directions. "7" – At KAVACH territory exit in Both Directions, "8" - At Dead stop in Nominal Direction "9" - At Dead stop in Reverse Direction "10 - 15" - Reserved)	Y30 - Y27	4	5	5	7	7	7	7
Tag Duplication (0 – Main Tag, 1 – Duplicate Tag)	Y31	1	0	1	0	1	0	1
Communication in Nominal Direction (0-Required, 1- Not Required)	Y32	1	1	1	1	1	1	1
Communication in Reverse Direction (0-Required, 1- Not Required)	Y33	1	1	1	1	1	1	1
CRC	Y63 - Y34	30	143FE45F	252259B3	32E621D0	26278135	1E4CBE88	2F510364
PAGEX	X63-X0	64	00006F03DB171419	00006F03DB131419	00000003DB031499	00000003DAFF1499	00000003DAEF1519	00000003DAEB1519
PAGEY	Y63-Y0	64	50FF917F28800000	948966CFA8800000	CB98874338000000	989E04D7B8000000	7932FA2338000000	BD440D93B8000000

Rev. No.	Revision History	DATE
2.0.0	Initial version	26.09.2026

			ADJACENT LINE TAG			
FIELD	BIT POSITION	No. of bits	483M	483D	484M	484D
Type of Tag (9-Normal, 10- LC, 11-Adjacent Line, 12-Adjustment/Junction)	X3 - X0	4	11	11	11	11
KAVACH Version (0-Kavach Spec 3.2, 1-KAVACH Spec 4.0, 2,3: Reserved for future Use)	X5 - X4	2	1	1	1	1
Unique ID of RFID Tag Set	X15 - X6	10	483	483	484	484
Absolute Location in meters	X38 - X16	23	252941	252945	253414	253410
TIN in Nominal Direction	X46 - X39	8	091	091	222	222
TIN in Reverse Direction	X54 - X47	8	091	091	222	222
Adjacent Line-1 TIN	X60 - X55	8	222	222	091	091
Adjacent Line-2 TIN	Y3 - Y0 & X3	8	0	0	0	0
Adjacent Line-3 TIN	Y14 - Y7	8	0	0	0	0
Adjacent Line-4 TIN	Y22 - Y15	8	0	0	0	0
Adjacent Line-5 TIN	Y30 - Y23	8	0	0	0	0
Tag Duplication (0 – Main Tag, 1 – Duplicate Tag)	Y31	1	0	1	0	1
Fill Zero's	Y33 - Y32	2	0	0	0	0
CRC	Y63 - Y34	30	0F9FA0FF	3B0A08A0	22425586	135FE86A
PAGEX	Y63 - X0	64	6F2DAD83DC0D78DB	6F2DAD83DC1178DB	2DEF6F03DDE6791B	2DEF6F03DDE2791B
PAGEY	Y63 - Y0	64	3E7E83FC00000000	EC28228080000000	8909561800000000	4D7FA1A880000000

Rev. No.	Revision History	DATE
2.0.0	Initial version	26.09.2026