


Facial Health Observation Report — Clinical Review

Patient ID: 001 | Generated: 20 August 2026, 22:43 | System: Mira AI Facial Analysis v1.0 | *FOR CLINICAL USE — CONTAINS RAW METRIC DATA*

Facial Analysis Visualization



Annotated mesh with Phase 2 region overlays.

1. Face Geometry

Metric	Value	Normal Range	Severity
Symmetry Score	80.8 / 100	≥ 75	—
Head Tilt	-0.4°	$\pm 3^\circ$	—
Face Aspect Ratio (H/W)	1.166	1.2–1.6	Mild
Swelling Score	0.0 / 100	< 20	—
Cheek / Eye-Span Ratio	1.516	≤ 1.60	—

Clinical Observations:

- Observation: Slight facial asymmetry noted (Normal Symmetry, score 81/100). Minor variations are common and typically insignificant.
- Head alignment appears level.
- Observation: Face appears relatively wide for its height.
- No swelling indicators detected based on facial proportions.

2. Eyes

Left Eye

Metric	Value	Normal Range	Severity
Dark Circle Score	11.6 / 100	< 35	None
Redness Score	0.0 / 100	< 30	None
Puffiness Score	0.0 / 100	< 35	None
Openness Ratio	73.7 / 100	≥ 20	—

- [NONE] No significant dark circles observed under left eye.
- [NONE] No visible redness in left eye.

Right Eye

Metric	Value	Normal Range	Severity
Dark Circle Score	40.0 / 100	< 35	Mild
Redness Score	0.0 / 100	< 30	None
Puffiness Score	0.0 / 100	< 35	None
Openness Ratio	78.9 / 100	>= 20	—

- **[MILD]** [score: 40.0] Possible indicator: Mild dark circles visible under right eye.
- **[NONE]** No visible redness in right eye.

3. Skin

Forehead

Metric	Value	Normal Range	Severity
Acne Score	0.0 / 100	< 20	None
Redness Score	14.7 / 100	< 25	None
Texture Irregularity	68.4 / 100	< 30	Moderate

- **[NONE]** No significant skin spots detected on forehead.
- **[MODERATE]** [score: 68.4] Observation: Moderate skin texture irregularity on forehead.

Left Cheek

Metric	Value	Normal Range	Severity
Acne Score	0.0 / 100	< 20	None
Redness Score	0.0 / 100	< 25	None
Texture Irregularity	31.7 / 100	< 30	Mild

- **[NONE]** No significant skin spots detected on left cheek.
- **[MILD]** [score: 31.7] Observation: Mild skin texture irregularity on left cheek.

Right Cheek

Metric	Value	Normal Range	Severity
Acne Score	0.0 / 100	< 20	None
Redness Score	0.2 / 100	< 25	None
Texture Irregularity	4.7 / 100	< 30	None

- **[NONE]** No significant skin spots detected on right cheek.

Nose

Metric	Value	Normal Range	Severity
Acne Score	10.0 / 100	< 20	None
Redness Score	1.6 / 100	< 25	None
Texture Irregularity	37.2 / 100	< 35	Mild

- **[NONE]** No significant skin spots detected on nose.
- **[MILD]** [score: 37.2] Observation: Mild skin texture irregularity on nose.

4. Lips

Metric	Value	Normal Range	Severity
Dryness Score	100.0 / 100	< 30	Notable
Color Inconsistency	63.1 / 100	< 25	Moderate

Pallor Score	82.8 / 100	< 35	Notable
--------------	------------	------	---------

- **[NOTABLE]** [score: 100.0] Possible indicator: Notable lip dryness observed.
- **[MILD]** [score: 36.9] Observation: Mild unevenness in lip color distribution.
- **[NOTABLE]** [score: 82.8] Visible sign: Notable lip pallor (reduced color saturation) observed. Possible indicator of reduced circulation in lip area.

5. Mouth Geometry

Metric	Value	Normal Range	Severity
Mouth Aspect Ratio (normalized)	100.0 / 100	50–100 (resting closed)	—
Corner Asymmetry Score	23.4 / 100	< 15	Mild
Curvature Score (signed)	3.6	± 10 (neutral)	—

- **[MILD]** [score: 23.4] Slight difference in mouth corner height noted between left and right.
- **[NONE]** Mouth appears in a neutral resting position.

6. Overall Assessment

Assessment Label: Notable Observations Present **Observation Density Score:** 100%

- 2 notable observation(s) detected requiring attention.
- 1 moderate observation(s) identified.
- 5 mild observation(s) noted.
- Note: This report contains visual observations only and does not constitute a medical diagnosis. Please consult a qualified healthcare professional for any health concerns.

DISCLAIMER: This report is generated by an automated computer vision system (Mira AI Facial Analysis). It contains visual and geometric observations only and does NOT constitute a medical diagnosis, clinical assessment, or treatment recommendation. All findings must be interpreted by a qualified healthcare professional in the context of the patient's clinical history. Scores are derived from a single photographic frame and may be affected by lighting, pose, and image quality.