


Facial Health Observation Report — Clinical Review

Patient ID: 001 | Generated: 20 August 2026, 22:44 | System: Mira AI Facial Analysis v1.0 | *FOR CLINICAL USE — CONTAINS RAW METRIC DATA*

Facial Analysis Visualization



Annotated mesh with Phase 2 region overlays.

1. Face Geometry

Metric	Value	Normal Range	Severity
Symmetry Score	82.2 / 100	≥ 75	—
Head Tilt	-2.1°	$\pm 3^\circ$	—
Face Aspect Ratio (H/W)	1.179	1.2–1.6	Mild
Swelling Score	0.0 / 100	< 20	—
Cheek / Eye-Span Ratio	1.485	≤ 1.60	—

Clinical Observations:

- Observation: Slight facial asymmetry noted (Normal Symmetry, score 82/100). Minor variations are common and typically insignificant.
- Head alignment appears level.
- Observation: Face appears relatively wide for its height.
- No swelling indicators detected based on facial proportions.

2. Eyes

Left Eye

Metric	Value	Normal Range	Severity
Dark Circle Score	12.2 / 100	< 35	None
Redness Score	0.0 / 100	< 30	None
Puffiness Score	0.0 / 100	< 35	None
Openness Ratio	84.4 / 100	≥ 20	—

- [NONE] No significant dark circles observed under left eye.
- [NONE] No visible redness in left eye.

Right Eye

Metric	Value	Normal Range	Severity
Dark Circle Score	39.8 / 100	< 35	Mild
Redness Score	0.0 / 100	< 30	None
Puffiness Score	0.0 / 100	< 35	None
Openness Ratio	80.5 / 100	>= 20	—

● **[MILD]** [score: 39.8] Possible indicator: Mild dark circles visible under right eye.

● **[NONE]** No visible redness in right eye.

3. Skin

Forehead

Metric	Value	Normal Range	Severity
Acne Score	0.0 / 100	< 20	None
Redness Score	14.9 / 100	< 25	None
Texture Irregularity	86.1 / 100	< 30	Notable

● **[NONE]** No significant skin spots detected on forehead.

● **[NOTABLE]** [score: 86.1] Observation: Notable skin texture irregularity on forehead.

Left Cheek

Metric	Value	Normal Range	Severity
Acne Score	0.0 / 100	< 20	None
Redness Score	0.0 / 100	< 25	None
Texture Irregularity	53.5 / 100	< 30	Mild

● **[NONE]** No significant skin spots detected on left cheek.

● **[MILD]** [score: 53.5] Observation: Mild skin texture irregularity on left cheek.

Right Cheek

Metric	Value	Normal Range	Severity
Acne Score	0.0 / 100	< 20	None
Redness Score	1.7 / 100	< 25	None
Texture Irregularity	23.4 / 100	< 30	None

● **[NONE]** No significant skin spots detected on right cheek.

Nose

Metric	Value	Normal Range	Severity
Acne Score	10.0 / 100	< 20	None
Redness Score	2.4 / 100	< 25	None
Texture Irregularity	41.0 / 100	< 35	Mild

● **[NONE]** No significant skin spots detected on nose.

● **[MILD]** [score: 41.0] Observation: Mild skin texture irregularity on nose.

4. Lips

Metric	Value	Normal Range	Severity
Dryness Score	100.0 / 100	< 30	Notable
Color Inconsistency	62.3 / 100	< 25	Moderate

Pallor Score	81.2 / 100	< 35	Notable
--------------	------------	------	---------

- **[NOTABLE]** [score: 100.0] Possible indicator: Notable lip dryness observed.
- **[MILD]** [score: 37.7] Observation: Mild unevenness in lip color distribution.
- **[NOTABLE]** [score: 81.2] Visible sign: Notable lip pallor (reduced color saturation) observed. Possible indicator of reduced circulation in lip area.

5. Mouth Geometry

Metric	Value	Normal Range	Severity
Mouth Aspect Ratio (normalized)	100.0 / 100	50–100 (resting closed)	—
Corner Asymmetry Score	21.4 / 100	< 15	Mild
Curvature Score (signed)	3.7	± 10 (neutral)	—

- **[MILD]** [score: 21.4] Slight difference in mouth corner height noted between left and right.
- **[NONE]** Mouth appears in a neutral resting position.

6. Overall Assessment

Assessment Label: Notable Observations Present **Observation Density Score:** 100%

- 3 notable observation(s) detected requiring attention.
- 5 mild observation(s) noted.
- Note: This report contains visual observations only and does not constitute a medical diagnosis. Please consult a qualified healthcare professional for any health concerns.

DISCLAIMER: This report is generated by an automated computer vision system (Mira AI Facial Analysis). It contains visual and geometric observations only and does NOT constitute a medical diagnosis, clinical assessment, or treatment recommendation. All findings must be interpreted by a qualified healthcare professional in the context of the patient's clinical history. Scores are derived from a single photographic frame and may be affected by lighting, pose, and image quality.