


Facial Health Observation Report — Clinical Review

Patient ID: 001 | Generated: 26 September 2026, 14:50 | System: Mira AI Facial Analysis v1.0 | *FOR CLINICAL USE*
— CONTAINS RAW METRIC DATA

Facial Analysis Visualization



Annotated mesh with Phase 2 region overlays.

1. Face Geometry

Metric	Value	Normal Range	Severity
Symmetry Score	59.7 / 100	≥ 75	Mild
Head Tilt	1.5°	$\pm 3^\circ$	—
Face Aspect Ratio (H/W)	1.268	1.2–1.6	—
Swelling Score	0.0 / 100	< 20	—
Cheek / Eye-Span Ratio	1.443	≤ 1.60	—

Clinical Observations:

- Observation: Mild facial asymmetry detected (Mild Asymmetry, score 60/100). Further observation may be warranted.
- Head alignment appears level.
- Facial proportions appear within typical range.
- No swelling indicators detected based on facial proportions.

2. Eyes

Left Eye

Metric	Value	Normal Range	Severity
Dark Circle Score	0.0 / 100	< 35	None
Redness Score	0.0 / 100	< 30	None
Puffiness Score	61.7 / 100	< 35	Moderate
Openness Ratio	100.0 / 100	≥ 20	—

- [NONE] No significant dark circles observed under left eye.
- [NONE] No visible redness in left eye.

- **[MODERATE]** [score: 61.7] Observation: Moderate puffiness around left eye.

Right Eye

Metric	Value	Normal Range	Severity
Dark Circle Score	0.0 / 100	< 35	None
Redness Score	0.0 / 100	< 30	None
Puffiness Score	0.0 / 100	< 35	None
Openness Ratio	90.5 / 100	>= 20	—

- **[NONE]** No significant dark circles observed under right eye.
- **[NONE]** No visible redness in right eye.

3. Skin

Forehead

Metric	Value	Normal Range	Severity
Acne Score	0.0 / 100	< 20	None
Redness Score	48.0 / 100	< 25	Mild
Texture Irregularity	34.6 / 100	< 30	Mild

- **[NONE]** No significant skin spots detected on forehead.
- **[MILD]** [score: 34.6] Observation: Mild skin texture irregularity on forehead.
- **[MILD]** [score: 48.0] Observation: Mild skin redness on forehead.

Left Cheek

Metric	Value	Normal Range	Severity
Acne Score	0.0 / 100	< 20	None
Redness Score	6.5 / 100	< 25	None
Texture Irregularity	49.1 / 100	< 30	Mild

- **[NONE]** No significant skin spots detected on left cheek.
- **[MILD]** [score: 49.1] Observation: Mild skin texture irregularity on left cheek.

Right Cheek

Metric	Value	Normal Range	Severity
Acne Score	0.0 / 100	< 20	None
Redness Score	0.0 / 100	< 25	None
Texture Irregularity	21.7 / 100	< 30	None

- **[NONE]** No significant skin spots detected on right cheek.

Nose

Metric	Value	Normal Range	Severity
Acne Score	0.0 / 100	< 20	None
Redness Score	17.9 / 100	< 25	None
Texture Irregularity	18.1 / 100	< 35	None

- **[NONE]** No significant skin spots detected on nose.

4. Lips

Metric	Value	Normal Range	Severity
--------	-------	--------------	----------

Dryness Score	100.0 / 100	< 30	Notable
Color Inconsistency	92.2 / 100	< 25	Notable
Pallor Score	44.4 / 100	< 35	Mild

● **[NOTABLE]** [score: 100.0] Possible indicator: Notable lip dryness observed.

● **[MILD]** [score: 44.4] Visible sign: Mild lip pallor (reduced color saturation) observed. Possible indicator of reduced circulation in lip area.

5. Mouth Geometry

Metric	Value	Normal Range	Severity
Mouth Aspect Ratio (normalized)	100.0 / 100	50–100 (resting closed)	—
Corner Asymmetry Score	28.0 / 100	< 15	Mild
Curvature Score (signed)	11.4	± 10 (neutral)	Mild

● **[MILD]** [score: 28.0] Slight difference in mouth corner height noted between left and right.

● **[NONE]** [score: 11.4] Mouth corners appear raised (smile-like curvature, score 11).

6. Overall Assessment

Assessment Label: Notable Observations Present **Observation Score:** 84%

- 1 notable observation(s) detected requiring attention.
- 1 moderate observation(s) identified.
- 5 mild observation(s) noted.
- Note: This report contains visual observations only and does not constitute a medical diagnosis. Please consult a qualified healthcare professional for any health concerns.

DISCLAIMER: This report is generated by an automated computer vision system (Mira AI Facial Analysis). It contains visual and geometric observations only and does NOT constitute a medical diagnosis, clinical assessment, or treatment recommendation. All findings must be interpreted by a qualified healthcare professional in the context of the patient's clinical history. Scores are derived from a single photographic frame and may be affected by lighting, pose, and image quality.