


Facial Health Observation Report — Clinical Review

Patient ID: 001 | Generated: 26 September 2026, 23:44 | System: Mira AI Facial Analysis v1.0 | *FOR CLINICAL USE*
— CONTAINS RAW METRIC DATA

Facial Analysis Visualization



Annotated mesh with Phase 2 region overlays.

1. Face Geometry

Metric	Value	Normal Range	Severity
Symmetry Score	87.1 / 100	≥ 75	—
Head Tilt	0.0°	$\pm 3^\circ$	—
Face Aspect Ratio (H/W)	1.188	1.2–1.6	Mild
Swelling Score	0.0 / 100	< 20	—
Cheek / Eye-Span Ratio	1.521	≤ 1.60	—

Clinical Observations:

- Observation: Slight facial asymmetry noted (Normal Symmetry, score 87/100). Minor variations are common and typically insignificant.
- Head alignment appears level.
- Observation: Face appears relatively wide for its height.
- No swelling indicators detected based on facial proportions.

2. Eyes

Left Eye

Metric	Value	Normal Range	Severity
Dark Circle Score	0.0 / 100	< 35	None
Redness Score	0.0 / 100	< 30	None
Puffiness Score	25.6 / 100	< 35	None
Openness Ratio	88.8 / 100	≥ 20	—

- [NONE] No significant dark circles observed under left eye.
- [NONE] No visible redness in left eye.

Right Eye

Metric	Value	Normal Range	Severity
Dark Circle Score	0.9 / 100	< 35	None
Redness Score	0.0 / 100	< 30	None
Puffiness Score	0.0 / 100	< 35	None
Openness Ratio	96.4 / 100	>= 20	—

- **[NONE]** No significant dark circles observed under right eye.
- **[NONE]** No visible redness in right eye.

3. Skin

Forehead

Metric	Value	Normal Range	Severity
Acne Score	0.0 / 100	< 20	None
Redness Score	36.9 / 100	< 25	Mild
Texture Irregularity	48.9 / 100	< 30	Mild

- **[NONE]** No significant skin spots detected on forehead.
- **[MILD]** [score: 48.9] Observation: Mild skin texture irregularity on forehead.
- **[MILD]** [score: 36.9] Observation: Mild skin redness on forehead.

Left Cheek

Metric	Value	Normal Range	Severity
Acne Score	0.0 / 100	< 20	None
Redness Score	0.0 / 100	< 25	None
Texture Irregularity	21.1 / 100	< 30	None

- **[NONE]** No significant skin spots detected on left cheek.

Right Cheek

Metric	Value	Normal Range	Severity
Acne Score	0.0 / 100	< 20	None
Redness Score	2.8 / 100	< 25	None
Texture Irregularity	53.8 / 100	< 30	Mild

- **[NONE]** No significant skin spots detected on right cheek.
- **[MILD]** [score: 53.8] Observation: Mild skin texture irregularity on right cheek.

Nose

Metric	Value	Normal Range	Severity
Acne Score	0.0 / 100	< 20	None
Redness Score	7.3 / 100	< 25	None
Texture Irregularity	34.7 / 100	< 35	None

- **[NONE]** No significant skin spots detected on nose.

4. Lips

Metric	Value	Normal Range	Severity
Dryness Score	100.0 / 100	< 30	Notable
Color Inconsistency	88.6 / 100	< 25	Notable

Pallor Score	58.6 / 100	< 35	Mild
--------------	------------	------	------

- **[NOTABLE]** [score: 100.0] Possible indicator: Notable lip dryness observed.
- **[MILD]** [score: 58.6] Visible sign: Mild lip pallor (reduced color saturation) observed. Possible indicator of reduced circulation in lip area.

5. Mouth Geometry

Metric	Value	Normal Range	Severity
Mouth Aspect Ratio (normalized)	100.0 / 100	50–100 (resting closed)	—
Corner Asymmetry Score	37.7 / 100	< 15	Moderate
Curvature Score (signed)	-4.7	± 10 (neutral)	—

- **[MODERATE]** [score: 37.7] Observation: Moderate difference in mouth corner height between left and right. May reflect natural asymmetry or positional artifact.
- **[NONE]** Mouth appears in a neutral resting position.

6. Overall Assessment

Assessment Label: Notable Observations Present **Observation Score:** 86%

- 1 notable observation(s) detected requiring attention.
- 1 moderate observation(s) identified.
- 4 mild observation(s) noted.
- Note: This report contains visual observations only and does not constitute a medical diagnosis. Please consult a qualified healthcare professional for any health concerns.

DISCLAIMER: This report is generated by an automated computer vision system (Mira AI Facial Analysis). It contains visual and geometric observations only and does NOT constitute a medical diagnosis, clinical assessment, or treatment recommendation. All findings must be interpreted by a qualified healthcare professional in the context of the patient's clinical history. Scores are derived from a single photographic frame and may be affected by lighting, pose, and image quality.