


Facial Health Observation Report — Clinical Review

Patient ID: 001 | Generated: 27 September 2026, 17:05 | System: Mira AI Facial Analysis v1.0 | *FOR CLINICAL USE*
— CONTAINS RAW METRIC DATA

Facial Analysis Visualization



Annotated mesh with Phase 2 region overlays.

1. Face Geometry

Metric	Value	Normal Range	Severity
Symmetry Score	64.9 / 100	≥ 75	Mild
Head Tilt	-5.0°	$\pm 3^\circ$	Mild
Face Aspect Ratio (H/W)	1.127	1.2–1.6	Mild
Swelling Score	0.0 / 100	< 20	—
Cheek / Eye-Span Ratio	1.514	≤ 1.60	—

Clinical Observations:

- Observation: Mild facial asymmetry detected (Mild Asymmetry, score 65/100). Further observation may be warranted.
- Slight head tilt observed (-5.0°). May be positional.
- Observation: Face appears relatively wide for its height.
- No swelling indicators detected based on facial proportions.

2. Eyes

Left Eye

Metric	Value	Normal Range	Severity
Dark Circle Score	0.0 / 100	< 35	None
Redness Score	0.0 / 100	< 30	None
Puffiness Score	0.0 / 100	< 35	None
Openness Ratio	100.0 / 100	≥ 20	—

- [NONE] No significant dark circles observed under left eye.
- [NONE] No visible redness in left eye.

Right Eye

Metric	Value	Normal Range	Severity
Dark Circle Score	15.6 / 100	< 35	None
Redness Score	0.0 / 100	< 30	None
Puffiness Score	0.0 / 100	< 35	None
Openness Ratio	100.0 / 100	>= 20	—

- [NONE] No significant dark circles observed under right eye.
- [NONE] No visible redness in right eye.

3. Skin

Forehead

Metric	Value	Normal Range	Severity
Acne Score	0.0 / 100	< 20	None
Redness Score	48.3 / 100	< 25	Mild
Texture Irregularity	2.7 / 100	< 30	None

- [NONE] No significant skin spots detected on forehead.
- [MILD] [score: 48.3] Observation: Mild skin redness on forehead.

Left Cheek

Metric	Value	Normal Range	Severity
Acne Score	10.0 / 100	< 20	None
Redness Score	0.5 / 100	< 25	None
Texture Irregularity	55.2 / 100	< 30	Moderate

- [NONE] No significant skin spots detected on left cheek.
- [MODERATE] [score: 55.2] Observation: Moderate skin texture irregularity on left cheek.

Right Cheek

Metric	Value	Normal Range	Severity
Acne Score (■ low light — acne/texture suppressed)	0.0 / 100	< 20	None
Redness Score	0.0 / 100	< 25	None
Texture Irregularity	0.0 / 100	< 30	None

- [NONE] Lighting on right cheek was too low to reliably assess texture or spot detail in this region; those readings are not included here.

Nose

Metric	Value	Normal Range	Severity
Acne Score	0.0 / 100	< 20	None
Redness Score	3.4 / 100	< 25	None
Texture Irregularity	20.4 / 100	< 35	None

- [NONE] No significant skin spots detected on nose.

4. Lips

Metric	Value	Normal Range	Severity
Dryness Score	100.0 / 100	< 30	Notable

Color Inconsistency	62.1 / 100	< 25	Moderate
Pallor Score	52.5 / 100	< 35	Mild

- [NOTABLE] [score: 100.0] Possible indicator: Notable lip dryness observed.
- [MILD] [score: 37.9] Observation: Mild unevenness in lip color distribution.
- [MILD] [score: 52.5] Visible sign: Mild lip pallor (reduced color saturation) observed. Possible indicator of reduced circulation in lip area.

5. Mouth Geometry

Metric	Value	Normal Range	Severity
Mouth Aspect Ratio (normalized)	100.0 / 100	50–100 (resting closed)	—
Corner Asymmetry Score	24.1 / 100	< 15	Mild
Curvature Score (signed)	2.2	± 10 (neutral)	—

- [MILD] [score: 24.1] Slight difference in mouth corner height noted between left and right.
- [NONE] Mouth appears in a neutral resting position.

6. Overall Assessment

Assessment Label: Notable Observations Present **Observation Score:** 83%

- 1 notable observation(s) detected requiring attention.
- 1 moderate observation(s) identified.
- 4 mild observation(s) noted.
- Note: This report contains visual observations only and does not constitute a medical diagnosis. Please consult a qualified healthcare professional for any health concerns.

DISCLAIMER: This report is generated by an automated computer vision system (Mira AI Facial Analysis). It contains visual and geometric observations only and does NOT constitute a medical diagnosis, clinical assessment, or treatment recommendation. All findings must be interpreted by a qualified healthcare professional in the context of the patient's clinical history. Scores are derived from a single photographic frame and may be affected by lighting, pose, and image quality.