

Step 1 [Run the Process list display]

And Search for the Postgres

```
aayush@aayush:~/Desktop/LoginLogoutDemo$ sudo docker ps
```

[sudo] password for aayush:

CONTAINER ID	IMAGE	COMMAND	CREATED	STATUS	PORTS
b3ff5b8e46b8	loginlogoutdemo-app	"java -jar app.jar"	32 seconds ago	Up 31 seconds	0.0.0.0:8080->8080/tcp, [::]:8080->8080/tcp
3bccbb729c04	postgres:15	"docker-entrypoint.s..."	32 seconds ago	Up 32 seconds	0.0.0.0:5432->5432/tcp, [::]:5432->5432/tcp

Step 2 [Access the Database]

```
aayush@aayush:~/Desktop/LoginLogoutDemo$ sudo docker exec -it hospital postgres psql -U postgres -d hospitaldb
```

psql (15.17 (Debian 15.17-1.pgdg13+1))

Type "help" for help.

-----To List the Databases-----

```
hospitaldb=# \l
```

-----To List the Databases-----

-----To connect to hospitaldb database -----

```
hospitaldb=# \c hospitaldb
```

You are now connected to database "hospitaldb" as user "postgres".

-----To connect to hospitaldb database -----

-----To List the Tables-----

hospitaldb=# \dt

-----To List the Tables-----

List of relations

Schema	Name	Type	Owner
--------	------	------	-------

-----+	-----+	-----+	-----
--------	--------	--------	-------

public	admin_activity	table	postgres
--------	----------------	-------	----------

public	admins	table	postgres
--------	--------	-------	----------

(2 rows)

-----To see schema /display structure -----

hospitaldb=# \d admins

-----To see schema /display structure -----

Step 3 [You need the admin record to be initialized into Admins table]

you are going to find the Admins table is currently empty

-----Select Query -----

hospitaldb=# select * from admins;

id	date_created	designation	email	name	password
----	--------------	-------------	-------	------	----------

---	+	-----+	-----+	-----+	-----
-----	---	--------	--------	--------	-------

(0 rows)

-----Select Query -----

-----Insert Query -----

```
hospitaldb=# INSERT INTO admins (name, email, password, designation, date_created)
VALUES ('admin', 'admin@gmail.com', 'admin', 'HMS_ADMIN', NOW());
INSERT 0 1
```

-----Insert Query -----

Step 4 [validate the record and reload the site inside the container]

```
hospitaldb=# select * from admins;
```

id	date_created	designation	email	name	password
----	--------------	-------------	-------	------	----------

1	2026-03-01 06:55:37.621406	HMS_ADMIN	admin@gmail.com	admin	admin
---	----------------------------	-----------	-----------------	-------	-------

(1 row)

Step 5 [carry out the procedures in the Applications]