

Site Configs

Site 1

Site to Site tunnel:

"Site1-Site2"

set interface "wan2"

set peertype any

set net-device disable

set proposal aes128-sha256 aes256-sha256 aes128-sha1 aes256-sha1

set comments "VPN: Site1-Site2 (Created by VPN wizard)"

set wizard-type static-fortigate

set remote-gw 1.1.1.2

set psksecret ENC

Tunnel Template

 Site to Site - FortiGate

[Convert To Custom Tunnel](#)

Name

Site1-Site2

Comments

VPN: Site1-Site2 (Created by
VPN wizard)

40/255

Network

 Edit

Remote Gateway : Static IP Address (1.1.1.2) , Outgoing Interface : wan2

Authentication

 Edit

Authentication Method : Pre-shared Key

Phase 2 Selectors

	Local Address	Remote Address	
Site1-Site2	Site1-Site2_local	Site1-Site2_remote	

SSL VPN:

```
config vpn ssl settings
  set servercert "SSL-VPN"
  set tunnel-ip-pools "SSLVPN_TUNNEL_ADDR1"
  set tunnel-ipv6-pools "SSLVPN_TUNNEL_IPv6_ADDR1"
  set port 8080
  set source-interface "wan1"
  set source-address "all"
  set source-address6 "all"
  set default-portal "web-access"
config authentication-rule
  edit 1
    set groups "VpnUser"
    set portal "full-access"
```

SSL-VPN Settings

Connection Settings ⓘ

Enable SSL-VPN ☒

Listen on Interface(s)

wan1

+

×

Listen on Port

8080

Server Certificate

SSL-VPN

Redirect HTTP to SSL-VPN ☐

Restrict Access

Allow access from any host

Limit access to specific hosts

Negate Source ☐

Idle Logout ☒

Inactive For

300

Seconds

Require Client Certificate ☐

Tunnel Mode Client Settings ⓘ

Address Range

Automatically assign addresses

Specify custom IP ranges

DNS Server

Same as client system DNS

Specify

Specify WINS Servers ☐

Web Mode Settings

Language ⓘ

Browser preference

System

Authentication/Portal Mapping ⓘ

+ Create New

Edit

Delete

Send SSL-VPN Configuration

Users/Groups ↕	Portal ↕
VpnUser	full-access
All Other Users/Groups	web-access

Firewall Policy:
config firewall policy

edit 1

```
set uuid b97cfa54-ccac-51f0-1dc3-91c2418638c1
set srcintf "internal"
set dstintf "wan1"
set action accept
set srcaddr "all"
set dstaddr "all"
set schedule "always"
set service "ALL"
set nat enable
```

next

edit 2

```
set name "vpn_Site1-Site2_local_0"
set uuid 344f5c8a-53a4-51f1-4ea1-48def4d5a702
set srcintf "internal2"
set dstintf "Site1-Site2"
set action accept
set srcaddr "Site1-Site2_local"
set dstaddr "Site1-Site2_remote"
set schedule "always"
set service "ALL"
set comments "VPN: Site1-Site2 (Created by VPN wizard)"
```

next

edit 3

```
set name "vpn_Site1-Site2_remote_0"
set uuid 3475db3a-53a4-51f1-a7f1-fe5fd35cf989
set srcintf "Site1-Site2"
set dstintf "internal2"
set action accept
set srcaddr "Site1-Site2_remote"
set dstaddr "Site1-Site2_local"
set schedule "always"
set service "ALL"
set comments "VPN: Site1-Site2 (Created by VPN wizard)"
```

next

edit 4

```
set name "VPN-Tunnel"
set uuid e20e31b0-53a5-51f1-f2cf-8c677e907321
set srcintf "ssl.root"
set dstintf "internal2"
set action accept
set srcaddr "all"
set dstaddr "Site1-Site2_local_subnet_1"
set schedule "always"
```

```

set service "ALL"
set nat enable
set groups "VpnUser"
next
edit 5
set name "Outside-DMZ"
set uuid 24b38d9a-53c8-51f1-1050-7dc7f5ea11be
set srcintf "internal3"
set dstintf "dmz"
set action accept
set srcaddr "all"
set dstaddr "outsideToDMZ"
set schedule "always"
set service "HTTP"
set nat enable
next
edit 6
set name "SSH"
set uuid 467665ae-53ca-51f1-edf2-179546180358
set srcintf "internal3"
set dstintf "dmz"
set action accept
set srcaddr "all"
set dstaddr "Kali"
set schedule "always"
set service "SSH"
set nat enable
next
end

```

Name	Source	Destination	Schedule	Service	Action	NAT	Security Profiles	Log	Bytes	Type
Internal → wan1 1										
	all	all	always	ALL	ACCEPT	Enabled	SSL no-inspection	UTM	922.89 MB	Standard
internal2 → Site1-Site2 1										
vpn_Site1-Site2_local_0	Site1-Site2_local	Site1-Site2_remote	always	ALL	ACCEPT	Disabled	SSL no-inspection	UTM	0 B	Standard
Internal3 → dmz 2										
Outside-DMZ	all	outsideToDMZ	always	HTTP	ACCEPT	Enabled	SSL no-inspection	UTM	2.55 kB	Standard
SSH	all	Kali	always	SSH	ACCEPT	Enabled	SSL no-inspection	UTM	12.32 kB	Standard
Site1-Site2 → internal2 1										
vpn_Site1-Site2_remote_0	Site1-Site2_remote	Site1-Site2_local	always	ALL	ACCEPT	Disabled	SSL no-inspection	UTM	0 B	Standard
SSL-VPN tunnel interface (ssl.root) → internal2 1										
VPN-Tunnel	VpnUser	Site1-Site2_local_subnet_1	always	ALL	ACCEPT	Enabled	SSL no-inspection	UTM	0 B	Standard
Implicit 1										

Logging:
config log syslog setting

```
set status enable
set server "206.206.206.16"
set port 555
end
```

Site 2

Site to Site tunnel:

"Site2-Site1"

```
set interface "wan2"
set peertype any
set net-device disable
set proposal aes128-sha256 aes256-sha256 aes128-sha1 aes256-sha1
set comments "VPN: Site2-Site1 (Created by VPN wizard)"
set wizard-type static-fortigate
set remote-gw 1.1.1.1
set psksecret ENC
```

Edit VPN Tunnel

Tunnel Template: **Site to Site - FortiGate**
[Convert To Custom Tunnel](#)

Name: Site2-Site1

Comments: VPN: Site2-Site1 (Created by VPN wizard) 40/255

Network [Edit](#)
Remote Gateway: Static IP Address (1.1.1.1), Outgoing Interface: wan2

Authentication [Edit](#)
Authentication Method: Pre-shared Key

Phase 2 Selectors

	Local Address	Remote Address	
Site2-Site1	Site2-Site1_local	Site2-Site1_remote	Edit

Additional Information

[API Preview](#)
[References](#)

IPsec VPNs

Guides

- [IPsec VPN Cookbook Recipes](#)
- [VPN Setup on FortiClient](#)
- [Configuring an IPsec VPN Connection](#)

Documentation

- [Online Help](#)
- [Video Tutorials](#)

OK **Cancel**

Firewall Policy:

config firewall policy

edit 1

```
set uuid db56a5bc-8cf6-51f0-81e2-d632fe03d368
set srcintf "internal"
set dstintf "wan1"
set action accept
set srcaddr "all"
set dstaddr "all"
```

```

set schedule "always"
set service "ALL"
set nat enable
next
edit 2
set name "vpn_Site2-Site1_local_0"
set uuid 35ce8428-53a4-51f1-f204-6d55143f2dc4
set srcintf "internal2"
set dstintf "Site2-Site1"
set action accept
set srcaddr "Site2-Site1_local"
set dstaddr "Site2-Site1_remote"
set schedule "always"
set service "ALL"
set comments "VPN: Site2-Site1 (Created by VPN wizard)"
next
edit 3
set name "vpn_Site2-Site1_remote_0"
set uuid 35e4d0f2-53a4-51f1-ee85-a90783657d60
set srcintf "Site2-Site1"
set dstintf "internal2"
set action accept
set srcaddr "Site2-Site1_remote"
set dstaddr "Site2-Site1_local"
set schedule "always"
set service "ALL"
set comments "VPN: Site2-Site1 (Created by VPN wizard)"
next
end

```

Name	Source	Destination	Schedule	Service	Action	NAT	Security Profiles	Log	Bytes
Internal -> wan1	all	all	always	ALL	ACCEPT	Enabled	no-inspection	UTM	18.18 GB
Internal2 -> Site2-Site1	Site2-Site1_local	Site2-Site1_remote	always	ALL	ACCEPT	Disabled	no-inspection	UTM	0 B
vpn_Site2-Site1_local_0	Site2-Site1_remote	Site2-Site1_local	always	ALL	ACCEPT	Disabled	no-inspection	UTM	0 B
vpn_Site2-Site1_remote_0	Site2-Site1_remote	Site2-Site1_local	always	ALL	ACCEPT	Disabled	no-inspection	UTM	0 B
Implicit									

Logging:

```

config log syslogd setting
set status enable
set server "206.206.206.16"
set port 444
end

```

